

The logo for IDEAL BIKES features a stylized 'I' inside a circle, followed by the word 'IDEAL' in a bold, italicized sans-serif font, and 'BIKES' in a smaller, simpler font below it.

IDEAL
BIKES

A photograph of three cyclists riding on a dirt path through a green field under a blue sky with clouds. The cyclists are in the lower third of the frame, moving from left to right. The background shows rolling green hills and a line of trees in the distance.

2013 COLLECTION

RIDE YOUR LIFE



2013

COLLECTION

RIDE YOUR LIFE



Photo courtesy of Costa Navarino

INDEX

<p>06 MOUNTAIN 26" RACE PRO team TRAXER TRAXER comp BOOMMAX TARGET HILLMASTER ZIGZAG PRO RIDER STROBE FREEDER TRIAL</p>	<p>22 MOUNTAIN 29" RACE PRO 29 PRISMA KRITTON ZIGZAG 29 PRO RIDER 29</p>	<p>30 FULL SUSPENSION VSR PRO VSR COMP STROKE AXION</p>	<p>36 TREKKING OFF ROAD INTEGRATOR ERGOMAX OPTIMUS MEGISTO CROSSMO NERGETIC MOOVIC</p>	<p>50 URBAN CHICANE CITYRUN INDIGO</p>	<p>56 SPORT TOURING FUTOUR MULTIGO TRAVELON EZIGO TESTEK</p>	<p>68 CITY CITYLIFE UNIGO</p>	<p>74 ROAD STAGE team STAGE ONROAD INTEMPO STREAMLITE</p>	<p>82 JUNIOR AXION 24 DSS 24 STROBE 24 CITYLIFE 24 DSS 20 STROBE 20 CITYLIFE 20 CONDOR 20 V-TRACK 18-16-14-12</p>	<p>92 FREESTYLE X-TEN X-SIX</p>	<p>96 FOLDING COBI 10 COBI 20 COBI 30 COBI 55</p>
---	--	--	--	--	--	--	---	---	--	--





MOUNTAIN 26"



Hardtails (aka mountain bikes) are fun machines made for off road use. Their frames and components are tough and sturdy, designed to achieve a weird combination of stiffness, durability and lightness. After so many decades, they are still the best thing out there for off road medium height riders, looking for swift response and close contact to the terrain.

FRAME

UD-CARBON, 43-48-53cm,
1050gr

FORK

FOX 32 Float 26
Evolution CTD,
100mm

GEARS


SHIMANO
XT / Deore

BRAKES

SHIMANO DEORE
HYDRAULIC

COLOR

WHITE / BLACK / BLUE



FRAME GEOMETRY CHART

FRAME SIZE	38	43	48	53
A TOP TUBE	550	580	600	615
B SEAT TUBE	380	430	480	530
C REAR CENTER	425	425	425	425
D WHEEL BASE	1041	1071	1092	1108
E B.B. DROP	35	35	35	35
F SEAT ANGLE	73°	73°	73°	73°
G HEAD ANGLE	69°30'	69°30'	69°30'	69°30'
H OFFSET	40	40	40	40

Technical Specifications subject to change






TRAXER

WHEEL 26"

SPEED 30

- FRAME HARDTAIL AL7005-T4/T6, TAPERED HEAD TUBE, 41/46/51/56cm
 FORK FOX 32 FLOAT 26 EVOLUTION CTD, 100mm
 TRANSMISSION SHIMANO XT / SLX / DEORE, RD-M781, SHIMANO FC-M590
 BRAKES SHIMANO DEORE BR-M596 HYDRAULIC DISC BRAKES, CENTER-LOCK
 180/160mm ROTORS
 COLOR SATIN BLACK



FRAME GEOMETRY CHART				
FRAME SIZE	41	46	51	56
A TOP TUBE	555	578	589	610
B SEAT TUBE	415	465	515	565
C REAR CENTER	425	425	425	425
D WHEEL BASE	1043	1062	1068	1089
E B.B. DROP	38	38	38	38
F SEAT ANGLE	74°	73°30'	73°30'	73°30'
G HEAD ANGLE	70°30'	70°30'	71°	71°
H OFFSET	39	39	39	39




TRAXER comp

WHEEL 26"

SPEED 30

- FRAME UD-CARBON HARDTAIL 41/46/51cm
 FORK RST OMEGA-RL, 100mm, REMOTE LOCK OUT, MAGNESIUM
 TRANSMISSION SHIMANO DEORE, RD-M593, SHIMANO FC-M522
 BRAKES SHIMANO BR-M395 HYDRAULIC DISC BRAKES, CENTER-LOCK
 180/160mm ROTORS
 COLOR BLACK / GREY / RED



FRAME GEOMETRY CHART			
FRAME SIZE	41	46	51
A TOP TUBE	571	582	600
B SEAT TUBE	411	462	513
C REAR CENTER	425	425	425
D WHEEL BASE	1038	1049	1080
E B.B. DROP	35	35	35
F SEAT ANGLE	72°24'	72°24'	72°24'
G HEAD ANGLE	71°	71°	71°
H OFFSET	38	38	38

mountain 26"

mountain 26"




BOOMMAX

WHEEL 26"

SPEED 30

- FRAME HARDTAIL AL7005-T4/T6, 38/41/46/51/56cm
 FORK RST OMEGA-RL, 100mm, REMOTE LOCK OUT, MAGNESIUM
 TRANSMISSION SHIMANO DEORE, RD-M593, SHIMANO FC-M522
 BRAKES SHIMANO BR-M395 HYDRAULIC DISC BRAKES, CENTER-LOCK
 180/160mm ROTORS
 COLOR SATIN BLACK / RED



FRAME GEOMETRY CHART					
FRAME SIZE	38	41	46	51	56
A TOP TUBE	555	555	578	589	610
B SEAT TUBE	380	415	465	515	565
C REAR CENTER	425	425	425	425	425
D WHEEL BASE	1044	1044	1062	1068	1089
E B.B. DROP	38	38	38	38	38
F SEAT ANGLE	74°	74°	73°30'	73°30'	73°30'
G HEAD ANGLE	70°30'	70°30'	70°30'	71°	71°
H OFFSET	39	39	39	39	39




TARGET

WHEEL 26"

SPEED 27

- FRAME HARDTAIL AL7005-T4/T6, 38/41/46/51/56cm
 FORK RST OMEGA-RL, 100mm, REMOTE LOCK OUT, MAGNESIUM
 TRANSMISSION SHIMANO DEORE / ACERA, RD-M592, SHIMANO FC-M391-8
 BRAKES SHIMANO BR-M395 HYDRAULIC DISC BRAKES, CENTER-LOCK
 180/160mm ROTORS
 COLOR SATIN ANTHRACITE



FRAME GEOMETRY CHART					
FRAME SIZE	38	41	46	51	56
A TOP TUBE	555	555	578	589	610
B SEAT TUBE	380	415	465	515	565
C REAR CENTER	425	425	425	425	425
D WHEEL BASE	1044	1044	1062	1068	1089
E B.B. DROP	38	38	38	38	38
F SEAT ANGLE	74°	74°	73°30'	73°30'	73°30'
G HEAD ANGLE	70°30'	70°30'	70°30'	71°	71°
H OFFSET	39	39	39	39	39

mountain 26"




HILLMASTER

WHEEL 26"

SPEED 27

- FRAME HARDTAIL AL7005-T4/T6, 38/41/46/51/56cm
 FORK RST GILA-ML, 100mm, MECHANICAL LOCK OUT
 TRANSMISSION SHIMANO DEORE / ACERA, RD-M592, SHIMANO FC-M371
 BRAKES SHIMANO BR-M395 HYDRAULIC DISC BRAKES, CENTER-LOCK
 180/160mm ROTORS
 COLOR OPTIONS SATIN ANTHRACITE / RED, SATIN SCOTCH BRITE



FRAME GEOMETRY CHART					
FRAME SIZE	38	41	46	51	56
A TOP TUBE	555	555	578	589	610
B SEAT TUBE	380	415	465	515	565
C REAR CENTER	425	425	425	425	425
D WHEEL BASE	1044	1044	1062	1068	1089
E B.B. DROP	38	38	38	38	38
F SEAT ANGLE	74°	74°	73°30'	73°30'	73°30'
G HEAD ANGLE	70°30'	70°30'	70°30'	71°	71°
H OFFSET	39	39	39	39	39




ZIGZAG

WHEEL 26"

SPEED 24

- FRAME HARDTAIL AL7005-T4/T6, 38/41/46/51/56cm
 FORK RST GILA-ML, 100mm, MECHANICAL LOCK OUT
 TRANSMISSION SHIMANO ACERA / ALTUS, RD-M390, SHIMANO FC-M311
 BRAKES SHIMANO BR-M395 HYDRAULIC DISC BRAKES, CENTER-LOCK
 180/160mm ROTORS
 COLOR OPTIONS WHITE / ORANGE, SATIN BLACK / RED, SATIN BLACK / BLUE



FRAME GEOMETRY CHART					
FRAME SIZE	38	41	46	51	56
A TOP TUBE	555	555	578	589	610
B SEAT TUBE	380	415	465	515	565
C REAR CENTER	425	425	425	425	425
D WHEEL BASE	1044	1044	1062	1068	1089
E B.B. DROP	38	38	38	38	38
F SEAT ANGLE	74°	74°	73°30'	73°30'	73°30'
G HEAD ANGLE	70°30'	70°30'	70°30'	71°	71°
H OFFSET	39	39	39	39	39

mountain 26"




PRO RIDER

WHEEL 26"

SPEED 24

- FRAME HARDTAIL AL6061-T4/T6, 38/41/46/51/56cm
 FORK RST GILA-ML, 100mm, MECHANICAL LOCK OUT
 TRANSMISSION SHIMANO ACERA / ALTUS, RD-M390, SHIMANO FC-M171
 BRAKES SHIMANO BR-M375 MECHANICAL DISC BRAKES, CENTER-LOCK
 160/160mm ROTORS
 COLOR OPTIONS SATIN ANTHRACITE / BLUE, WHITE / LIME GREEN, SATIN BLACK / RED



FRAME GEOMETRY CHART					
FRAME SIZE	38	41	46	51	56
A TOP TUBE	553	553	576	587	608
B SEAT TUBE	380	415	465	515	565
C REAR CENTER	425	425	425	425	425
D WHEEL BASE	1043	1043	1061	1067	1088
E B.B. DROP	38	38	38	38	38
F SEAT ANGLE	74°	74°	73°30'	73°30'	73°30'
G HEAD ANGLE	70°30'	70°30'	70°30'	71°	71°
H OFFSET	39	39	39	39	39


mountain 26"

STROBE disc / STROBE

WHEEL 26"

SPEED 24

- FRAME HARDTAIL AL6061-T4/T6, 38/41/46/51/56cm
 FORK RST GILA-ML, 100mm, MECHANICAL LOCK OUT
 RST CAPA-T, 80mm, ADJ. PRELOAD
 TRANSMISSION SHIMANO ALTUS, RD-M280, SHIMANO FC-M171
 BRAKES PROMAX MECHANICAL DISC BRAKES,
 160/160mm ROTORS / MIRANDA ELEGANCE COLD FORGED V-BRAKES
 COLOR OPTIONS SATIN RED, WHITE / RED, SATIN ANTHRACITE / ORANGE



FRAME GEOMETRY CHART					
FRAME SIZE	38	41	46	51	56
A TOP TUBE	553	553	576	587	608
B SEAT TUBE	380	415	465	515	565
C REAR CENTER	425	425	425	425	425
D WHEEL BASE	1043	1043	1061	1067	1088
E B.B. DROP	38	38	38	38	38
F SEAT ANGLE	74°	74°	73°30'	73°30'	73°30'
G HEAD ANGLE	70°30'	70°30'	70°30'	71°	71°
H OFFSET	39	39	39	39	39

mountain 26"




FREEDER disc

WHEEL 26"

SPEED 21

- FRAME HARDTAIL AL6061-T4/T6, 38/41/46/51/56cm
 FORK RST CAPA-T, 80mm, ADJ. PRELOAD
 TRANSMISSION SHIMANO, RD-TX35, PROWHEEL FC
 BRAKES PROMAX MECHANICAL DISC BRAKES,
 160/160mm ROTORS
 COLOR OPTIONS SATIN BLACK / LIME YELLOW, SATIN BLACK / BLUE,
 WHITE, SATIN ANTHRACITE / LIME GREEN



FRAME GEOMETRY CHART					
FRAME SIZE	38	41	46	51	56
A TOP TUBE	553	553	576	587	608
B SEAT TUBE	380	415	465	515	565
C REAR CENTER	425	425	425	425	425
D WHEEL BASE	1043	1043	1061	1067	1088
E B.B. DROP	38	38	38	38	38
F SEAT ANGLE	74°	74°	73°30'	73°30'	73°30'
G HEAD ANGLE	70°30'	70°30'	70°30'	71°	71°
H OFFSET	39	39	39	39	39


mountain 26"

FREEDER

WHEEL 26"

SPEED 21

- FRAME HARDTAIL AL6061-T4/T6, M: 38/41/46/51/56cm, L: 38/41/46cm
 FORK RST CAPA-T, 80mm, ADJ. PRELOAD
 TRANSMISSION SHIMANO, RD-TX35, PROWHEEL FC
 BRAKES MIRANDA ELEGANCE COLD FORGED V-BRAKES
 COLOR OPTIONS M: SATIN ANTHRACITE / LIME GREEN, SATIN BLACK / BLUE,
 SATIN BLACK / LIME YELLOW, WHITE
 L: SATIN ANTHRACITE / MAGENTA, PEARL WHITE / LIGHT BLUE,
 SATIN RAF BLUE / WHITE



FRAME GEOMETRY CHART					
FRAME SIZE	38	41	46	51	56
A TOP TUBE	553	553	576	587	608
B SEAT TUBE	380	415	465	515	565
C REAR CENTER	425	425	425	425	425
D WHEEL BASE	1043	1043	1061	1067	1088
E B.B. DROP	38	38	38	38	38
F SEAT ANGLE	74°	74°	73°30'	73°30'	73°30'
G HEAD ANGLE	70°30'	70°30'	70°30'	71°	71°
H OFFSET	39	39	39	39	39

mountain 26"




TRIAL

WHEEL 26"

SPEED 21

FRAME HARDTAIL AL6061-T4/T6, 38/41/46/51/56cm
 FORK SUSPENSION 50mm TRAVEL
 TRANSMISSION SHIMANO, RD-TX35, PROWHEEL FC
 BRAKES MIRANDA ELEGANCE COLD FORGED V-BRAKES

COLOR OPTIONS BLACK / ORANGE, WHITE / RED,
 BLACK / BLUE, WHITE / LIME GREEN



FRAME GEOMETRY CHART					
FRAME SIZE	38	41	46	51	56
A TOP TUBE	553	553	576	587	608
B SEAT TUBE	380	415	465	515	565
C REAR CENTER	425	425	425	425	425
D WHEEL BASE	1043	1043	1061	1067	1088
E B.B. DROP	38	38	38	38	38
F SEAT ANGLE	74°	74°	73°30'	73°30'	73°30'
G HEAD ANGLE	70°30'	70°30'	70°30'	71°	71°
H OFFSET	39	39	39	39	39

mountain 26"


TRIAL L

WHEEL 26"

SPEED 21

FRAME HARDTAIL AL6061-T4/T6, 38/41/46cm
 FORK SUSPENSION 50mm TRAVEL
 TRANSMISSION SHIMANO, RD-TX35, PROWHEEL FC
 BRAKES MIRANDA ELEGANCE COLD FORGED V-BRAKES

COLOR OPTIONS WHITE / RAF BLUE, SATIN BLACK / MAGENTA



FRAME GEOMETRY CHART			
FRAME SIZE	38	41	46
A TOP TUBE	553	553	576
B SEAT TUBE	380	415	465
C REAR CENTER	425	425	425
D WHEEL BASE	1044	1044	1061
E B.B. DROP	38	38	38
F SEAT ANGLE	74°	74°	73°30'
G HEAD ANGLE	70°30'	70°30'	70°30'
H OFFSET	39	39	39

mountain 26"

RIDE YOUR LIFE

MOUNTAIN 29"



The 29ers are perfect touring and marathon bikes. Their big wheels offer better traction and reduce rolling resistance. As if this was not enough, they also get over bulky obstacles much easier thanks to their flat angle of attack. So at the end of the day 29ers ride relatively faster than 26" wheels, maintaining smoothness & safety. Now that is a bizarre combination of speed and comfort.

RACE PRO 29

WHEEL 29"

SPEED 30

FRAME

UD-CARBON,
38/43/48/53cm,
1150gr

FORK

FOX 32 Float 29
Evolution CTD,
100mm,
15mm axle

GEARS



SHIMANO
XT / Deore

BRAKES

SHIMANO DEORE
HYDRAULIC

COLOR

WHITE / BLACK / BLUE



FRAME GEOMETRY CHART

FRAME SIZE	39	43	48	53
A TOP TUBE	575	595	615	630
B SEAT TUBE	390	430	480	530
C REAR CENTER	445	445	445	445
D WHEEL BASE	1087	1107	1122	1137
E B.B. DROP	65	65	65	65
F SEAT ANGLE	68°	68°	68°	68°
G HEAD ANGLE	69°30'	69°30'	70°	70°
H OFFSET	44	44	44	44

Technical Specifications subject to change






PRISMA

WHEEL 29"

SPEED 30

- FRAME HARDTAIL, AL7005-T4/T6, 40/44/48/52/56cm
 FORK RST OMEGA-RL, 100mm, REMOTE LOCK OUT, MAGNESIUM
 TRANSMISSION SHIMANO XT / DEORE, RD-M781, SHIMANO FC-M522
 BRAKES SHIMANO BR-M395 HYDRAULIC DISC BRAKES, CENTER-LOCK,
 180/180mm ROTORS
 COLOR SATIN BLACK



FRAME GEOMETRY CHART				
FRAME SIZE	40	44	48	52
A TOP TUBE	590	600	620	640
B SEAT TUBE	400	440	480	520
C REAR CENTER	440	440	440	440
D WHEEL BASE	1067	1077	1097	1117
E B.B. DROP	60	60	60	60
F SEAT ANGLE	72°30'	72°30'	72°30'	72°30'
G HEAD ANGLE	71°	71°	71°	71°
H OFFSET	42	42	42	42




KRITTON

WHEEL 29"

SPEED 27

- FRAME HARDTAIL, AL7005-T4/T6, 40/44/48/52/56cm
 FORK RST OMEGA-RL, 100mm, REMOTE LOCK OUT, MAGNESIUM
 TRANSMISSION SHIMANO ALIVIO / ACERA, RD-M430, SHIMANO FC-M371
 BRAKES SHIMANO BR-M395 HYDRAULIC DISC BRAKES, CENTER-LOCK,
 180/180mm ROTORS
 COLOR SATIN BLACK / RED



FRAME GEOMETRY CHART				
FRAME SIZE	40	44	48	52
A TOP TUBE	590	600	620	640
B SEAT TUBE	400	440	480	520
C REAR CENTER	440	440	440	440
D WHEEL BASE	1067	1077	1097	1117
E B.B. DROP	60	60	60	60
F SEAT ANGLE	72°30'	72°30'	72°30'	72°30'
G HEAD ANGLE	71°	71°	71°	71°
H OFFSET	42	42	42	42

mountain 29"




ZIGZAG 29

WHEEL 29"

SPEED 24

- FRAME HARDTAIL, AL7005-T4/T6, 40/44/48/52/56cm
 FORK RST BLAZE-ML, 100mm, MECHANICAL LOCK OUT
 TRANSMISSION SHIMANO ACERA / ALTUS, RD-M390, SHIMANO FC-M311
 BRAKES SHIMANO BR-M395 HYDRAULIC DISC BRAKES, CENTER-LOCK
 180/160mm ROTORS
 COLOR SATIN ANTHRACITE / RED



FRAME GEOMETRY CHART				
FRAME SIZE	40	44	48	52
A TOP TUBE	590	600	620	640
B SEAT TUBE	400	440	480	520
C REAR CENTER	440	440	440	440
D WHEEL BASE	1067	1077	1097	1117
E B.B. DROP	60	60	60	60
F SEAT ANGLE	72°30'	72°30'	72°30'	72°30'
G HEAD ANGLE	71°	71°	71°	71°
H OFFSET	42	42	42	42




PRO RIDER 29

WHEEL 29"

SPEED 24

- FRAME HARDTAIL, AL7005-T4/T6, 40/44/48/52/56cm
 FORK RST BLAZE-ML, 100mm, MECHANICAL LOCK OUT
 TRANSMISSION SHIMANO ALTUS, RD-M280, SHIMANO FC-M171
 BRAKES SHIMANO BR-M375 MECHANICAL DISC BRAKES, CENTER-LOCK
 180/160mm ROTORS
 COLOR OPTIONS WHITE / LIME GREEN, WHITE / ORANGE



FRAME GEOMETRY CHART				
FRAME SIZE	40	44	48	52
A TOP TUBE	590	600	620	640
B SEAT TUBE	400	440	480	520
C REAR CENTER	440	440	440	440
D WHEEL BASE	1067	1077	1097	1117
E B.B. DROP	60	60	60	60
F SEAT ANGLE	72°30'	72°30'	72°30'	72°30'
G HEAD ANGLE	71°	71°	71°	71°
H OFFSET	42	42	42	42

mountain 29"



FULL SUSPENSION



Full Suspension bikes take the 26" wheel experience a few levels up. A certain dose of engineering results in frame geometries and kinematic chains that reduce your power loss and thus your... carbon footprint. Possibly the bicycle category most cynically exhibiting the truth of the old dogma 'you pay peanuts, you get monkeys.' So watch out for your forks & shocks dudes.




VSR pro

WHEEL 26"

SPEED 30

- FRAME** 4-LINK SUSPENSION, AL7005-T4/T6, 40/44/49/53cm
FORK FOX 32 FLOAT 26 EVOLUTION CTD, 100mm, REMOTE LOCK OUT
REAR SHOCK FOX FLOAT EVOLUTION CTD, REMOTE LOCK OUT
TRANSMISSION SHIMANO XT / DEORE, RD-M781, SHIMANO FC-M522
BRAKES SHIMANO DEORE BR-M596 HYDRAULIC DISC BRAKES, CENTER-LOCK
 180/160mm ROTORS
COLOR SATIN BLACK



FRAME GEOMETRY CHART				
FRAME SIZE	40	44	49	53
A TOP TUBE	560	580	595	605
B SEAT TUBE	400	440	490	530
C REAR CENTER	430	430	430	430
D WHEEL BASE	1055	1075	1090	1101
E B.B. DROP	5	5	5	5
F SEAT ANGLE	72°30'	72°30'	72°30'	72°30'
G HEAD ANGLE	70°	70°	70°	70°
H OFFSET	38	38	38	38




VSR comp

WHEEL 26"

SPEED 27

- FRAME** 4-LINK SUSPENSION, AL7005-T4/T6, 40/44/49/53cm
FORK RST OMEGA-RL, 100mm, REMOTE LOCK OUT, MAGNESIUM
REAR SHOCK KIND SHOK A5-RE AIR, 100mm
TRANSMISSION SHIMANO DEORE / ALIVIO / ACERA, RD-M592, SHIMANO FC-M371
BRAKES SHIMANO BR-M395 HYDRAULIC DISC BRAKES, CENTER-LOCK
 180/160mm ROTORS
COLOR SATIN BLACK / RED



FRAME GEOMETRY CHART				
FRAME SIZE	40	44	49	53
A TOP TUBE	560	580	595	605
B SEAT TUBE	400	440	490	530
C REAR CENTER	430	430	430	430
D WHEEL BASE	1055	1075	1090	1101
E B.B. DROP	5	5	5	5
F SEAT ANGLE	72°30'	72°30'	72°30'	72°30'
G HEAD ANGLE	70°	70°	70°	70°
H OFFSET	38	38	38	38

full suspension

full suspension




STROKE

WHEEL 26"

SPEED 24

FRAME	ACTIVE SUSPENSION, AL7005-T4/T6, 42/47/52/57cm
FORK	RST BLAZE-ML, 100mm, MECHANICAL LOCK OUT
REAR SHOCK	KIND-SHOCK A5-RE AIR
TRANSMISSION	SHIMANO ACERA, RD-M390, SHIMANO FC-M171
BRAKES	SHIMANO BR-M446 HYDRAULIC DISC BRAKES, 180/160mm ROTORS
COLOR	WHITE / RED



FRAME GEOMETRY CHART				
FRAME SIZE	42	47	52	57
A TOP TUBE	554	577	588	611
B SEAT TUBE	420	470	520	570
C REAR CENTER	425	425	425	425
D WHEEL BASE	1046	1069	1081	1104
E B.B. DROP	16	16	16	16
F SEAT ANGLE	73°30'	73°30'	73°30'	73°30'
G HEAD ANGLE	71°	71°	71°	71°
H OFFSET	45	45	45	45




AXION

WHEEL 26"

SPEED 24

FRAME	ACTIVE SUSPENSION, AL7005-T4/T6, 42/47/52/57cm
FORK	RST CAPA-ML, 80mm, MECHANICAL LOCK OUT
REAR SHOCK	KIND-SHOCK KS-260 COIL SPRING
TRANSMISSION	SHIMANO ALTUS, RD-M310, SHIMANO FC-M171
BRAKES	PROMAX MECHANICAL DISC BRAKES, 160/160mm ROTORS
COLOR	BLACK / GREEN



FRAME GEOMETRY CHART				
FRAME SIZE	42	47	52	57
A TOP TUBE	554	577	588	611
B SEAT TUBE	420	470	520	570
C REAR CENTER	425	425	425	425
D WHEEL BASE	1046	1069	1081	1104
E B.B. DROP	16	16	16	16
F SEAT ANGLE	73°30'	73°30'	73°30'	73°30'
G HEAD ANGLE	71°	71°	71°	71°
H OFFSET	45	45	45	45

full suspension

full suspension



TREKKING OFF ROAD



The perfect bicycle for a riding mix. Urban surroundings, country roads, asphalt, you can call them all home. Stripped of peripheral accessories, but with on and off road trekking in mind. Comfortable frame geometry, big wheels for a fast & smooth ride, comfort components, wide transmission ratios for not giving up on an uphill ride. There is a Trekking Off Road bicycle model for anyone.




INTEGRATOR

WHEEL 700C

SPEED 30

- FRAME TREKKING, AL7005-T4/T6, 42/46/50/54/58cm
 FORK RST VITA-RL, 60mm, REMOTE LOCK OUT
 TRANSMISSION SHIMANO XT / SLX / DEORE, RD-M781, SHIMANO FC-T551
 BRAKES SHIMANO BR-M395 HYDRAULIC DISC BRAKES, CENTER-LOCK
 180/160mm ROTORS
 COLOR SATIN BLACK



FRAME GEOMETRY CHART					
FRAME SIZE	42	46	50	54	58
A TOP TUBE	580	580	590	600	615
B SEAT TUBE	420	460	500	540	580
C REAR CENTER	450	450	450	450	450
D WHEEL BASE	1084	1084	1095	1105	1121
E B.B. DROP	50	50	50	50	50
F SEAT ANGLE	73°	73°	73°	73°	73°
G HEAD ANGLE	70°30'	70°30'	70°30'	70°30'	70°30'
H OFFSET	45	45	45	45	45

trekking off road




ERGOMAX

WHEEL 700C

SPEED 27

- FRAME TREKKING, AL7005-T4/T6, 42/46/50/54/58cm
 FORK RST NEON PLS-ML, 60mm, MECHANICAL LOCK OUT
 TRANSMISSION SHIMANO DEORE / ACERA, RD-M592, SHIMANO FC-M371
 BRAKES SHIMANO BR-M395 HYDRAULIC DISC BRAKES, CENTER-LOCK
 160/160mm ROTORS
 COLOR OPTIONS WHITE, SATIN ANTHRACITE



FRAME GEOMETRY CHART					
FRAME SIZE	42	46	50	54	58
A TOP TUBE	580	580	590	600	615
B SEAT TUBE	420	460	500	540	580
C REAR CENTER	450	450	450	450	450
D WHEEL BASE	1084	1084	1095	1105	1121
E B.B. DROP	50	50	50	50	50
F SEAT ANGLE	73°	73°	73°	73°	73°
G HEAD ANGLE	70°30'	70°30'	70°30'	70°30'	70°30'
H OFFSET	45	45	45	45	45

trekking off road




OPTIMUS

WHEEL 700C

SPEED 24

trekking off road

- FRAME TREKKING, AL7005-T4/T6, 42/46/50/54/58cm
 FORK RST NEON PLS-ML, 60mm, MECHANICAL LOCK OUT
 TRANSMISSION SHIMANO ACERA / ALTUS, RD-M390, SHIMANO FC-M311
 BRAKES SHIMANO BR-M395 HYDRAULIC DISC BRAKES, CENTER-LOCK
 160/160mm ROTORS
 COLOR OPTIONS SATIN TITANIUM, SATIN BLACK, SATIN METALLIC GREY



FRAME GEOMETRY CHART					
FRAME SIZE	42	46	50	54	58
A TOP TUBE	580	580	590	600	615
B SEAT TUBE	420	460	500	540	580
C REAR CENTER	450	450	450	450	450
D WHEEL BASE	1084	1084	1095	1105	1121
E B.B. DROP	50	50	50	50	50
F SEAT ANGLE	73°	73°	73°	73°	73°
G HEAD ANGLE	70°30'	70°30'	70°30'	70°30'	70°30'
H OFFSET	45	45	45	45	45


MEGISTO disc

WHEEL 700C

SPEED 24

trekking off road

- FRAME TREKKING, AL7005-T4/T6, 42/46/50/54/58cm
 FORK RST NEON PLS-ML, 60mm, MECHANICAL LOCK OUT
 TRANSMISSION SHIMANO ACERA / ALTUS, RD-M390, SHIMANO FC-M171
 BRAKES SHIMANO BR-M375 MECHANICAL DISC BRAKES
 160/160mm ROTORS
 COLOR SATIN ANTHRACITE / RED



FRAME GEOMETRY CHART					
FRAME SIZE	42	46	50	54	58
A TOP TUBE	580	580	590	600	615
B SEAT TUBE	420	460	500	540	580
C REAR CENTER	450	450	450	450	450
D WHEEL BASE	1084	1084	1095	1105	1121
E B.B. DROP	50	50	50	50	50
F SEAT ANGLE	73°	73°	73°	73°	73°
G HEAD ANGLE	70°30'	70°30'	70°30'	70°30'	70°30'
H OFFSET	45	45	45	45	45




MEGISTO

WHEEL 700C

SPEED 24

FRAME TREKKING, AL6061-T4/T6, 42/47/53/58cm
 FORK RST NEON PLS-T, 60mm
 TRANSMISSION SHIMANO ACERA / ALTUS, RD-M390, SHIMANO FC-M171
 BRAKES SHIMANO BR-M422 V-BRAKES

COLOR OPTIONS SATIN ANTHRACITE / RED, SATIN BLACK, WHITE / RED



FRAME GEOMETRY CHART					
FRAME SIZE	42	47	53	58	62
A TOP TUBE	575	581	589	597	604
B SEAT TUBE	420	470	530	580	620
C REAR CENTER	450	450	450	450	450
D WHEEL BASE	1073	1079	1087	1095	1103
E B.B. DROP	55	55	55	55	55
F SEAT ANGLE	73°	73°	73°	73°	73°
G HEAD ANGLE	71°	71°	71°	71°	71°
H OFFSET	45	45	45	45	45

trekking off road


MEGISTO L

WHEEL 700C

SPEED 24

FRAME TREKKING, AL6061-T4/T6, 40/46/53cm
 FORK RST NEON PLS-T, 60mm
 TRANSMISSION SHIMANO ACERA / ALTUS, RD-M390, SHIMANO FC-M171
 BRAKES SHIMANO BR-M422 V-BRAKES

COLOR OPTIONS WHITE / RAF BLUE, SATIN BLACK



FRAME GEOMETRY CHART			
FRAME SIZE	40	46	53
A TOP TUBE	563	580	589
B SEAT TUBE	400	460	530
C REAR CENTER	450	450	450
D WHEEL BASE	1060	1079	1088
E B.B. DROP	55	55	55
F SEAT ANGLE	73°	73°	73°
G HEAD ANGLE	71°	71°	71°
H OFFSET	45	45	45

trekking off road



CROSSMO


WHEEL 700C

SPEED 24

trekking off road

- FRAME TREKKING, AL6061-T4/T6, 42/47/53/58cm
 FORK RST NEON-T, 60mm, ADJ. PRELOAD
 TRANSMISSION SHIMANO ALTUS, RD-M280, SHIMANO FC-M171
 BRAKES MIRANDA ELEGANCE COLD FORGED V-BRAKES

COLOR OPTIONS SATIN BLACK / RED, WHITE, SATIN ANTHRACITE / ORANGE



FRAME GEOMETRY CHART					
FRAME SIZE	42	47	53	58	62
A TOP TUBE	575	581	589	597	604
B SEAT TUBE	420	470	530	580	620
C REAR CENTER	450	450	450	450	450
D WHEEL BASE	1073	1079	1087	1095	1103
E B.B. DROP	55	55	55	55	55
F SEAT ANGLE	73°	73°	73°	73°	73°
G HEAD ANGLE	71°	71°	71°	71°	71°
H OFFSET	45	45	45	45	45

CROSSMO L


WHEEL 700C

SPEED 24

trekking off road

- FRAME TREKKING, AL6061-T4/T6, 40/46/53cm
 FORK RST NEON-T, 60mm, ADJ. PRELOAD
 TRANSMISSION SHIMANO ALTUS, RD-M280, SHIMANO FC-M171
 BRAKES MIRANDA ELEGANCE COLD FORGED V-BRAKES

COLOR OPTIONS SATIN ANTHRACITE / MAGENTA, WHITE



FRAME GEOMETRY CHART			
FRAME SIZE	40	46	53
A TOP TUBE	563	580	589
B SEAT TUBE	400	460	530
C REAR CENTER	450	450	450
D WHEEL BASE	1060	1079	1088
E B.B. DROP	55	55	55
F SEAT ANGLE	73°	73°	73°
G HEAD ANGLE	71°	71°	71°
H OFFSET	45	45	45



NERGETIC


WHEEL 700C

SPEED 21

trekking off road

FRAME TREKKING, AL6061-T4/T6, 42/47/53/58cm
 FORK RST NEON-T, 60mm, ADJ. PRELOAD
 TRANSMISSION SHIMANO, RD-TX35, PROWHEEL FC
 BRAKES MIRANDA ELEGANCE COLD FORGED V-BRAKES

COLOR OPTIONS SATIN BLACK / BLUE, WHITE / LIME GREEN, SATIN BLACK / RED



FRAME GEOMETRY CHART					
FRAME SIZE	42	47	53	58	62
A TOP TUBE	575	581	589	597	604
B SEAT TUBE	420	470	530	580	620
C REAR CENTER	450	450	450	450	450
D WHEEL BASE	1073	1079	1087	1095	1103
E B.B. DROP	55	55	55	55	55
F SEAT ANGLE	73°	73°	73°	73°	73°
G HEAD ANGLE	71°	71°	71°	71°	71°
H OFFSET	45	45	45	45	45

NERGETIC L


WHEEL 700C

SPEED 21

trekking off road

FRAME TREKKING, AL6061-T4/T6, 40/46/53cm
 FORK RST NEON-T, 60mm, ADJ. PRELOAD
 TRANSMISSION SHIMANO, RD-TX35, PROWHEEL FC
 BRAKES MIRANDA ELEGANCE COLD FORGED V-BRAKES

COLOR OPTIONS WHITE / LIME GREEN, SATIN RAF BLUE, WHITE / MAGENTA



FRAME GEOMETRY CHART			
FRAME SIZE	40	46	53
A TOP TUBE	563	580	589
B SEAT TUBE	400	460	530
C REAR CENTER	450	450	450
D WHEEL BASE	1060	1079	1088
E B.B. DROP	55	55	55
F SEAT ANGLE	73°	73°	73°
G HEAD ANGLE	71°	71°	71°
H OFFSET	45	45	45



MOOVIC


WHEEL 700C

SPEED 21

trekking off road

FRAME TREKKING, AL6061-T4/T6, 42/47/53/58cm
 FORK SUSPENSION 30mm
 TRANSMISSION SHIMANO, RD-TX35, PROWHEEL FC
 BRAKES MIRANDA ELEGANCE COLD FORGED V-BRAKES

COLOR OPTIONS SATIN ANTHRACITE / LIME YELLOW, WHITE, SATIN METALLIC GREY



FRAME GEOMETRY CHART					
FRAME SIZE	42	47	53	58	62
A TOP TUBE	575	581	589	597	604
B SEAT TUBE	420	470	530	580	620
C REAR CENTER	450	450	450	450	450
D WHEEL BASE	1073	1079	1087	1095	1103
E B.B. DROP	55	55	55	55	55
F SEAT ANGLE	73°	73°	73°	73°	73°
G HEAD ANGLE	71°	71°	71°	71°	71°
H OFFSET	45	45	45	45	45

MOOVIC L


WHEEL 700C

SPEED 21

trekking off road

FRAME TREKKING, AL6061-T4/T6, 40/46/53cm
 FORK SUSPENSION 30mm
 TRANSMISSION SHIMANO, RD-TX35, PROWHEEL FC
 BRAKES MIRANDA ELEGANCE COLD FORGED V-BRAKES

COLOR OPTIONS LAVANDER, WHITE, SATIN METALLIC GREY



FRAME GEOMETRY CHART			
FRAME SIZE	40	46	53
A TOP TUBE	563	580	589
B SEAT TUBE	400	460	530
C REAR CENTER	450	450	450
D WHEEL BASE	1060	1079	1088
E B.B. DROP	55	55	55
F SEAT ANGLE	73°	73°	73°
G HEAD ANGLE	71°	71°	71°
H OFFSET	45	45	45



URBAN



These urban warriors are your potential ticket to a stress free city life. With sportive riding position, stylish design and very reliable transmission and braking parts, they can take you anywhere around a metropolis. But then again you see holiday makers in resorts riding along the 'Venice beaches' of the world, enjoying the simplicity and lightness of these bicycles.




CHICANE

WHEEL 700C

SPEED 27

FRAME TREKKING, AL7005-T4/T6, M: 42/46/50/54/58cm, L: 40/44/48/52cm
 FORK RST SINGLE-SHOCK-M7-T HEAD-SHOCK, 40mm, ADJ. PRELOAD
 TRANSMISSION SHIMANO DEORE, RD-M592, SHIMANO FC-M590
 BRAKES SHIMANO DEORE BR-M590 V-BRAKES

COLOR SATIN BLACK



FRAME GEOMETRY CHART					
FRAME SIZE	42	46	50	54	58
A TOP TUBE	580	580	590	600	615
B SEAT TUBE	420	460	500	540	580
C REAR CENTER	440	440	440	440	440
D WHEEL BASE	1074	1074	1085	1095	1111
E B.B. DROP	50	50	50	50	50
F SEAT ANGLE	73°	73°	73°	73°	73°
G HEAD ANGLE	70°30'	70°30'	70°30'	70°30'	70°30'
H OFFSET	45	45	45	45	45




CITYRUN

WHEEL 700C

SPEED 24

FRAME TREKKING, AL7005-T4/T6, 42/46/50/54/58cm
 FORK RIGID, AL7075
 TRANSMISSION SHIMANO ALIVIO / ACERA, RD-M430, SHIMANO FC-M171
 BRAKES MIRANDA V-BRAKES

COLOR OPTIONS SATIN TITANIUM, SATIN METALLIC BROWN



FRAME GEOMETRY CHART					
FRAME SIZE	42	46	50	54	58
A TOP TUBE	580	580	590	600	615
B SEAT TUBE	420	460	500	540	580
C REAR CENTER	440	440	440	440	440
D WHEEL BASE	1074	1074	1085	1095	1111
E B.B. DROP	50	50	50	50	50
F SEAT ANGLE	73°	73°	73°	73°	73°
G HEAD ANGLE	70°30'	70°30'	70°30'	70°30'	70°30'
H OFFSET	45	45	45	45	45




CITYRUN L

WHEEL 700C

SPEED 24

FRAME TREKKING, AL7005-T4/T6, 40/44/48/52cm
 FORK RIGID, AL7075
 TRANSMISSION SHIMANO ALIVIO / ACERA, RD-M430, SHIMANO FC-M171
 BRAKES MIRANDA V-BRAKES

COLOR OPTIONS SATIN METALLIC BROWN, SATIN TITANIUM



FRAME GEOMETRY CHART				
FRAME SIZE	40	44	48	52
A TOP TUBE	570	580	590	600
B SEAT TUBE	400	440	480	520
C REAR CENTER	440	440	440	440
D WHEEL BASE	1065	1075	1086	1096
E B.B. DROP	50	50	50	50
F SEAT ANGLE	73°	73°	73°	73°
G HEAD ANGLE	70°30'	70°30'	70°30'	70°30'
H OFFSET	45	45	45	45




INDIGO

WHEEL 700C

SPEED 21

FRAME TREKKING, AL7005-T4/T6, M:42/46/50/54/58cm, L: 40/44/48/52cm
 FORK RIGID, HI-TEN
 TRANSMISSION SHIMANO ACERA / ALTUS, RD-M360, PROWHEEL FC
 BRAKES MIRANDA V-BRAKES

COLOR METALLIC SILVER



FRAME GEOMETRY CHART					
FRAME SIZE	42	46	50	54	58
A TOP TUBE	580	580	590	600	615
B SEAT TUBE	420	460	500	540	580
C REAR CENTER	440	440	440	440	440
D WHEEL BASE	1074	1074	1085	1095	1111
E B.B. DROP	50	50	50	50	50
F SEAT ANGLE	73°	73°	73°	73°	73°
G HEAD ANGLE	70°30'	70°30'	70°30'	70°30'	70°30'
H OFFSET	45	45	45	45	45



SPORT TOURING



Trekking bicycles are fully equipped, reliable and comfortable tools for riders going the distance on two wheels, relying on their pedal power. Different price points & levels of vital components and peripheral accessories. But all expedition thirsty and very well responding to their role as the riding companion. The length of the ride is irrelevant really, can be a globe tour or a trip to work, a drop to the coffee shop or a quick pickup at the local deli shop.




FUTOUR

WHEEL 700C

SPEED 30

- FRAME TREKKING, AL7005-T4/T6, 42/46/50/54/58cm
 FORK RST VITA-RL, 60mm, REMOTE LOCK OUT
 TRANSMISSION SHIMANO DEORE, RD-M593, SHIMANO FC-T551
 BRAKES SHIMANO DEORE, BR-M590, V-BRAKES

COLOR SATIN ANTHRACITE



FRAME GEOMETRY CHART					
FRAME SIZE	42	46	50	54	58
A TOP TUBE	580	580	590	600	615
B SEAT TUBE	420	460	500	540	580
C REAR CENTER	440	440	440	440	440
D WHEEL BASE	1074	1074	1085	1095	1111
E B.B. DROP	50	50	50	50	50
F SEAT ANGLE	73°	73°	73°	73°	73°
G HEAD ANGLE	70°30'	70°30'	70°30'	70°30'	70°30'
H OFFSET	45	45	45	45	45




FUTOUR L

WHEEL 700C

SPEED 30

- FRAME TREKKING, AL7005-T4/T6, 40/44/48/52cm
 FORK RST VITA-RL, 60mm, REMOTE LOCK OUT
 TRANSMISSION SHIMANO DEORE, RD-M593, SHIMANO FC-T551
 BRAKES SHIMANO DEORE, BR-M590, V-BRAKES

COLOR SATIN ANTHRACITE



FRAME GEOMETRY CHART				
FRAME SIZE	40	44	48	52
A TOP TUBE	570	580	590	600
B SEAT TUBE	400	440	480	520
C REAR CENTER	440	440	440	440
D WHEEL BASE	1065	1075	1086	1096
E B.B. DROP	50	50	50	50
F SEAT ANGLE	73°	73°	73°	73°
G HEAD ANGLE	70°30'	70°30'	70°30'	70°30'
H OFFSET	45	45	45	45

sport touring

sport touring



MULTIGO

WHEEL 700C

SPEED 27

sport touring


FRAME TREKKING, AL7005-T4/T6,
M:42/46/50/54/58cm, L:40/44/48/52cm, W:40/46/53cm

FORK RST NEON-PLS-ML, 60mm, MECHANICAL LOCKOUT

TRANSMISSION SHIMANO ALIVIO, RD-M430, SHIMANO FC-M431

BRAKES SHIMANO BR-M422 V-BRAKES

COLOR SATIN BLACK



FRAME GEOMETRY CHART					
FRAME SIZE	42	46	50	54	58
A TOP TUBE	580	580	590	600	615
B SEAT TUBE	420	460	500	540	580
C REAR CENTER	440	440	440	440	440
D WHEEL BASE	1074	1074	1085	1095	1111
E B.B. DROP	50	50	50	50	50
F SEAT ANGLE	73°	73°	73°	73°	73°
G HEAD ANGLE	70°30'	70°30'	70°30'	70°30'	70°30'
H OFFSET	45	45	45	45	45



TRAVELON


WHEEL 700C

SPEED 24

sport touring

- FRAME TREKKING, AL7005-T4/T6,
M:42/46/50/54/58cm, L:40/44/48/52cm, W:40/46/53cm
- FORK RST NEON-PLS-T, 60mm, ADJ. PRELOAD
- TRANSMISSION SHIMANO ALTUS, RD-M280, SHIMANO FC-M171
- BRAKES MIRANDA V-BRAKES

COLOR OPTIONS SATIN TITANIUM, PEARL WHITE



FRAME GEOMETRY CHART					
FRAME SIZE	42	46	50	54	58
A TOP TUBE	580	580	590	600	615
B SEAT TUBE	420	460	500	540	580
C REAR CENTER	440	440	440	440	440
D WHEEL BASE	1074	1074	1085	1095	1111
E B.B. DROP	50	50	50	50	50
F SEAT ANGLE	73°	73°	73°	73°	73°
G HEAD ANGLE	70°30'	70°30'	70°30'	70°30'	70°30'
H OFFSET	45	45	45	45	45





EZIGO

WHEEL 700C

SPEED 21


FRAME TREKKING, AL6061-T4/T6,
M:42/47/53/58cm - L: 40/46/53cm - W: 40/46/53cm

FORK RST NEON-T, 60mm, ADJ. PRELOAD

TRANSMISSION SHIMANO, RD-TX35, SHIMANO FC-M171,

BRAKES MIRANDA V-BRAKES

COLOR OPTIONS SATIN BLACK, SATIN TITANIUM



FRAME GEOMETRY CHART					
FRAME SIZE	42	47	53	58	62
A TOP TUBE	575	581	589	596	603
B SEAT TUBE	420	470	530	580	620
C REAR CENTER	450	450	450	450	450
D WHEEL BASE	1073	1079	1087	1095	1103
E B.B. DROP	55	55	55	55	55
F SEAT ANGLE	73°	73°	73°	73°	73°
G HEAD ANGLE	71°	71°	71°	71°	71°
H OFFSET	45	45	45	45	45

sport touring





TESTEK


WHEEL 26"

SPEED 21

sport touring

FRAME TREKKING, AL6061-T4/T6, M: 42/47/53cm - L: 42/47cm - W: 40/45cm
 FORK RST CAPA-T, 80mm, ADJ. PRELOAD
 TRANSMISSION SHIMANO, RD-TX35, SHIMANO FC-M171,
 BRAKES MIRANDA V-BRAKES

COLORS SATIN TITANIUM (M & L),
 SATIN ANTHRACITE (W)



FRAME GEOMETRY CHART			
FRAME SIZE	42	47	53
A TOP TUBE	557	578	594
B SEAT TUBE	420	470	530
C REAR CENTER	435	435	435
D WHEEL BASE	1042	1064	1076
E B.B. DROP	46	46	46
F SEAT ANGLE	73°	73°	72°30'
G HEAD ANGLE	70°30'	70°30'	70°30'
H OFFSET	38	38	38



CITY



No matter if we live in a big city or a small village, we all need a city mate. Adequately equipped for small scale shopping, appropriate enough to carry you on casual or smart dress code. Officially addressed to medium age riders, occasionally loved by vintage hooked youngsters. And even if you fall under none of the above classifications, chances are that you will still enjoy the ride.



CITYLIFE

WHEEL 700C

SPEED 7


FRAME CITY LOOP, AL6061-T4/T6, 40/46/51cm

FORK RIGID, HI-TEN

TRANSMISSION SHIMANO, RD-TY21, PROWHEEL FC

BRAKES MIRANDA ELEGANCE COLD FORGED V-BRAKES

COLOR OPTIONS BLACK, PEARL WHITE, METALLIC BROWN



FRAME GEOMETRY CHART

FRAME SIZE	40	46	51
A TOP TUBE	602	607	612
B SEAT TUBE	400	460	510
C REAR CENTER	460	460	460
D WHEEL BASE	1100	1105	1110
E B.B. DROP	72	72	72
F SEAT ANGLE	72°30'	72°30'	72°30'
G HEAD ANGLE	70°	70°	70°
H OFFSET	38	38	38

city






UNIGO

WHEEL 700C

SPEED 7

FRAME TREKKING, AL7005-T4/T6, M:42/46/50/54/58cm
 FORK RIGID, HI-TEN
 TRANSMISSION SHIMANO, RD-TX35, PROWHEEL FC
 BRAKES MIRANDA ELEGANCE COLD FORGED V-BRAKES

COLOR PEARL WHITE



FRAME GEOMETRY CHART					
FRAME SIZE	42	46	50	54	58
A TOP TUBE	580	580	590	600	615
B SEAT TUBE	420	460	500	540	580
C REAR CENTER	440	440	440	440	440
D WHEEL BASE	1074	1074	1085	1095	1111
E B.B. DROP	50	50	50	50	50
F SEAT ANGLE	73°	73°	73°	73°	73°
G HEAD ANGLE	70°30'	70°30'	70°30'	70°30'	70°30'
H OFFSET	45	45	45	45	45




UNIGO W

WHEEL 700C

SPEED 7

FRAME WAVE, AL7005-T4/T6, W:40/46/53cm
 FORK RIGID, HI-TEN
 TRANSMISSION SHIMANO, RD-TX35, PROWHEEL FC
 BRAKES MIRANDA ELEGANCE COLD FORGED V-BRAKES

COLOR PEARL WHITE



FRAME GEOMETRY CHART			
FRAME SIZE	40	46	53
A TOP TUBE	608	613	618
B SEAT TUBE	400	460	530
C REAR CENTER	460	460	460
D WHEEL BASE	1100	1105	1110
E B.B. DROP	50	50	50
F SEAT ANGLE	69°33'	69°33'	69°33'
G HEAD ANGLE	69°	69°	69°
H OFFSET	45	45	45

city

city



R O A D



Asphalt lovers, kilometres-only diet followers, this is your bicycle category. We are a niche, but don't we love being a part of it? Double or triple cranksets for different ages and slopes, alloy & carbon materials for lightness and stiffness, mechanical and electronic transmissions blurring even more the boundary between modern and vintage.



STAGE team

WHEEL 700C

SPEED 20

FRAME ROAD, UD CARBON, 48/50/52/54/56/58/60/62cm


FORK FULL CARBON

TRANSMISSION SHIMANO ULTEGRA Di-2, RD-6770, SHIMANO FC-6750

BRAKES SHIMANO ULTEGRA, BR-6700

WHEELS SHIMANO WH-RS30

COLOR BLACK / WHITE



FRAME GEOMETRY CHART								
FRAME SIZE	48	50	52	54	56	58	60	62
A TOP TUBE	494.6	514.8	524.2	535.4	551.6	565.5	579.6	594.1
B SEAT TUBE	490	510	520	540	560	580	600	620
C REAR CENTER	406	406	406	406	406	406	408	408
D WHEEL BASE	954	970	971	976	992	997	1009	1018
E B.B. DROP	68	68	68	68	68	68	68	68
F SEAT ANGLE	74°30'	74°30'	74°	73°30'	73°	72°30'	72°	72°
G HEAD ANGLE	72°	72°30'	73°	73°	73°	73°30'	73°30'	73°30'
H OFFSET	45	45	45	45	45	45	45	45



STAGE comp

WHEEL 700C

SPEED 20


FRAME ROAD COMPACT, UD CARBON, 40/45/50/55/60cm

FORK CARBON BLADES, ALLOY STEERER

TRANSMISSION SHIMANO 105, RD-5700, SHIMANO FC-R565

BRAKES SHIMANO BR-R561

COLOR RED / WHITE



FRAME GEOMETRY CHART				
FRAME SIZE	440	480	520	560
A TOP TUBE	530	547	570	590
B SEAT TUBE	440	480	520	560
C REAR CENTER	408	408	408	408
D WHEEL BASE	976	985	999	1008
E B.B. DROP	68	68	68	68
F SEAT ANGLE	74°	73°30'	73°	72°30'
G HEAD ANGLE	72°	72°30'	73°	73°30'
H OFFSET	45	45	45	45

road

road




STAGE

WHEEL 700C

SPEED 20

- FRAME ROAD COMPACT, AL7005-T4/T6, 40/45/50/55/60cm
 FORK CARBON BLADES, ALLOY STEERER
 TRANSMISSION SHIMANO TIAGRA, RD-4601, SHIMANO FC-4650
 BRAKES SHIMANO TIAGRA, BR-4600
 WHEELS SHIMANO WH-R501
 COLOR PEARL WHITE / RED



FRAME GEOMETRY CHART					
FRAME SIZE	40	45	50	55	60
A TOP TUBE	514	535	555	585	605
B SEAT TUBE	400	450	500	550	600
C REAR CENTER	405	405	405	405	405
D WHEEL BASE	975	976	983	999	1018
E B.B. DROP	69	69	69	69	69
F SEAT ANGLE	74°30'	74°	73°30'	73°	73°
G HEAD ANGLE	71°	72°	73°	74°	74°
H OFFSET	50	43	43	43	43




ONROAD

WHEEL 700C

SPEED 27

- FRAME ROAD COMPACT, AL7005-T4/T6, 40/45/50/55/60cm
 FORK CARBON BLADES, ALLOY STEERER
 TRANSMISSION SHIMANO TIAGRA / SORA, RD-4400, SHIMANO FC-4403
 BRAKES SHIMANO 105 CALIPERS
 COLOR SATIN BLACK / RED



FRAME GEOMETRY CHART					
FRAME SIZE	40	45	50	55	60
A TOP TUBE	514	535	555	585	605
B SEAT TUBE	400	450	500	550	600
C REAR CENTER	405	405	405	405	405
D WHEEL BASE	975	976	983	999	1018
E B.B. DROP	69	69	69	69	69
F SEAT ANGLE	74°30'	74°	73°30'	73°	73°
G HEAD ANGLE	71°	72°	73°	74°	74°
H OFFSET	50	43	43	43	43

road




INTEMPO

WHEEL 700C

SPEED 16

FRAME ROAD COMPACT, AL6061-T4/T6, 40/45/50/55/60cm
 FORK ALLOY BLADES, CR-MO STEERER
 TRANSMISSION SHIMANO, RD-2300, SHIMANO FC-2350
 BRAKES SHIMANO SORA CALIPERS BR-3500

COLOR PEARL WHITE / BLUE



FRAME GEOMETRY CHART

FRAME SIZE	40	45	50	55	60
A TOP TUBE	514	535	555	585	605
B SEAT TUBE	400	450	500	550	600
C REAR CENTER	405	405	405	405	405
D WHEEL BASE	975	976	983	999	1018
E B.B. DROP	69	69	69	69	69
F SEAT ANGLE	74°30'	74°	73°30'	73°	73°
G HEAD ANGLE	71°	72°	73°	74°	74°
H OFFSET	50	43	43	43	43




STREAMLITE

WHEEL 700C

SPEED 16

FRAME ROAD COMPACT, AL6061-T4/T6, 40/45/50/55/60cm
 FORK ALLOY BLADES, CR-MO STEERER
 TRANSMISSION SHIMANO, RD-2200, SHIMANO FC-2200
 BRAKES PROMAX ALLOY CALIPERS

COLOR SATIN BLACK / BLUE



FRAME GEOMETRY CHART

FRAME SIZE	40	45	50	55	60
A TOP TUBE	514	535	555	585	605
B SEAT TUBE	400	450	500	550	600
C REAR CENTER	405	405	405	405	405
D WHEEL BASE	975	976	983	999	1018
E B.B. DROP	69	69	69	69	69
F SEAT ANGLE	74°30'	74°	73°30'	73°	73°
G HEAD ANGLE	71°	72°	73°	74°	74°
H OFFSET	50	43	43	43	43

road

road



JUNIOR



Our Junior bicycles are not what you would call a bargain. But the starting point is not the money, it is the senses and the brains of a child. This is probably their first love affair, so no way we can fool around with it. If only we grown-ups could realize how much it matters to encourage young riders to use & enjoy their first vehicle ever. Attention!!! if you are over 145cm please move to a different bicycle category.



AXION 24 disc / AXION 24

WHEEL 24"

SPEED 21

FRAME SUSPENSION D-TYPE, AL6061-T4/T6, 38cm
 FORK SUSPENSION 40mm TRAVEL
 REAR SHOCK KS-260
 TRANSMISSION SHIMANO, RD-TX35, PROWHEEL FC
 BRAKES PROMAX MECHANICAL DISC BRAKES, 160/160mm ROTORS
 MIRANDA ELEGANCE COLD FORGED V-BRAKES (AXION 24)
 COLOR WHITE



DSS 24

WHEEL 24"

SPEED 21

FRAME SUSPENSION D-TYPE, HI-TEN, 37cm
 FORK SUSPENSION 40mm TRAVEL
 REAR SHOCK SPRING 500lbs/in
 TRANSMISSION SHIMANO, RD-TX35, PROWHEEL FC
 BRAKES MIRANDA ELEGANCE COLD FORGED V-BRAKES
 COLOR BLUE / WHITE

junior

junior



STROBE 24 disc / STROBE 24

WHEEL 24"

SPEED 21

FRAME HARDTAIL, AL6061-T4/T6, M: 31cm - L: 31cm
 FORK RST 191-T-D, 50mm, ADJ. PRELOAD
 TRANSMISSION SHIMANO, RD-TX35, PROWHEEL FC
 BRAKES PROMAX MECHANICAL DISC 160mm(F), MIRANDA ELEGANCE COLD FORGED V-BRAKES (R)
 MIRANDA ELEGANCE COLD FORGED V-BRAKES (STROBE 24)
 COLOR OPTIONS BLACK / LIME GREEN / WHITE, MAGENTA / WHITE



CITYLIFE 24/20

WHEEL 24"/20"

SPEED 1

FRAME CITY LOOP, AL6061-T4/T6, 36cm / 29cm
 FORK RIGID, HI-TEN
 TRANSMISSION PROWHEEL FC
 BRAKES MIRANDA ELEGANCE COLD FORGED V-BRAKES
 COLOR NEON PINK

junior

junior



DSS 20

WHEEL 20"

SPEED 6

FRAME SUSPENSION D-TYPE, HI-TEN, 33cm
 FORK SUSPENSION 30mm
 REAR SHOCK SPRING 350lbs/in
 TRANSMISSION SHIMANO, RD-TX35, PROWHEEL FC
 BRAKES MIRANDA ELEGANCE COLD FORGED V-BRAKES

COLOR OPTIONS WHITE / RED



junior

STROBE 20

WHEEL 20"

SPEED 6

FRAME HARDTAIL, AL6061-T4/T6, M: 28cm - L: 28cm
 FORK RIGID, HI-TEN
 TRANSMISSION SHIMANO, RD-TY21, PROWHEEL FC
 BRAKES MIRANDA ELEGANCE COLD FORGED V-BRAKES

COLOR OPTIONS BLACK / ORANGE / WHITE, NEON PINK / WHITE

junior



CONDOR 20

WHEEL 20"

SPEED 6

FRAME HARDTAIL, HI-TEN, M: 28cm - L: 28cm

FORK RIGID, HI-TEN

TRANSMISSION SHIMANO, RD-TY21, PROWHEEL FC

BRAKES MIRANDA ELEGANCE COLD FORGED V-BRAKES

COLOR OPTIONS WHITE / LIME GREEN, RED / BLACK, BLUE / WHITE

junior

V-TRACK 18/16/14/12

WHEEL 18"/16"/14"/12"

SPEED 1

FRAME D-TYPE, AL6061-T4/T6, 25cm / 23cm / 21cm / 21cm

FORK RIGID, HI-TEN

BRAKES CALIPER BRAKES

COLOR OPTIONS BLACK / WHITE, RED / WHITE, NEON PINK / WHITE, GREEN / BLACK

junior



FREESTYLE



Two-wheel toys for over-grown kids or under-grown adults. Freestyle specific, but possible to perform some flatland and jumping too. Robust components, heavy-duty frames and forks. Safety comes first, but the bike is not alone and is never enough. Safety starts in our heads first folks. Never forget that, not even when you back flip and the world looks totally upside down...



X-TEN

WHEEL 20"

SPEED 1

FRAME FREESTYLE, HI-TEN, 28cm

FORK FREESTYLE, HI-TEN

TRANSMISSION BMX, 3PC

BRAKES U-BRAKES

COLOR OPTIONS WHITE / GOLD, DARK PURPLE / WHITE



freestyle

X-SIX

WHEEL 20"

SPEED 1

FRAME FREESTYLE, HI-TEN, 28cm

FORK FREESTYLE, HI-TEN

TRANSMISSION BMX, 1PC

BRAKES U-BRAKES

COLOR OPTIONS LIME YELLOW, SAND ORANGE, BLACK

freestyle



FOLDING



A different interpretation of the term 'urban warriors'. Think of all the urban bicycles advantages, then add weight, volume, mobility, cost sometimes. But above all think of the forest, not the tree. Your self and your bicycle should be a link in the green chain. Any kilometre possible on your pedal input, just do it for crying out loud. Earth cannot wait any longer.



COBI 10

WHEEL 20"

SPEED 8

FRAME FOLDING, ALLOY, VISE GRIP TECHNOLOGY, UNISIZE
 FORK RIGID, HI-TEN
 TRANSMISSION SHIMANO ALTUS, ALLOY CRANK SET
 BRAKES ALLOY V-BRAKES

COLOR SATIN GREY



COBI 20

folding

WHEEL 20"

SPEED 7

FRAME FOLDING, ALLOY, VISE GRIP TECHNOLOGY, UNISIZE
 FORK RIGID, HI-TEN
 TRANSMISSION SHIMANO FT-30, ALLOY CRANK SET
 BRAKES ALLOY V-BRAKES

COLOR SATIN TITANIUM

folding



COBI 30

WHEEL 20"

SPEED 7

FRAME FOLDING, ALLOY, VISE GRIP TECHNOLOGY, UNISIZE

FORK RIGID, HI-TEN

TRANSMISSION SHIMANO FT-30, ALLOY CRANK SET

BRAKES ALLOY V-BRAKES

COLOR OPTIONS METALLIC BLUE, WHITE, BLACK

folding

COBI 55

WHEEL 20"

SPEED 7

FRAME FOLDING, HI-TEN, VISE GRIP TECHNOLOGY, UNISIZE

FORK RIGID, HI-TEN

TRANSMISSION SHIMANO, RD-TY18, ALLOY CRANK SET

BRAKES ALLOY V-BRAKES

COLOR OPTIONS WHITE, RED, BLACK

folding



SPECIFICATIONS

COLLECTION 2013

MOUNTAIN 26"

SPECS	RACE PRO team 26"-30sp	TRAXER 26"-30sp	TRAXER comp 26"-30sp
FRAME	Hardtail, UD carbon, tapered head tube	Hardtail, AL7005-T4/T6, tapered head tube	Hardtail, UD carbon
SIZES	38/43/48/53cm	41/46/51/56cm	41/46/51cm
FORK	FOX 32 Float 26 Evolution CTD, 100mm, tapered steerer, air spring	FOX 32 Float 26 Evolution CTD, 100mm, tapered steerer, air spring	RST Omega-RL, 100mm, magnesium lowers, remote lock out
REAR SHOCK			
FRONT DERAILLEUR	Shimano Deore, FD-M591	Shimano Deore, FD-M590	Shimano Deore, FD-M590
REAR DERAILLEUR	Shimano Deore XT, RD-M781	Shimano Deore XT, RD-M781	Shimano Deore, RD-M593
SHIFTERS	Shimano SLX, SL-M670	Shimano Deore SLX, SL-M670	Shimano Deore, SL-M591
CRANKSET	Shimano Deore, FC-M590, 42-32-24T, <=48cm 170mm, else 175mm	Shimano Deore, FC-M590, 42-32-24T, <=46cm 170mm, else 175mm	Shimano FC-M522, 42-32-24T, <=46cm 170mm, else 175mm
CASSETTE SPROCKET	Shimano CS-HG62, 11-13-15-17-19-21-24-28-32-36T (10sp)	Shimano CS-HG62, 11-13-15-17-19-21-24-28-32-36T (10sp)	Shimano CS-HG62, 11-13-15-17-19-21-24-28-32-36T (10sp)
CHAIN	Shimano CN-HG74	Shimano CN-HG54	Shimano CN-HG54
HUBS	Shimano Deore, HB-M595/FH-M595	Shimano Deore, HB-M595/FH-M595	Shimano HB-RM66/FH-RM66
RIMS	Exal DC19, 559-19*19.5mm	Exal DC19, 559-19*19.5mm	Exal DC19, 559-19*19.5mm
TIRES	Kenda K1080 Slant-Six, 26x2.10 (54-559)	Kenda K1080 Slant-Six, 26x2.10 (54-559)	Kenda K1080 Slant-Six, 26x2.10 (54-559)
BRAKES	Shimano Deore hydraulic disc brakes, BR-M596, 180/160mm	Shimano Deore hydraulic disc brakes, BR-M596, 180/160mm	Shimano BR-M395 hydraulic disc brakes, 180/160mm
HANDLEBAR	ID, riser bar, 66cm, backsweep 5°, rise 15mm	ID, riser bar, 66cm, backsweep 5°, rise 15mm	ID, riser bar, 66cm, backsweep 5°, rise 15mm
STEM	ID, <=43cm 80mm, else 90mm, 7°	ID, <=46cm 80mm, else 90mm, 7°	ID, <=46cm 75mm, else 90mm, 7°
SEAT POST	ID, 31.6*350mm	ID, 31.6*350mm	ID, 31.6*350mm
SADDLE	Selle Italia X1-Flow	Selle Italia X1-Flow	Selle Italia X1-Flow
LIGHTING SET			
MUDGUARDS			
CARRIER			

SPECS	BOOMMAX 26"-30sp	TARGET 26"-27sp	HILLMASTER 26"-27sp
FRAME	Hardtail, AL7005-T4/T6	Hardtail, AL7005-T4/T6	Hardtail, AL7005-T4/T6
SIZES	38/41/46/51/56cm	38/41/46/51/56cm	38/41/46/51/56cm
FORK	RST Omega-RL, 100mm, magnesium lowers, remote lock out	RST Omega-RL, 100mm, magnesium lowers, remote lock out	RST Gila-ML, 100mm, mechanical lock out
REAR SHOCK			
FRONT DERAILLEUR	Shimano Deore, FD-M590	Shimano Acera, FD-M390	Shimano Acera, FD-M390
REAR DERAILLEUR	Shimano Deore, RD-M593	Shimano Deore, RD-M592	Shimano Deore, RD-M592
SHIFTERS	Shimano Deore, SL-M591	Shimano Acera, SL-M390	Shimano Acera, SL-M390
CRANKSET	Shimano FC-M522, 42-32-24T, <=46cm 170mm, else 175mm	Shimano Acera, FC-M391, Octalink, 42-32-22T, <=46cm 170mm, else 175mm	Shimano FC-M371, 44-32-22T, <=46cm 170mm, else 175mm
CASSETTE SPROCKET	Shimano CS-HG62, 11-13-15-17-19-21-24-28-32-36T (10sp)	Shimano CS-HG20, 11-13-15-17-20-23-26-30-34T (9sp)	Shimano CS-HG20, 11-13-15-17-20-23-26-30-34T (9sp)
CHAIN	Shimano CN-HG54	Shimano CN-HG53	Shimano CN-HG53
HUBS	Shimano HB-RM66/FH-RM66	Shimano HB-RM66/FH-RM66	Shimano HB-RM35/FH-RM35
RIMS	Exal DC19, 559-19*19.5mm	Exal DC19, 559-19*19.5mm	ID X-6, 559*21*20.5mm
TIRES	Kenda K1080 Slant-Six, 26x2.10 (54-559)	Kenda K1080 Slant-Six, 26x2.10 (54-559)	Kenda K1027 Kadre, 26x2.10
BRAKES	Shimano BR-M395 hydraulic disc brakes, 180/160mm	Shimano BR-M395 hydraulic disc brakes, 180/160mm	Shimano BR-M395 hydraulic disc brakes, 180/160mm
HANDLEBAR	ID, riser bar, 66cm, backsweep 5°, rise 15mm	ID, riser bar, 66cm, backsweep 5°, rise 15mm	ID, riser bar, 66cm, backsweep 5°, rise 15mm
STEM	ID, <=46cm 75mm, else 90mm, 7°	ID, <=46cm 75mm, else 90mm, 7°	ID, <=46cm 75mm, else 90mm, 7°
SEAT POST	ID, 31.6*350mm	ID, 31.6*350mm	ID, 31.6*350mm
SADDLE	Selle Italia X1-Flow	Selle Italia X1-Flow	Selle Italia X1-Flow
LIGHTING SET			
MUDGUARDS			
CARRIER			

MOUNTAIN 26"

SPECS	ZIGZAG 26"-24sp	PRO RIDER 26"-24sp	STROBE disc 26"-24sp
FRAME	Hardtail, AL7005-T4/T6	Hardtail, AL6061-T4/T6	Hardtail, AL6061-T4/T6
SIZES	38/41/46/51/56cm	38/41/46/51/56cm	38/41/46/51/56cm
FORK	RST Gila-ML, 100mm, mechanical lock out	RST Gila-ML, 100mm, mechanical lock out	RST Gila-ML, 100mm, mechanical lock out
REAR SHOCK			
FRONT DERAILLEUR	Shimano FD-M310	Shimano FD-M190	Shimano FD-M190
REAR DERAILLEUR	Shimano Acera, RD-M390	Shimano Acera, RD-M390	Shimano Altus, RD-M280
SHIFTERS	Shimano SL-M310	Shimano ST-M310	Shimano ST-EF40
CRANKSET	Shimano FC-M311, 42-32-22T, <=46cm 170mm, else 175mm	Shimano FC-M171, 42-34-24T, <=46cm 170mm, else 175mm	Shimano FC-M171, 42-34-24T, <=46cm 170mm, else 175mm
CASSETTE SPROCKET	Shimano CS-HG31, 11-13-15-17-20-23-26-34T (8sp)	Shimano CS-HG31, 11-13-15-17-20-23-26-34T (8sp)	Shimano CS-HG31, 11-13-15-17-20-23-26-34T (8sp)
CHAIN	KMC Z8/HG50	KMC Z8/HG50	KMC Z8/HG50
HUBS	Shimano HB-RM35/FH-RM35	Shimano HB-RM35/FH-RM35	Joytech alloy disc QR
RIMS	ID X-6, 559*21*20.5mm	ID X-6, 559*21*20.5mm	ID X-6, 559*21*20.5 mm
TIRES	Kenda K1027 Kadre, 26x2.10	Kenda K1027 Kadre, 26x2.10	Kenda K1027 Kadre, 26x2.10
BRAKES	Shimano BR-M395 hydraulic disc brakes, 180/160mm	Shimano BRM375 mechanical disc brakes, 160/160mm	Promax mechanical disc brakes, 160/160mm
HANDLEBAR	ID, riser bar, 66cm, backsweep 5°, rise 15mm	ID, riser bar, 66cm, backsweep 5°, rise 15mm	ID, riser bar, 66cm, backsweep 9°, rise 30mm
STEM	ID, <=46cm 75mm, else 90mm, 7°	ID, <=46mm 75mm, else 90mm, 15°	ID, 90mm, 15°
SEAT POST	ID, 31.6*350mm	ID, 27.2*350mm	ID, 27.2*350mm
SADDLE	Selle Italia X1-Flow	Selle Royal One	Selle Royal One
LIGHTING SET			
MUDGUARDS			
CARRIER			

SPECS	STROBE 26"-24sp	FREEDER disc 26"-21sp	FREEDER 26"-21sp
FRAME	Hardtail, AL6061-T4/T6	Hardtail, AL6061-T4/T6	Hardtail, AL6061-T4/T6
SIZES	38/41/46/51/56 cm	38/41/46/51/56cm	M: 38/41/46/51/56cm - L: 38/41/46cm
FORK	RST Gila-ML, 100mm, mechanical lock out	RST Capa-T, 80mm, adjustable preload	RST Capa-T, 80mm, adjustable preload
REAR SHOCK			
FRONT DERAILLEUR	Shimano FD-M190	Shimano Tourney, FD-TX50	Shimano Tourney, FD-TX50
REAR DERAILLEUR	Shimano Altus, RD-M280	Shimano Tourney, RD-TX35	Shimano Tourney, RD-TX35
SHIFTERS	Shimano ST-EF40	Shimano ST-EF40	Shimano ST-EF40
CRANKSET	Shimano FC-M171, 42-34-24T, <=46cm 170mm, else 175mm	Prowheel MA-A533, 42-34-24T, 170mm	Prowheel MA-A533, 42-34-24T, 170mm
CASSETTE SPROCKET	Shimano CS-HG31, 11-13-15-17-20-23-26-34T (8sp)	Shimano CS-HG20, 12-14-16-18-21-26-32T (7sp)	Shimano CS-HG20, 12-14-16-18-21-26-32T (7sp)
CHAIN	KMC Z8/HG50	KMC Z51	Shimano HG-40
HUBS	Shimano HB-RM70/FH-RM70	Joytech alloy disc QR	Joytech/Shimano FH-RM30
RIMS	Exal TX19, 559-19*21 mm	ID X-6, 559*21*20.5mm	Exal TX19, 559-19*21mm
TIRES	Kenda K849, 26x1.95	Kenda K849, 26x1.95	Kenda K849, 26x1.95
BRAKES	Miranda elegance cold forged V-brakes	Promax mechanical disc brakes, 160/160mm	Miranda elegance cold forged V-brakes
HANDLEBAR	ID, riser bar, 66 cm, backsweep 9°, rise 30 mm	ID, riser bar, 66cm, backsweep 9°, rise 30mm	ID, riser bar, 66cm, backsweep 9°, rise 30mm
STEM	ID, 90 mm, 15°	ID, 90mm, 15°	ID, 90mm, 15°
SEAT POST	ID, 27.2*350 mm	ID, 27.2*350mm	ID, 27.2*350mm
SADDLE	Selle Royal One	Selle Royal One	Selle Royal One
LIGHTING SET			
MUDGUARDS			
CARRIER			

MOUNTAIN 26"

SPECS	TRIAL 26"-21sp
FRAME	Hardtail, AL6061-T4/T6
SIZES	M: 38/41/46/51/56cm - L: 38/41/46cm
FORK	Zoom CH-327E, 50mm
REAR SHOCK	
FRONT DERAILLEUR	Shimano Tourney, FD-TY10
REAR DERAILLEUR	Shimano Tourney, RD-TX35
SHIFTERS	Shimano ST-EF40
CRANKSET	Prowheel MAP-503, 42-34-24T, 170mm
CASSETTE SPROCKET	Shimano MF-TZ21, 14-16-18-20-22-24-28T (7sp)
CHAIN	KMC Z51
HUBS	Joytech
RIMS	Exal TX19, 559-19*21mm
TIRES	Kenda K849, 26x1.95
BRAKES	Miranda elegance cold forged V-brakes
HANDLEBAR	ID, rise bar, 62cm, backsweep 6°, bise 20mm
STEM	ID, threaded, 100mm, 25°
SEAT POST	ID, 27.2*250mm
SADDLE	Selle Royal One
LIGHTING SET	
MUDGUARDS	
CARRIER	

MOUNTAIN 29"

SPECS	RACE PRO 29 29"-30sp	PRISMA 29"-30sp	KRITTON 29"-27sp
FRAME	Hardtail, UD carbon, tapered head tube	Hardtail, AL7005-T4/T6	Hardtail, AL7005-T4/T6
SIZES	39/43/48/53cm	40/44/48/52/56cm	40/44/48/52/56cm
FORK	FOX 32 Float 29 Evolution CTD, 100mm, tapered steerer, 15mm QR, air spring	RST Omega-RL, 100mm, remote lock out	RST Omega-RL, 100mm, remote lock out
REAR SHOCK			
FRONT DERAILLEUR	Shimano Deore, FD-M590	Shimano Deore, FD-M590	Shimano Acera, FD-M390
REAR DERAILLEUR	Shimano Deore XT, RD-M781	Shimano Deore XT, RD-M781	Shimano Alivio, RD-M430
SHIFTERS	Shimano Deore, SL-M591	Shimano Deore, SL-M591	Shimano Acera, SL-M390
CRANKSET	Shimano Deore, FC-M590, 42-32-24T, <=43cm 170mm, else 175mm	Shimano FC-M522, 42-32-24T, <=44cm 170mm, else 175mm	Shimano FC-M371, 44-32-22T, <=44cm 170mm, else 175mm
CASSETTE SPROCKET	Shimano CS-HG62, 11-13-15-17-19-21-24-28-32-36T (10sp)	Shimano CS-HG62, 11-13-15-17-19-21-24-28-32-36T (10sp)	Shimano CS-HG20, 11-13-15-17-20-23-26-30-34T (9sp)
CHAIN	Shimano CN-HG54	Shimano CN-HG54	Shimano CN-HG53
HUBS	Shimano Wheels WH-MT66	Shimano HB-RM66/FH-RM66	Shimano HB-RM66/FH-RM66
RIMS	Shimano Wheels WH-MT66	Exal MX19 622-19*21.5mm	Exal MX19, 622-19*21.5mm
TIRES	Kenda K1047 Small-Block-Eight, 29x2.10 [54-622]	Kenda K1047 Small-Block-Eight, 29x2.10 [54-622]	Kenda K1047 Small-Block-Eight, 29x2.10 [54-622]
BRAKES	Shimano Deore hydraulic disc brakes, BR-M596, 180/180mm	Shimano BR-M395 hydraulic disc brakes, 180/180mm	Shimano BR-M395 hydraulic disc brakes, 180/180mm
HANDLEBAR	ID, flat bar, 67cm, backsweep 5°	ID, flat bar, 67cm, backsweep 5°	ID, flat bar, 67cm, backsweep 5°
STEM	ID, <=43cm 80mm, else 90mm, 7°	ID, <=44cm 75mm, else 90mm (upside down), 7°	ID, <=44cm 75mm, else 90mm (upside down), 7°
SEAT POST	ID, 31.6*350mm	ID, 31.6*350mm	ID, 31.6*350mm
SADDLE	Selle Italia X1-Flow	Selle Italia X1-Flow	Selle Italia X1-Flow
LIGHTING SET			
MUDGUARDS			
CARRIER			

MOUNTAIN 29"

SPECS	ZIGZAG 29 29"-24sp	PRO RIDER 29 29"-24sp
FRAME	Hardtail, AL7005-T4/T6	Hardtail, AL7005-T4/T6
SIZES	40/44/48/52/56cm	40/44/48/52/56cm
FORK	RST Blaze-ML, 100mm, mechanical lock out	RST Blaze-ML, 100mm, mechanical lock out
REAR SHOCK		
FRONT DERAILLEUR	Shimano FD-M310	Shimano FD-M190
REAR DERAILLEUR	Shimano Acera, RD-M390	Shimano Altus, RD-M280
SHIFTERS	Shimano SL-M310	Shimano SL-M310
CRANKSET	Shimano FC-M311, 42-32-22T, <=44cm 170mm, else 175mm	Shimano FC-M171, 42-34-24T, <=44cm 170mm, else 175mm
CASSETTE SPROCKET	Shimano CS-HG31, 11-13-15-17-20-23-26-34T (8sp)	Shimano CS-HG31, 11-13-15-17-20-23-26-34T (8sp)
CHAIN	KMC Z8/HG50	KMC Z8/HG50
HUBS	Shimano HB-RM35/FH-RM35	Shimano HB-RM35/FH-RM35
RIMS	ID X-6, 622*21*20.5mm	ID X-6, 622*21*20.5mm
TIRES	Kenda K1047 Small-Block-Eight, 29x2.10 [54-622]	Kenda K1047 Small-Block-Eight, 29x2.10 [54-622]
BRAKES	Shimano BR-M395 hydraulic disc brakes, 180/160mm	Shimano BR-M375 mechanical disc brakes, 180/160mm
HANDLEBAR	ID, flat bar, 67cm, backsweep 5°	ID, flat bar, 67cm, backsweep 5°
STEM	ID, <=44cm 75mm, else 90mm (upside down), 7°	ID, <=44cm 75mm, else 90mm (upside down), 7°
SEAT POST	ID, 31.6*350mm	ID, 31.6*350mm
SADDLE	Selle Italia X1-Flow	Selle Royal One
LIGHTING SET		
MUDGUARDS		
CARRIER		

FULL SUSPENSION

SPECS	VSR PRO 26"-30sp	VSR COMP 26"-27sp	STROKE 26"-24sp
FRAME	4-link Suspension, AL7005-T4/T6	4-link Suspension, AL7005-T4/T6	Active Suspension, AL7005-T4/T6
SIZES	40/44/49/53cm	40/44/49/53 cm	42/47/52/57cm
FORK	FOX 32 Float 26 Evolution CTD, 100 mm, air spring, remote lock out	RST Omega-RL, 100 mm, remote lock out	RST Blaze-ML, 100mm, mechanical lock out
REAR SHOCK	FOX Float Evolution CTD, remote lock out	Kind Shok A5-RE air	Kind-Shock A5-RE air
FRONT DERAILLEUR	Shimano Deore, FD-M591	Shimano Acera, FD-M390	Shimano FD-M311
REAR DERAILLEUR	Shimano Deore XT, RD-M781	Shimano Deore, RD-M592	Shimano Acera, RD-M390
SHIFTERS	Shimano Deore, SL-M591	Shimano Acera, SL-M390	Shimano SL-M310
CRANKSET	Shimano FC-M522, 42-32-24T, <=44cm 170mm, else 175mm	Shimano FC-M371, 44-32-22T, <=44 cm 170mm, else 175mm	Shimano FC-M171, 42-34-24T, <=47cm 170mm else 175mm
CASSETTE SPROCKET	Shimano CS-HG62, 11-13-15-17-19-21-24-28-32-36T (10sp)	Shimano CS-HG20, 11-13-15-17-20-23-26-30-34T (9sp)	Shimano CS-HG31, 11-13-15-17-20-23-26-34T (8sp)
CHAIN	Shimano CN-HG54	Shimano CN-HG53	KMC Z8/HG50
HUBS	Shimano Deore, HB-M595/FH-M595	Shimano HB-RM66/FH-RM66	Shimano HB-RM66/FH-RM66
RIMS	Exal DC19, 559-19*19.5mm	ID X-6, 559*21*20.5 mm	ID X-6, 559*21*20.5 mm
TIRES	Kenda K1080 Slant-Six, 26x2.10 [54-559]	Kenda K1027 Kadre, 26x2.10	Kenda K1027 Kadre 26x2.10
BRAKES	Shimano Deore hydraulic disc brakes, BR-M596, 180/160mm	Shimano BR-M395 hydraulic disc brakes, 180/160 mm	Shimano BR-M446 hydraulic disc brakes, 180/160 mm
HANDLEBAR	ID, riser bar, 66 cm, backsweep 5°, rise 15mm	ID, riser bar, 66 cm, backsweep 5°, rise 15 mm	ID, riser bar, 66 cm, backsweep 5°, rise 15mm
STEM	ID, <=44 cm 75mm, else 90mm, 7°	ID, <=44 cm 75 mm, else 90 mm, 7°	ID, <=47 cm 75mm, else 90mm, 7°
SEAT POST	ID, 31.6*350mm	ID, 31.6*350 mm	ID, 27.2*300mm
SADDLE	Selle Italia X1-Flow	Selle Italia X1-Flow	Selle Italia Q-BIK
LIGHTING SET			
MUDGUARDS			
CARRIER			

FULL SUSPENSION

SPECS	AXION 26"-24sp
FRAME	Active Suspension, AL7005-T4/T6
SIZES	42/47/52/57cm
FORK	RST Capa-ML, 80mm, mechanical lock out
REAR SHOCK	Kind-Shock KS-260 coil spring
FRONT DERAILLEUR	Shimano FD-M311
REAR DERAILLEUR	Shimano RD-M310
SHIFTERS	Shimano ST-M310
CRANKSET	Shimano FC-M171, 42-34-24T, <=47cm 170mm else 175mm
CASSETTE SPROCKET	Shimano CS-HG31, 11-13-15-17-20-23-26-34T (8sp)
CHAIN	KMC Z8/HG50
HUBS	Joytech alloy disc QR
RIMS	ID X-6, 559*21*20.5mm
TIRES	Kenda K1027 Kadre 26x2.0
BRAKES	Promax mechanical disc brakes, 160/160mm
HANDLEBAR	ID, riser bar, 66 cm, backsweep 5°, rise 15mm
STEM	ID, <=47 cm 75mm, else 90mm, 7°
SEAT POST	ID, 27.2*300mm
SADDLE	Selle Italia Q-BIK
LIGHTING SET	
MUDGUARDS	
CARRIER	

TREKKING OFF ROAD

SPECS	INTEGRATOR 700C-30sp	ERGOMAX 700C-27sp	OPTIMUS 700C-24sp
FRAME	Trekking, AL7005-T4/T6	Trekking, AL7005-T4/T6	Trekking, AL7005-T4/T6
SIZES	M: 42/46/50/54/58cm	M: 42/46/50/54/58cm	M: 42/46/50/54/58cm
FORK	RST Vita-RL, 60mm, remote lock out, magnesium lowers	RST Neon-PLS-ML, 60mm, mechanical lock out	RST Neon-PLS-ML, 60mm, mechanical lock out
REAR SHOCK			
FRONT DERAILLEUR	Shimano Deore LX, FD-T670	Shimano Acera, FD-M390	Shimano FD-M191
REAR DERAILLEUR	Shimano Deore XT, RD-M781	Shimano Deore, RD-M592	Shimano Acera, RD-M390
SHIFTERS	Shimano Deore, SL-M591	Shimano Acera, SL-M390	Shimano SL-M310
CRANKSET	Shimano FC-T551, 48-36-26T, <=46cm 170mm, else 175mm	Shimano FC-M371, 48-36-26T, <=46cm 170mm, else 175mm	Shimano FC-M311, 48-38-28T, <=46 cm 170mm, else 175mm
CASSETTE SPROCKET	Shimano CS-HG62, 11-13-15-17-19-21-23-26-30-34T (10sp)	Shimano CS-HG20, 11-13-15-17-19-21-24-28-32T (9sp)	Shimano CS-HG31, 11-13-15-18-21-24-28-32T (8sp)
CHAIN	Shimano CN-HG54	Shimano CN-HG53	KMC Z8/HG50
HUBS	Shimano Deore, HB-M595/FH-M595	Shimano HB-RM66/FH-RM66	Shimano HB-RM35/FH-RM35
RIMS	ID X-6, 622*21*20.5mm	ID X-6, 622*21*20.5mm	ID X-6, 622*21*20.5mm
TIRES	Kenda K1068 Kwick, reflective, 700x38C	Kenda K1068 Kwick, reflective, 700x38C	Kenda K948 Kwick, reflective, 700x40C
BRAKES	Shimano BR-M395 hydraulic disc brakes, 160/160mm	Shimano BR-M395 hydraulic disc brakes, 160/160mm	Shimano BR-M395 hydraulic disc brakes, 160/160mm
HANDLEBAR	ID, riser bar, 64 cm, backsweep 5°, rise 15mm	ID, riser bar, 64 cm, backsweep 5°, rise 15mm	ID, riser bar, 64cm, backsweep 5°, rise 15mm
STEM	ID, <=46cm 80mm, else 90mm, 7°	ID, <=46cm 75mm, else 90mm, 7°	ID, <=46cm 75mm, else 90mm, 7°
SEAT POST	ID, 31.6*350mm	ID, 31.6*350mm	ID, 31.6*350mm
SADDLE	Selle Italia Zoo	Selle Italia Zoo	Selle Royal RVS Lancia
LIGHTING SET			
MUDGUARDS			
CARRIER			

TREKKING OFF ROAD

SPECS	MEGISTO disc 700C-24sp	MEGISTO 700C-24sp	CROSSMO 700C-24sp
FRAME	Trekking, AL7005-T4/T6	Trekking, AL6061-T4/T6	Trekking, AL6061-T4/T6
SIZES	M: 42/46/50/54/58cm	M: 42/47/53/58 cm - L: 40/46/53 cm	M: 42/47/53/58cm - L: 40/46/53cm
FORK	RST Neon-PLS-ML, 60mm, mechanical lock out	RST Neon-PLS-T, 60mm, adjustable preload	RST Neon-T, 60mm, adjustable preload
REAR SHOCK			
FRONT DERAILLEUR	Shimano FD-M191	Shimano FD-M191	Shimano FD-M191
REAR DERAILLEUR	Shimano Acera, RD-M390	Shimano Acera, RD-M390	Shimano Altus, RD-M280
SHIFTERS	Shimano ST-EF40	Shimano ST-EF40	Shimano ST-EF40
CRANKSET	Shimano FC-M171, 48-38-28T, <=46 cm 170mm, else 175mm	Shimano FC-M311, 48-38-28T, <=47/46cm 170mm, else 175 mm	Shimano FC-M171, 48-38-28Z, <=47/46cm 170mm, else 175mm
CASSETTE SPROCKET	Shimano CS-HG31, 11-13-15-18-21-24-28-32T (8sp)	Shimano CS-HG31, 11-13-15-18-21-24-28-32T (8sp)	Shimano CS-HG31, 11-13-15-18-21-24-28-32T (8sp)
CHAIN	KMC Z8/HG50	KMC Z8/HG50	KMC Z8/HG5
HUBS	Shimano HB-RM35/FH-RM35	Shimano HB-RM70/FH-RM70	Shimano HB-RM70/FH-RM70
RIMS	ID X-6, 622*21*20.5mm	Exal TX19, 622-19*21mm	Exal TX19, 622-19*21mm
TIRES	Kenda K948 Kwick, reflective, 700x40C	Kenda K948 Kwick, reflective, 700x40C	Kenda K948 Kwick, reflective, 700x40C
BRAKES	Shimano BR-M375 mechanical disc brakes, 160/160mm	Shimano BR-M422 V-brakes	Miranda elegance cold forged V-brakes
HANDLEBAR	ID, riser bar, 63 cm, backsweep 9°, rise 30mm	ID, riser bar, 63cm, backsweep 9°, rise 30mm	ID, Riser Bar, 63cm, Backsweep 9°, Rise 30mm
STEM	ID, 110mm, adjustable	ID, 110mm, adjustable	ID, <=47/46 cm 80mm, else 100mm
SEAT POST	ID, 31.6*350mm	ID, 27.2*350mm	ID, 27.2*350mm
SADDLE	Selle Royal RVS Lancia	Selle Royal RVS Lancia	Selle Royal RVS Lancia
LIGHTING SET			
MUDGUARDS			
CARRIER			

TREKKING OFF ROAD

SPECS	NERGETIC 700C-21sp	MOOVIC 700C-21sp
FRAME	Trekking, AL6061-T4/T6	Trekking, AL6061-T4/T6
SIZES	M: 42/47/53/58cm - L: 40/46/53cm	M: 42/47/53/58cm - L: 40/46/53cm
FORK	RST Neon-T, 60 mm, adjustable preload	ZOOM CH-130,30 mm
REAR SHOCK		
FRONT DERAILLEUR	Shimano Tourney, FD-TX51	Shimano Tourney, FD-TX51
REAR DERAILLEUR	Shimano Tourney, RD-TX35	Shimano Tourney, RD-TX35
SHIFTERS	Shimano ST-EF40	Shimano ST-EF40
CRANKSET	Prowheel MYP501, 48-38-28T, 170mm	Prowheel MYP-501, 48-38-28T, 170mm
CASSETTE SPROCKET	Shimano CS-HG20, 12-14-16-18-21-26-32T (7sp)	Shimano MF-TZ21, 14-16-18-20-22-24-28T (7sp)
CHAIN	Shimano CN-HG40	KMC Z51
HUBS	Joytech/Shimano FH-RM30	Joytech
RIMS	Exal TX19, 622-19*21mm	Exal TX19, 559-19*21mm
TIRES	Kenda K948 Kwick, 700x40C	Kenda K948 Kwick, 700x40C
BRAKES	Miranda elegance cold forged V-brakes	Miranda elegance cold forged V-brakes
HANDLEBAR	ID, riser bar, 63cm, backsweep 9°, rise 30mm	ID, riser bar, 62cm, backsweep 6°, rise 20mm
STEM	ID, <=47/46cm 80 mm, else 100mm, 7°	ID, threaded, 100mm, 25°
SEAT POST	ID, 27.2*350mm	ID, 27.2*250mm
SADDLE	Selle Royal One	Selle Royal One
LIGHTING SET		
MUDGUARDS		
CARRIER		

URBAN

SPECS	CHICANE 700C-27sp	CITYRUN 700C-24sp	INDIGO 700C-21sp
FRAME	Trekking, AL7005-T4/T6	Trekking, AL7005-T4/T6	Trekking, AL7005-T4/T6
SIZES	M: 42/46/50/54/58cm - L: 40/44/48/52cm	M: 42/46/50/54/58cm - L: 40/44/48/52cm	M: 42/46/50/54/58cm - L: 40/44/48/52cm
FORK	RST Single-Shock-M7-T, 40mm, adjustable preload	Rigid, AL7075	Rigid, Hi-Ten
REAR SHOCK			
FRONT DERAILLEUR	Shimano Deore, FD-M590	Shimano FD-M310	Shimano FD-TX51
REAR DERAILLEUR	Shimano Deore, RD-M592	Shimano Alivio, RD-M430	Shimano Acera, RD-M360
SHIFTERS	Shimano Deore, ST-M590	Shimano ST-M310	Shimano ST-EF51
CRANKSET	Shimano Deore, FC-M590, 48-36-26T, <=46/44cm 170mm, else 175mm	Shimano FC-M171, 48-38-28T, 170mm	Prowheel MYP-501, 48-38-28T, 170mm
CASSETTE SPROCKET	Shimano CS-HG50, 11-12-14-16-18-21-24-28-32T (9sp)	Shimano CS-HG30, 11-13-15-18-21-24-28-32T (8sp)	Shimano MF-TZ21, 14-16-18-20-22-24-28T (7sp)
CHAIN	Shimano CN-HG53	KMC Z8/HG50	KMC Z51
HUBS	Shimano Deore, HB-M590/FH-M590	Shimano HB-M60/FH-M60	Joytech
RIMS	Exal TX19, 622-19*21mm	Exal TX19, 622-19*21mm	Exal TX19, 622-19*21mm
TIRES	Michelin City, reflective, 32-622 (700X32C)	Kenda Kwick, reflective, 700*35C	Kenda Kwick, 700*35C
BRAKES	Shimano Deore, BR-M590, V-brakes	Miranda elegance cold forged V-brakes	Miranda elegance cold forged V-brakes
HANDLEBAR	ID, riser bar, 64cm, backsweep 5°, rise 15mm	ID, riser bar, 62cm, backsweep 6°, rise 20mm	ID, riser bar, 62cm, backsweep 6°, rise 20mm
STEM	ID, <=46/44cm 90mm, else 105mm, 7°	ID, 100mm, adjustable	ID, <=46/44cm 80mm, else 100mm, 25°
SEAT POST	ID, 31.6*350mm	ID, 31.6*350mm	ID, 31.6*350mm
SADDLE	Selle Royal Seta	Selle Royal Lancia	Selle Royal One
LIGHTING SET			
MUDGUARDS			
CARRIER			

SPORT TOURING

SPECS	FUTOUR 700C-30sp	MULTIGO 700C-27sp	TRAVELON 700C-24sp
FRAME	Trekking, AL7005-T4/T6	Trekking, AL7005-T4/T6	Trekking, AL7005-T4/T6
SIZES	M: 42/46/50/54/58cm - L: 40/44/48/52cm	M:42/46/50/54/58cm - L:40/44/48/52cm - W: 40/46/53cm	M:42/46/50/54/58cm - L:40/44/48/52cm - W: 40/46/53cm
FORK	RST Vita-RL, 60mm, remote lock out, magnesium lowers	RST Neon-Pro-ML, 75mm, mechanical lock out	RST Neon-PLS-ML, 60mm, mechanical lock out
REAR SHOCK			
FRONT DERAILLEUR	Shimano Deore XT, FD-T780	Shimano Alivio, FD-M430	Shimano FD-M191
REAR DERAILLEUR	Shimano Deore, RD-M593	Shimano Alivio, RD-M430	Shimano Altus, RD-M280
SHIFTERS	Shimano Deore, SL-M591	Shimano Alivio, ST-M430	Shimano ST-M310
CRANKSET	Shimano FC-T551, 48-36-26T, <=46/44cm 170mm, else 175mm	Shimano Alivio, FC-M431, 48-36-26T, <=46/44/46cm 170mm, else 175mm	Shimano FC-M171, 48-38-28T, <=46/44/46cm 170mm else 175mm
CASSETTE SPROCKET	Shimano CS-HG62, 11-13-15-17-19-21-23-26-30-34T (10sp)	Shimano CS-HG30, 11-12-14-16-18-21-24-28-32T (9sp)	Shimano CS-HG31, 11-13-15-18-21-24-28-32T (8sp)
CHAIN	Shimano CN-HG54	Shimano CN-HG53	KMC Z8/HG50
HUBS	Shimano DH-3N35 hub dynamo/Deore, FH-M595	Shimano DH-3N20 hub dynamo/FH-RM60	Shimano DH-3N20 hub dynamo/FH-RM70
RIMS	Exal ZX19, 622-19*21.5mm	Exal TX19, 622-19*21mm	Exal TX19, 622-19*21mm
TIRES	Schwalbe Marathon Supreme, reflective, 42-622 (28x1.60 - 700x40C)	Kenda K948 Kwick, reflective, 700x40C	Kenda K948 Kwick, reflective, 700x40C
BRAKES	Shimano Deore, BR-M590 V-brakes	Shimano BR-M422 V-brakes	Miranda elegance cold forged V-brakes
HANDLEBAR	ID, riser bar, 64cm, backsweep 5°, rise 15mm	ID, (M-L) riser bar, 64 cm, backsweep 5°, rise 15mm/W moonbar, 600mm, backsweep 40°, rise 55mm	ID, (M-L) riser bar, 63 cm, backsweep 9°, rise 30 mm/W moonbar, 600mm, backsweep 40°, rise 55 mm
STEM	ID, <=46/44cm 75mm, else 90mm, 7°	ID, (M-L) <=46/44/46cm 90mm, else 105mm, 7°/W threaded, 110mm, 10°	ID, 110mm, adjustable
SEAT POST	ID, 31.6*350mm	ID, (M-L) 31.6*350mm/W 27.2*350mm	ID, 31.6*300 mm, suspension, 40mm travel
SADDLE	Selle Royal VLS Freccia	Selle Bassano 3 Comfort-Plus	Selle Royal RVS Lancia
LIGHTING SET	Herrmans H-Diver, 10 Lux/Herrmans Hgoggle, standlight	Basta Sprint, 10 Lux/Herrmans Hgoggle standlight	Herrmans H-Diver, 10 Lux/Herrmans Hgoggle standlight
MUDGUARDS	SKS Zeta-3, black	SKS Zeta-3, black	SKS. PET A53mm, black
CARRIER	Standwell, alloy	Standwell, alloy	Standwell, alloy

SPORT TOURING

SPECS	EZIGO 700C-21sp	TESTEK 700C-21sp
FRAME	Trekking, AL6061-T4/T6	Hardtail / Wave, AL6061-T4/T6
SIZES	M: 42/47/53/58cm - L: 40/46/53cm - W 40/46/53cm	M: 42/47/53cm - L: 42/47cm - W 40/45cm
FORK	RST Neon-T, 60mm, adjustable preload	RST Capa-T, 80mm, adjustable preload
REAR SHOCK		
FRONT DERAILLEUR	Shimano Tourney, FD-TX51	Shimano Tourney, FD-TX51
REAR DERAILLEUR	Shimano Tourney, RD-TX35	Shimano Tourney, RD-TX35
SHIFTERS	Shimano ST-EF51	Shimano ST-EF51
CRANKSET	Shimano FC-M171, 48-38-28T, <=47/46/46cm 170mm, else 175mm	Prowheel MYP-501, 48-38-28T*170mm
CASSETTE SPROCKET	Shimano CS-HG20, 12-14-16-18-21-26-32T (7sp)	Shimano CS-HG20, 12-14-16-18-21-26-32T (7sp)
CHAIN	Shimano HG-40	KMC Z51
HUBS	Shimano DH-3N20 hub dynamo/FH-RM30	Shimano DH-3N20 hub dynamo/FH-RM30
RIMS	Exal TX19, 622-19*21mm	Exal TX19, 559-19*21mm
TIRES	Kenda K948 Kwick, reflective, 700x40C	Kenda K948 Kwick, reflective, 26x1.75
BRAKES	Miranda elegance cold forged V-brakes	Miranda elegance cold forged V-brakes
HANDLEBAR	ID, riser bar, 63 cm, backsweep 9°, rise 3 mm/W moonbar, 600mm, macksweep 40°, mise 55mm	ID, riser bar, 63cm, backsweep 9°, rise 30mm
STEM	ID, <=47/46cm 90mm, else 110mm, adjustable	ID, 90mm, adjustable
SEAT POST	ID, 27.2*350mm	ID, 27.2*300mm, suspension, 40mm travel
SADDLE	Selle Royal RVS Moody	Selle Royal Pu One
LIGHTING SET	AXA Ellipsoid halogen, 10 Lux/Hugo Goerner Wingo LED standlight	AXA Clear Slim halogen, 10 Lux/Hugo Goerner Wingo LED standlight
MUDGUARDS	SKS, PET A53mm, black	SKS, black
CARRIER	Steel	Standwell, alloy

CITY

SPECS	CITYLIFE 700C-7sp	UNIGO 700C-7sp
FRAME	City Loop, AL6061-T4/T6	Trekking / Wave, AL7005-T4/T6
SIZES	40/46/51cm	M: 42/46/50/54/58cm - W: 40/46/53cm
FORK	Rigid, Hi-Ten	Rigid, Hi-Ten
REAR SHOCK		
FRONT DERAILLEUR		
REAR DERAILLEUR	Shimano Tourney, RD-TX35	Shimano Tourney, RD-TX35
SHIFTERS	Shimano Tourney, SL-RS36	Shimano Tourney, SL-RS35
CRANKSET	Prowheel PRA-111, alloy, 38T, 170mm	Prowheel PRA-111, alloy, 38T, 170mm
CASSETTE SPROCKET	Shimano MF-TZ21, 14-16-18-20-22-24-28T (7sp) w/chain protector	Shimano MF-TZ21, 14-16-18-20-22-24-28T (7sp)
CHAIN	KMC Z50	KMC Z50
HUBS	Joytech alloy w/dome nuts	Joytech
RIMS	Exal TX19, 622-19*21mm	Exal TX19, 622-19*21mm
TIRES	Kenda Kwest, K193 700*38C, reflective	Kenda Kwick, 700*38C
BRAKES	Miranda elegance cold forged V-brakes	Miranda elegance cold forged V-brakes
HANDLEBAR	ID, city-type alloy, 55mm rise, backsweep 40°	ID, moonbar, 600mm, backsweep 50°, curve 110mm
STEM	ID, 90mm, adjustable	ID, 90mm, adjustable
SEAT POST	ID, candle type alloy, 28,6*300mm	ID, M: 31.6*300 mm/W: 27.2*300mm
SADDLE	Selle Royal Moody comfort	Selle Royal Moody comfort
LIGHTING SET	AXA Ellipsoid halogen, 10 Lux/Hugo Goerner Wingo LED standlight	
MUDGUARDS	SKS, PET A53mm, black	
CARRIER	Steel	

ROAD

SPECS	STAGE Di2 700C-20sp	STAGE comp 700C-20sp	STAGE 700C-20sp
FRAME	Road, UD carbon, tapered heat tube	Road Compact, UD carbon	Road compact, AL7005-T4/T6
SIZES	48/50/52/54/56/58/60/62cm	40/45/50/55/60cm	40/45/50/55/60cm
FORK	Road, full carbon, 1-1/8 to 1-1/4	Carbon blades, alloy steerer	Carbon blades, alloy steerer
REAR SHOCK			
FRONT DERAILLEUR	Shimano Ultegra Di2, FD-6770	Shimano 105, FD-5700	Shimano Tiagra, FD-4600
REAR DERAILLEUR	Shimano Ultegra Di2, RD-6770	Shimano 105, RD-5700	Shimano Tiagra, RD-4601
SHIFTERS	Shimano Ultegra Di2, ST-6770	Shimano 105, ST-5700	Shimano Tiagra, ST-4600
CRANKSET	Shimano Ultegra, FC-6750, 50-34T, <=52cm 170mm, else 175mm	Shimano, FC-R565, 50-34T, <=50cm 170mm, else 175mm	Shimano FC-4650, 50-34T, <=50cm 170mm, else 175mm
CASSETTE SPROCKET	Shimano Ultegra, CS-6700, 12-13-14-15-16-17-19-21-23-25T (10sp)	Shimano 105, CS-5700, 12-13-14-15-16-17-19-21-23-25T (10sp)	Shimano Tiagra, CS-4600, 12-13-14-15-17-19-21-23-25-28T (10sp)
CHAIN	Shimano Ultegra, CN-6701	Shimano 105, CN-5701	Shimano Tiagra CN-4601
HUBS	Shimano WH-RS30 wheelset	Shimano WH-R501 wheelset	Shimano WH-R501 wheelset
RIMS	Shimano WH-RS30 wheelset	Shimano WH-R501 wheelset	Shimano WH-R501 wheelset
TIRES	Michelin Orium 23-622	Kenda K177 Kampaign 700x23C	Michelin Orium, 23-622
BRAKES	Shimano Ultegra, BR-6700	Shimano, BR-R561	Shimano Tiagra, BR-4600
HANDLEBAR	ID, road, 131mm drop, 84mm reach, <=52cm 420mm else 440mm	ID, road, 131mm drop, 84mm reach, <=50cm 420mm else 440mm	ID, road, 131mm drop, 84mm reach, <=50cm 420mm else 440mm
STEM	ID, <=52cm 90mm else 105mm, 7°	ID, <=50cm 90mm else 105mm, 7°	ID, <=50 cm 90mm else 105mm, 7°
SEAT POST	ID, 31.6*350 mm	ID, 31.6*350 mm	ID, 31.6*350mm
SADDLE	Selle-Italia X1	Selle-Italia X1	Selle Italia X1-Flow
LIGHTING SET			
MUDGUARDS			
CARRIER			

ROAD

SPECS	ONROAD 700C-27sp	INTEMPO 700C-16sp	STREAMLITE 700C-16sp
FRAME	Road compact, AL7005-T4/T6	Road compact, AL6061-T4/T6	Road compact, AL6061-T4/T6
SIZES	40/45/50/55/60cm	40/45/50/55/60cm	40/45/50/55/60cm
FORK	Carbon blades, alloy steerer	Alloy blades, CrMo steerer	Alloy blades, CrMo steerer
REAR SHOCK			
FRONT DERAILLEUR	Shimano FD-4403	Shimano FD-2300	Shimano FD-2200
REAR DERAILLEUR	Shimano RD-4400	Shimano RD-2300	Shimano RD-2200
SHIFTERS	Shimano Sora, ST-3500	Shimano ST-2300	Shimano ST-2300
CRANKSET	Shimano FC-4403, 52-42-30T, <=50cm 170mm, else 175mm	Prowheel FC-2350, 50-34T, <=50cm 170mm, else 175mm	Shimano FC-2200, 52-39T, 175mm
CASSETTE SPROCKET	Shimano Tiagra CS-HG50, 12-13-14-15-17-19-21-23-25T (9sp)	Shimano CS-HG50, 12-13-15-17-19-21-23-25T (8sp)	Shimano RSX CS-HG50, 12-13-14-15-17-19-21-23-25T (8sp)
CHAIN	Shimano CN-HG53	KMC Z8/HG50	KMC Z8/HG50
HUBS	Shimano HB-3500/FH-3500	Shimano HB-2200/ FH-2200	Joytech/Shimano FH-2200
RIMS	EXAL XR3, 622-13*24mm	EXAL XR3, 622-13*24mm	EXAL XR3, 622-13*24mm
TIRES	Kenda K177 Kampaign, 700x23C	Kenda K177 Kampaign, 700x23C	Kenda K177 Kampaign, 700x23C
BRAKES	Shimano 105	Shimano Sora, BR-3500	Promax road calipers
HANDLEBAR	ID, road, 131mm drop, 84mm reach, <=50cm 420mm else 440mm	ID, road, 131mm drop, 84mm reach, <=50cm 420mm else 440mm	ID, road, 131mm drop, 84mm reach, <=50 m 420mm else 440mm
STEM	ID, <=50 cm 90mm else 105mm, 7°	ID, <=50 cm 90mm else 105mm, 7°	ID, <=50 cm 90mm else 105mm, 7°
SEAT POST	ID, 27.2*350mm	ID, 27.2*350mm	ID, 27.2*350mm
SADDLE	Selle Italia X1-Flow	Selle Royal RVS Mirage	Selle Royal RVS Mirage
LIGHTING SET			
MUDGUARDS			
CARRIER			

JUNIOR 24

SPECS	AXION 24 disc / AXION 24 24"-21sp	DSS 24 24"-21sp	STROBE 24 24"-21sp
FRAME	Supension D-type, AL6061-T4/T6	Supension D-type, AL6061-T4/T6	Hardtail, AL6061-T4/T6
SIZES	38cm	37cm	M: 31cm - L: 31cm
FORK	Zoom CH-375, 40mm / CH-327E, 40mm	Zoom CH-327E, 40mm	RST 191-T-D, 50mm
REAR SHOCK	KS-260, coil spring	LJ-400A, coil spring	
FRONT DERAILLEUR	Shimano Tourney, FD-TY10	Shimano Tourney, FD-TY10	Shimano Tourney, FD-TY10
REAR DERAILLEUR	Shimano Tourney, RD-TX35	Shimano Tourney, RD-TX35	Shimano Tourney, RD-TX35
SHIFTERS	Shimano ST-EF51	Shimano ST-EF51	Shimano ST-EF51
CRANKSET	Prowheel MAP-503, 42-34-24T*152mm	Prowheel MAP-503, 42-34-24T*152mm	Prowheel MA-A533, 42/34/24T*152mm
CASSETTE SPROCKET	Shimano Tourney, MF-TZ21, 14-16-18-20-22-24-28T (7sp)	Shimano Tourney, MF-TZ21, 14-16-18-20-22-24-28T (7sp)	Shimano Tourney, MF-TZ21, 14-16-18-20-22-24-28T (7sp)
CHAIN	KMC Z51	KMC Z51	KMC Z51
HUBS	Joytech alloy disc QR	Joytech	Joytech
RIMS	Beretta, alloy, double wall	Beretta, alloy, double wall, wear indicator	Beretta, alloy, double wall, wear indicator
TIRES	Kenda Kenda Sport Cruising K849, 24x1.95	Kenda Kenda Sport Cruising K849, 24x1.95	Kenda Kenda Sport Cruising K849, 24x1.95
BRAKES	Promax mechanical disc brakes, 160/160mm / Miranda elegance cold forged V-brakes	Miranda elegance cold forged V-brakes	F: Promax mechanical disc 160 mm, R: Miranda elegance cold forged V-brake
HANDLEBAR	ID, riser bar, 56cm, backsweep 6°, rise 20mm	ID, riser bar, 56cm, backsweep 6°, rise 20mm	ID, riser bar, 56cm, backsweep 6°, rise 20mm
STEM	ID, 90mm, 25°	ID, 90mm, 25°	ID, 75mm, 15°
SEAT POST	ID, 27,2*300mm	ID, 28.6*300mm	ID, 27,2*300mm
SADDLE	Selle Bassano Mito-24"	Selle Bassano Mito-24"	Selle Bassano Mito-24"
LIGHTING SET			
MUDGUARDS			
CARRIER			

JUNIOR 24

SPECS	CITYLIFE 24 / 20 24" / 20"	DSS 20 20"-6sp	STROBE 20 20"-6sp
FRAME	City Loop AL6061 -T4/T6	Supension D-type, AL6061-T4/T6	Hardtail, AL6061-T4/T6
SIZES	36 cm (24") / 29 cm (20")	33 cm	M: 28cm - L: 28cm
FORK	Rigid, Hi-Ten	Zoom CH-327E, 30mm	Rigid, Hi-Ten
REAR SHOCK		LJ-400A, coil spring	
FRONT DERAILLEUR			
REAR DERAILLEUR		Shimano Tourney, RD-TX18	Shimano Tourney, RD-FT30
SHIFTERS		Shimano Tourney, SL-RS35	Shimano Tourney revo shifter, SL-RS35
CRANKSET	Prowheel RSP114, 36T*152 mm (24") Prowheel RSP114, 36T*140 mm (20")	Prowheel RSP114, 36T*140mm	Prowheel RSP114, 36T*140mm
CASSETTE SPROCKET	Lida 18T	Shimano Tourney, MF-TZ20, 14-16-18-21-24-28T (6sp)	Shimano Tourney, MF-TZ20, 14-16-18-21-24-28T (6sp)
CHAIN	KMC HV410	KMC Z30	KMC Z30
HUBS	Joytech	Joytech	Joytech
RIMS	Beretta, alloy, double wall, wear indicator	Beretta, alloy, wear indicator	Beretta, alloy
TIRES	Kenda Sport K879, 24*2.00 (24") Kenda Sport K879, 20*2.00 (20")	Kenda Sport K879, 20x2.00	Kenda Sport K879, 20x2.00
BRAKES	Miranda elegance cold forged V-brakes	Miranda elegance cold forged V-brakes	Miranda elegance cold forged V-brakes
HANDLEBAR	ID, moon cruiser style, 56cm , backsweep 50° (24") ID, moon cruiser style, 54cm , backsweep 50° (20")	ID, riser bar, 54cm, backsweep 6°, rise 20mm	ID, riser bar, 54cm, backsweep 6°, rise 20mm
STEM	ID, 40mm, 30°, threaded	ID, 40mm, 30°, threaded	ID, threaded, 40mm, 30°
SEAT POST	ID, 27,2*300 mm	ID, 25.4*300mm	ID, 27,2*300mm
SADDLE	Selle Bassano Mito-24"	Selle Bassano Mito-24"	Selle Bassano Mito-24"
LIGHTING SET			
MUDGUARDS	SKS		
CARRIER			

JUNIOR 20

SPECS	CONDOR 20 20" -6sp	V-TRACK 18 / 16 18"/16"-1sp	V-TRACK 14 / 12 14"/12"-1sp
FRAME	Hardtail, Hi-Ten	D-Type, AL6061-T4/T6	D-Type, AL6061-T4/T6
SIZES	M: 28cm - L: 28cm	25cm (18") / 23cm (16")	21 cm / 21cm
FORK	Rigid, Hi-Ten	Rigid, Hi-Ten	Rigid, Hi-Ten
REAR SHOCK			
FRONT DERAILLEUR			
REAR DERAILLEUR	Shimano Tourney, RD-TY21		
SHIFTERS	Shimano Tourney revo shifter, SL-RS35		
CRANKSET	Prowheel RSP114, 36T*140mm	Chuan-Wei 1/2" * 1/8" * 28/28/T steel ring w/127/114mm cp OPC	Chuan-Wei 1/2" * 1/8" * 32/32T steel ring w/102/89mm cp OPC
CASSETTE SPROCKET	Shimano Tourney, MF-TZ20, 14-16-18-21-24-28T (6sp)	16T full ball	16T full ball
CHAIN	KMC Z33	KMC HV410	KMC HV410
HUBS	Joytech	Joytech w/dome nuts	Wheelset 14" / 12"
RIMS	Beretta, alloy, wear indicator	Alloy, single wall, natural	Wheelset 14" / 12"
TIRES	Kenda Sport K879, 20x2.00	Kenda Sport 18*2.125 / 16*2.125, A/V tubes	Kenda Sport 14*2.125 / 12-1/2*2-1/4, A/V tubes
BRAKES	Miranda elegance cold forged V-brakes	APSE 1020S steel calipers F & R	APSE 1020S steel calipers F & R
HANDLEBAR	ID, riser bar, 54cm, backsweep 10°, rise 20mm	ID, riser bar, 50 cm, backsweep 6°, rise 20 mm (18") ID, riser bar, 47 cm, backsweep 6°, rise 20 mm (16")	ID, riser bar, 45 cm, backsweep 6°, rise 20 mm
STEM	ID, threaded, 60mm, 40°	ID, threaded, 40 mm, 30°	ID, threaded, 40 mm, 30°
SEAT POST	ID, 25,4*250mm	ID, steel, 27,2*250 mm	ID, steel, 27,2*250 mm
SADDLE	Selle Bassano Mito-24"	Selle-Bassano Circus-Ideal-Boys/Girls	Selle-Bassano Circus-Ideal-Boys/Girls
LIGHTING SET			
MUDGUARDS		Enduro	Enduro
CARRIER			
SPECIALS		Fully closed chaincase, training wheels	Fully closed chaincase, training wheels

FREESTYLE

SPECS	X-TEN 20" -1sp	X-SIX 20" -1sp
FRAME	Freestyle, Cr-mo / Hi-Ten	Freestyle, Hi-Ten
SIZES	28cm	28cm
FORK	Rigid, Hi-Ten	Rigid, Hi-Ten
REAR SHOCK		
FRONT DERAILLEUR		
REAR DERAILLEUR		
SHIFTERS		
CRANKSET	3 pcs, Chuan-Wei 1/2" * 1/8" * 36T steel ring	1 pc, Chuan-Wei 1/2" * 1/8" * 36T steel ring w/165mm edb OPC
CASSETTE SPROCKET	14T full ball	14T full ball
CHAIN	KMC HV410	KMC HV410
HUBS	Joytech alloy w/large flange	Joytech alloy w/large flange
RIMS	Alloy, single wall, painted	Alloy, single wall, painted
TIRES	Kenda Kontakt 30tpi skinwall 20*2.25/1.95, A/V tubes	Kenda Kontakt 30tpi skinwall 20*2.25/1.95, A/V tubes
BRAKES	Chang-Star alloy U-brakes w/60mm pads	Chang-Star alloy U-brakes w/60mm pads
HANDLEBAR	Promax freestyle 2pc-bar, 65cm wide, 60 backsweep, 195mm rise, 25.4mm barbore	Promax freestyle 2pc-bar, 65cm wide, 60 backsweep, 195mm rise, 25.4mm barbore
STEM	Promax freestyle ahead, 55mm rise, 4-bolt cap	Promax freestyle ahead, 55mm rise, 4-bolt cap
SEAT POST	Zoom steel tube, 25.4*250mm	Zoom steel tube, 25.4*250mm
SADDLE	ID BMX	ID BMX
LIGHTING SET		
MUDGUARDS		
CARRIER		

FOLDING

SPECS	COBI 10 20"-8sp	COBI 20 20"-7sp	COBI 30 20"-7sp
FRAME	Folding, alloy, Vise Grip Technology	Folding, alloy, Vise Grip Technology	Folding, alloy, Vise Grip Technology
SIZES	UniSize	UniSize	UniSize
FORK	Rigid, Hi-Ten	Rigid, Hi-Ten	Rigid, Hi-Ten
REAR SHOCK			
FRONT DERAILLEUR			
REAR DERAILLEUR	Shimano Altus	Shimano FT-30	Shimano FT-30
SHIFTERS	Shimano revoshifter, RS-43	Shimano TX-50	Shimano TX-50
CRANKSET	Alloy, double CG, 52T*170mm	Alloy, double CG, 52T*170mm	Alloy, double CG, 52T*170mm
CASSETTE SPROCKET	Shimano HG30, 11-30T (8sp)	Shimano TZ-21, 14-28T (7sp)	Shimano TZ-21, 14-28T (7sp)
CHAIN	KMC Z-72	KMC Z-50	KMC Z-50
HUBS	Alloy	Alloy	Alloy
RIMS	Alloy, double wall	Alloy, double wall	Alloy, double wall
TIRES	Kenda Kwest, 20x1.50	Kenda Kwest, 20x1.50	Kenda Kwest, 20x1.50
BRAKES	Alloy V-brakes	Alloy V-brakes	Alloy V-brakes
HANDLEBAR	Telescopic bar & stem quick fold	Telescopic bar & stem quick fold	Telescopic bar & stem quick fold
STEM	Auto touch lock	Auto touch lock	Auto touch lock
SEAT POST	Alloy super oversize, 34*580mm	Alloy super oversize, 34*580mm	Alloy super oversize, 34*580mm
SADDLE	Anatomic comfort	Anatomic comfort	Anatomic comfort
LIGHTING SET			
MUDGUARDS	20"	20"	20"
CARRIER		Alloy	

FOLDING

SPECS	COBI 55 20"-7sp
FRAME	Folding, Hi-Ten, Vise Grip Technology
SIZES	UniSize
FORK	Rigid, Hi-Ten
REAR SHOCK	
FRONT DERAILLEUR	
REAR DERAILLEUR	Shimano TY-18
SHIFTERS	Shimano TX-50
CRANKSET	Alloy, double CG, 52T*170mm
CASSETTE SPROCKET	Shimano TZ-21, 14-28T (7sp)
CHAIN	KMC Z-50
HUBS	Alloy
RIMS	Alloy, double wall
TIRES	Kenda Kwest, 20x1.50
BRAKES	Alloy V-brakes
HANDLEBAR	Telescopic bar & stem quick fold
STEM	Auto touch lock
SEAT POST	Alloy super oversize, 34*580mm
SADDLE	Anatomic comfort
LIGHTING SET	
MUDGUARDS	20"
CARRIER	



RIDE
YOUR
LIFE

AUSTRIA

Feldmeier Bike GmbH
Am Heidacker 4
93309 Kelheim
GERMANY
Tel.: +49 (0) 9441-676060
Fax.: +49 (0) 9441-676050
E-mail: info@feldmeier-bike.de
www.feldmeier-bike.de

BELGIUM

Matra Trading BV
Gompenstraat 21
5145 RM Waalwijk
THE NETHERLANDS
Tel.: +31-416-342012
Fax: +31-416-650660
Email: info@matrabike.nl

CROATIA

CS-Eurotrade d.o.o.
Cesta krških žrtev 135
8270 Krško
SLOVENIA
Tel.: +386-74-902500
Fax: +386-74-902549
E-mail: info@cs-eurotrade.com
http://www.cs-eurotrade.com

CYPRUS

Polys Poubouris & Sons Ltd
Makedonitissis 84 ABC
CY-28093 Nicosia - Strovolos
CYPRUS
Tel.: +357-22-511171
Fax: +357-22-492024
E-mail: polys.p@cytanet.com.cy

DENMARK

Intercycle A/S
Tarupvej 63-65
DK-5210 Odense NV
DENMARK
Tel.: +45 63168010
Fax: +45 63168002
E-mail: info@intercycle.dk

GERMANY

Feldmeier Bike GmbH
Am Heidacker 4
93309 Kelheim
GERMANY
Tel.: +49 (0) 9441-676060
Fax.: +49 (0) 9441-676050
E-mail: info@feldmeier-bike.de
www.feldmeier-bike.de
PLZ-Gebiet: 0-1-3-5-6-7-8-9

Fritz Wittich GmbH
Auto- und Zweiradteile
Hallenstr. 10-14
33609 Bielefeld
GERMANY
Tel.: +49 (0) 521-9320441
Fax.: +49 (0) 521-9320449
E-mail: zweirad@wittich-gmbh.de
www.wittich-gmbh.de
PLZ-Gebiet: 2-3-4-5

ISRAEL

ZOM
Sapir 11
Ashkelon
ISRAEL
Tel.: +972-506909276
Fax: +972-86780800
E-mail: osag@walla.com

LITHUANIA

Senuku Prekybos Centras LTD.
Pramones pr. 6, LT-51500
Kaunas
LITHUANIA
Tel.: +370 37 327507
Fax: +370 37 304143
E-mail: paupas@senukai.lt

MALTA

Muscats Imports Ltd
56 Triq is-Stazzjon
BKR 12 Birkirkara
MALTA
Tel.: +356-21-227265
Fax: +356-21-227265
E-mail: musco@global.net.mt
http://www.pedpowermalta.com

ROMANIA

Rom-Eurotrade s.r.l.
Sat Dragomiresti-Deal,
Comuna Dragomiresti-Vale. str. de 287/1
Bucharest West Industrial Park,
Claride E2, unit A2, Judetul Ilfov
077096, ROMANIA
Tel.: +40 21 350 5624
Fax: +40 21 350 545
E-mail: info@rom-eurotrade.ro

SLOVENIA

CS-Eurotrade d.o.o.
Cesta krških žrtev 135
8270 Krško
SLOVENIA
Tel.: +386-74-902500
Fax: +386-74-902549
E-mail: info@cs-eurotrade.com
http://www.cs-eurotrade.com

SPAIN

Bicicletas Tandem
Calle Pedriza nº 91
28260 Galapagar
Madrid
SPAIN
Tel.: +34 91 858 74 07
E-mail: biciletastandem@gmail.com
www.biciletastandem.com

SWEDEN

Cykloma AB
Norra Obbolavägen 126
S-90422 Umeå
SWEDEN
Tel.: +46-90-131960
Fax: +46-90-131964
E-mail: cykloma@swipnet.se
http://www.idealcyklar.se

THE NETHERLANDS

Matra Trading BV
Gompenstraat 21
5145 RM Waalwijk
THE NETHERLANDS
Tel.: +31-416-342012
Fax: +31-416-650660
Email: info@matrabike.nl

TURKEY

Olimpos Otomotiv San.ve Tic.Ltd.Sti.
Altiyol, Cilek Sk., Cilek Han,
No: 4/3 Kadikoy - Istanbul
TURKEY
Tel.: + 90 216 345 67 18
E-mail: hasank@thule-tr.com

UNITED KINGDOM

Top Riders Cycles LTD
12 Savoy Parade, SouthBury RD,
EN1 1RT, Enfield,
Middlesex
UNITED KINGDOM
Tel.: 0044 (0) 2071951600
E-mail: info@topriders-cycles.co.uk

NIKOS MANIATOPOULOS S.A.
INDUSTRIAL & TRADING CYCLE COMPANY

265 04 Agios Vassilios, Patras, Greece
Tel.: +30-2610 993045, Fax: +30-2610 990424
commerce@idealbikes.gr

www.idealbikes.net