



2019 RANGE

INDEX

E-MTB

- 04 TRAXER-E11
- 05 TRAXER-E10
- 07 BOOMMAX-E9
- 08 BOOMMAX-E9 UNI
- 09 HILLMASTER-E9

E-TREKKING SPORT

- 14 ERGOMAX-E10 529
- 15 ERGOMAX-E10 528
- 16 INTEGRATOR-E10

E-TOURING

- 20 FUTOUR-E10
- 22 FUTOUR-E9
- 24 FUTOUR-E8

E-CITY

- 28 ORAMA-D8 358
- 30 ORAMA-D8 357
- 32 ORAMA-D5
- 33 ORAMA-N5

MTB

- 36 TRAXER B+
- 37 TRAXER
- 38 BOOMMAX
- 39 HILLMASTER
- 40 ZIGZAG
- 41 PRORIDER
- 42 FREEDER
- 43 TRIAL
- 44 TRIAL UNI

TREKKING SPORT

- 48 INTEGRATOR
- 49 ERGOMAX
- 50 OPTIMUS
- 51 MEGISTO
- 52 CROSSMO
- 53 NERGETIC
- 54 MOOVIC

TOURING

- 58 MULTIGO
- 60 TRAVELON
- 62 EZIGO
- 63 COMFORT

URBAN / CITY

- 66 FUNCORE
- 67 CITYRUN
- 68 CITYLIFE

JUNIOR

- 72 STROBE 24
- 73 STROBE 20
- 74 CONDOR
- 75 V-TRACK

Technical specifications may change without prior notice.

2019 RANGE



E-MTB

SHIMANO
STEPS

DU-E8000 drive unit
504Wh battery

DEORE
XT
SHIMANO

SHIMANO
HYDRAULIC DISC BRAKES

RST

ergotec

120 kg permissible
TOTAL WEIGHT



TRAXER-E10

27.5" / 10 SPEED

Frame	E-MTB, AL6061-T4/T6
Size	44/48/52 cm
Fork	RST Blaze-ML, 100 mm, lockout
Drive Unit	Shimano STEPS, DU-E8000, 70 Nm
Battery	Shimano STEPS, 504 Wh
Charger	Shimano 4A EC-E6000
Display	Shimano STEPS
Rear derailleur	Shimano Deore XT Shadow Plus
Shifter	Shimano STEPS / Shimano Deore
Crank set	Shimano STEPS, FC-E8000, 34T
Cassette sprocket	Shimano CS-HG50-10, 11-36T

Chain	Shimano CN-E6090-10
Front hub	Shimano HB-M3050
Rear hub	Shimano HB-M3050
Rims	Mach1 670 Disc, 584-21
Tires	Schwalbe Smart Sam, K-Guard, 57-584
Brakes	Shimano BR-M315/BL-M315, 180/180 mm, hydraulic disc brakes
Handlebar	Humpert Ergotec Ray, low riser bar, 780 mm
Stem	Humpert Ergotec Ray, 35 mm
Seat post	Humpert Ergotec Ray, 31.6 mm
Saddle	Selle Italia SL X-Cross Flow

SHIMANO
STEPS

DU-E8000 drive unit
504Wh battery

DEORE
XT
SHIMANO

SHIMANO
HYDRAULIC DISC BRAKES

RST

ergotec

120 kg permissible
TOTAL WEIGHT



TRAXER-E11

27.5" / 11 SPEED

Frame	E-MTB, AL6061-T4/T6
Size	44/48/52 cm
Fork	RST F1RST 15 TRL, 100 mm, Air spring, Remote Lock Out
Drive Unit	Shimano STEPS, DU-E8000, 70 Nm
Battery	Shimano STEPS, 504 Wh
Charger	Shimano 4A EC-E6000
Display	Shimano STEPS
Rear derailleur	Shimano Deore XT Shadow Plus
Shifter	Shimano STEPS / Shimano SLX
Crank set	Shimano STEPS, FC-E8000, 34T
Cassette sprocket	Shimano SLX, 11-42T

Chain	Shimano CN-HG701-11
Front hub	Shimano SLX
Rear hub	Shimano SLX
Rims	Mach1 Disc, 584-30
Tires	Schwalbe Nobby Nic, Performance, 60-584
Brakes	Shimano Deore, 180/180 mm, hydraulic disc brakes
Handlebar	Humpert Ergotec Ray, low riser bar, 780 mm
Stem	Humpert Ergotec Ray, 35 mm
Seat post	Humpert Ergotec Ray, 31.6 mm
Saddle	Selle Italia SL X-Cross Flow

SHIMANO
STEPS

DU-E8000 drive unit
504Wh battery

DEORE
XT
SHIMANO

SHIMANO
HYDRAULIC DISC BRAKES



RST

ergotec

120 kg permissible
TOTAL WEIGHT

BOOMMAX-E9 SUV

27.5" / 29" / 9 SPEED

Frame	E-MTB, AL6061-T4/T6
Size	48/52 cm
Fork	RST Blaze-ML, 100 mm, lockout
Drive Unit	Shimano STEPS, DU-E6002, 50 Nm, light off-road
Battery	Shimano STEPS, 504 Wh
Charger	Shimano 4A EC-E6000
Display	Shimano STEPS
Rear derailleur	Shimano Deore
Shifter	Shimano STEPS / Shimano Acera
Crank set	Shimano STEPS, FC-E6010, 38T
Cassette sprocket	Shimano CS-HG201-9, 11-36T
Chain	Shimano CN-E6070-9

Front hub	Shimano HB-TX505
Rear hub	Shimano HB-TX505
Rims	Mach1 640 Disc, 622-21
Tires	Impac SmartPac, 57-622
Brakes	Shimano BR-M315 / BL-M315, 180/180 mm, hydraulic disc brakes
Handlebar	Humpert Ergotec Bügel, low riser bar, 720 mm
Stem	Humpert Ergotec Crab 2, ahead, 31.8 mm
Seat post	Humpert Ergotec Atar, 31.6 mm
Saddle	Selle Italia SL X-Cross Flow
Lighting set	AXA Blue Line, 30 Lux / AXA Go LED
Mudguards	SKS Velo-55
Kickstand	Atran REX-HV, rear kickstand

TRAXER-E10

29" / 10 SPEED

Frame	E-MTB, AL6061-T4/T6
Size	48/52 cm
Fork	RST F1RST 15 TRL, 100 mm, Air spring, remote lockout
Drive unit	Shimano STEPS, DU-E8000, 70 Nm
Battery	Shimano STEPS, 504 Wh
Charger	Shimano 4A EC-E6000
Display	Shimano STEPS
Rear derailleur	Shimano Deore XT Shadow
Shifter	Shimano STEPS switch / Shimano Deore
Crank set	Shimano STEPS, FC-E8000, 34T
Cassette sprocket	Shimano Deore, 11-36T

Chain	Shimano CN-E6090
Front hub	Shimano Deore
Rear hub	Shimano Deore
Rims	Mach1 640 Disc, 622-21
Tires	Schwalbe Nobby Nic, Performance, 60-622
Brakes	Shimano BR-M447 / BL-M506, 180/180 mm, hydraulic disc brakes
Handlebar	Ergotec Ray, low riser bar, 780 mm
Stem	Ergotec Ray, 35 mm
Seat post	Ergotec Ray, 31.6 mm
Saddle	Selle Italia SL X-Cross Flow

SHIMANO
STEPS

DU-E6100 drive unit
504Wh battery

SHIMANO
DEORE

SHIMANO
HYDRAULIC DISC BRAKES



RST

ergotec

120 kg permissible
TOTAL WEIGHT

SHIMANO
STEPS

DU-E6002 drive unit
504Wh battery

SHIMANO
DEORE

SHIMANO
HYDRAULIC DISC BRAKES

UNI
FRAME

RST

ergotec

120 kg permissible
TOTAL WEIGHT



HILLMASTER-E9

29" / 9 SPEED

Frame	E-MTB, AL6061-T4/T6
Size	44/48/52 cm
Fork	RST Blaze-ML, 100 mm, lockout
Drive unit	Shimano STEPS, DU-E6002, 50 Nm, light off road
Battery	Shimano STEPS, 504 Wh
Charger	Shimano 4A EC-E6000
Display	Shimano STEPS
Rear derailleur	Shimano Acera
Shifter	Shimano STEPS switch / Shimano Acera
Crank set	Shimano STEPS, FC-E6010, 38T
Cassette sprocket	Shimano CS-HG200, 11-36T

Chain	Shimano HG-53
Front hub	Shimano HB-TX505
Rear hub	Shimano FH-TX505
Rims	ID-Project GRX-9, 622-21
Tires	Impac SmartPac, 57-622
Brakes	Shimano BR-M315 / BL-M315, 180/160 mm, hydraulic disc brakes
Handlebar	ID-Project, riser bar, 720 mm
Stem	ID-Project, 31.8 mm
Seat post	ID-Project, 31.6 mm
Saddle	Selle Italia X-Base

SHIMANO
STEPS

DU-E6002 drive unit
504Wh battery

SHIMANO
ACERA

SHIMANO
HYDRAULIC DISC BRAKES

RST

120 kg permissible
TOTAL WEIGHT



BOOMMAX-E9 UNI SUV

27.5" / 9 SPEED

Frame	E-MTB, AL6061-T4/T6
Size	44/48 cm
Fork	RST Blaze-ML, 100 mm, lockout
Drive Unit	Shimano STEPS, DU-E6002, 50 Nm, light off-road
Battery	Shimano STEPS, 504 Wh
Charger	Shimano 4A EC-E6000
Display	Shimano STEPS
Rear derailleur	Shimano Deore
Shifter	Shimano STEPS / Shimano Acera
Crank set	Shimano STEPS, FC-E6010, 38T
Cassette sprocket	Shimano CS-HG201-9, 11-36T
Chain	Shimano CN-E6070-9

Front hub	Shimano HB-TX505
Rear hub	Shimano HB-TX505
Rims	Mach1 670 Disc, 584-21
Tires	Impac SmartPac, 57-584
Brakes	Shimano BR-M315/BL-M315, 180/180 mm, hydraulic disc brakes
Handlebar	Humpert Ergotec Bügel, low riser bar, 720 mm
Stem	Humpert Ergotec Crab 2, ahead, 31.8 mm
Seat post	Humpert Ergotec Atar, 31.6 mm
Saddle	Selle Italia SL X-Cross Flow
Lighting set	AXA Blue Line, 30 Lux/AXA Go LED
Mudguards	SKS Velo-65
Kickstand	Atran REX-HV, rear kickstand

SHIMANO
STEPS

DU-E6002 drive unit
504Wh battery

SHIMANO
ACERA

SHIMANO
HYDRAULIC DISC BRAKES

RST

120 kg permissible
TOTAL WEIGHT



HILLMASTER-E9

27.5" / 9 SPEED

Frame	E-MTB, AL6061-T4/T6	Chain	Shimano HG-53
Size	44/48 cm	Front hub	Shimano HB-TX505
Fork	RST Blaze-ML, 100 mm, lockout	Rear hub	Shimano FH-TX505
Drive unit	Shimano STEPS, DU-E6002, 50 Nm, light off road	Rims	ID-Project GRX-7, 584-21
Battery	Shimano STEPS, 504 Wh	Tires	Impac SmartPac, 57-584
Charger	Shimano 4A EC-E6000	Brakes	Shimano BR-M315 / BL-M315, 180/160 mm, hydraulic disc brakes
Display	Shimano STEPS	Handlebar	ID-Project, riser bar, 720 mm
Rear derailleur	Shimano Acera	Stem	ID-Project, 31.8 mm
Shifter	Shimano STEPS switch / Shimano Acera	Seat post	ID-Project, 31.6 mm
Crank set	Shimano STEPS, FC-E6010, 38T	Saddle	Selle Italia X-Base
Cassette sprocket	Shimano CS-HG200, 11-36T		





E-TREKKING SPORT



SHIMANO
STEPS

DU-E6100 drive unit
504Wh battery

DEORE
XT
SHIMANO

RST

ergotec

140 kg permissible
TOTAL WEIGHT

ERGOMAX-E10 528

28" / 10 SPEED

Frame	E-Trekking Sport, AL6061-T4/T6
Size Man	46/50/54/58 cm
Size Lady	46/50 cm
Fork	RST Vita-TNL, 60 mm, lockout
Drive unit	Shimano STEPS, DU-E6002, 50 Nm, light off road
Battery	Shimano STEPS, 504 Wh
Charger	Shimano 4A EC-E6000
Display	Shimano STEPS, large display
Rear derailleur	Shimano Deore
Shifter	Shimano STEPS switch / Shimano Deore
Crank set	Shimano STEPS, FC-E6010, 38T
Cassette sprocket	Shimano Deore, 11-36T
Chain	Shimano HG-E6090

Front hub	Shimano HB-TX505
Rear hub	Shimano FH-TX505
Rims	Mach1 640 Disc, 622-21
Tires	Schwalbe Smart Sam, Performance, 44-622
Brakes	Shimano BR-M315 / BL-M315, 180/180 mm, hydraulic disc brakes
Handlebar	Ergotec low riser bar, 640 mm
Stem	Ergotec Crab 2, ahead, 31.8 mm
Seat post	Ergotec Atar, 31.6 mm
Saddle	Selle Royal SCI Scientia
Lighting set	AXA Blue Line, 30 lux / AXA Go Steady LED
Mudguards	SKS Velo-55
Kickstand	Atran REX-HV, rear kickstand



SHIMANO
STEPS

DU-E6002 drive unit
504Wh battery

SHIMANO
DEORE

SHIMANO
HYDRAULIC DISC BRAKES

RST

ergotec

140 kg permissible
TOTAL WEIGHT

ERGOMAX-E10 529

28" / 10 SPEED

Frame	E-Trekking Sport, AL6061-T4/T6
Size Man	50/54/58 cm
Size Lady	46/50/54 cm
Fork	RST Vita TNL, 60 mm, lockout
Drive Unit	Shimano STEPS, DU-E6100, 60 Nm, light off-road
Battery	Shimano STEPS, BT-E8010, 504 Wh
Charger	Shimano 4A EC-E6000
Display	Shimano STEPS SC-E6100, large display
Rear derailleur	Shimano Deore XT
Shifter	Shimano STEPS SW-E7000-L / Shimano Deore
Crank set	Shimano STEPS FC-E6100, 38T
Cassette sprocket	Shimano CS-HG50-10, 11-36T
Chain	Shimano CN-E6090-10

Front hub	Shimano HB-TX505
Rear hub	Shimano FH-TX505
Rims	Mach1 Traxx 640 Disc, 622-21
Tires	Schwalbe Smart Sam Performance, 622-44
Brakes	Shimano BR-MT200 / BL-MT201, 180/180 mm, hydraulic disc brakes
Handlebar	Humpert Ergotec, low riser bar, 640 mm
Stem	Humpert Ergotec Crab 2, ahead, 31.8 mm
Seat post	Humpert Ergotec Atar, 31.6 mm
Saddle	Selle Royal SCI Scientia M2 unisex
Lighting set	Herrmans H-Black MR8, 50 Lux / H-Trace Mini
Mudguards	SKS Velo-55
Kickstand	Atran REX-HV, rear kickstand

SHIMANO
STEPS

DU-E6002 drive unit
504Wh battery

SHIMANO
DEORE

SHIMANO
HYDRAULIC DISC BRAKES

RST

ergotec

140kg permissible
TOTAL WEIGHT



INTEGRATOR E-10

28" / 10 SPEED

Frame	E-Trekking Sport, AL6061-T4/T6	Chain	Shimano CN-E6090-10
Size Man	50/54/58 cm	Front hub	Shimano HB-TX505
Size Lady	46/50/54 cm	Rear hub	Shimano FH-TX505
Fork	RST Vita TNL, 60 mm, lockout	Rims	Mach1 Traxx 640 Disc, 622-21
Drive Unit	Shimano STEPS, DU-E6002, 50 Nm, light off-road	Tires	Schwalbe Smart Sam Performance, 622-44
Battery	Shimano STEPS, BT-E8010, 504 Wh	Brakes	Shimano BR-MT315 / BL-MT315, 180/180 mm, hydraulic disc brakes
Charger	Shimano 4A EC-E6000	Handlebar	Humpert Ergotec, low riser bar, 640 mm
Display	Shimano STEPS SC-E6100, large display	Stem	Humpert Ergotec Crab 2, ahead, 31.8 mm
Rear derailleur	Shimano Deore	Seat post	Humpert Ergotec Atar, 31.6 mm
Shifter	Shimano STEPS switch / Shimano Deore	Saddle	Selle Royal SCI Scientia M2, unisex
Crank set	Shimano STEPS FC-E6010, 38T	Kickstand	Atran REX-HV, rear kickstand
Cassette sprocket	Shimano Deore, 11-36T		





E-TOURING

SHIMANO
STEPS

DU-E6002 drive unit
504Wh battery

DEORE
XT
SHIMANO

SHIMANO
HYDRAULIC DISC BRAKES

RST

ergotec

carry more
system carrier

140 kg permissible
TOTAL WEIGHT



FUTOUR-E10

28" / 10 SPEED



Frame	E-Touring, AL6061-T4/T6
Size Man	50/54 cm
Size Lady	46/50/54 cm
Size Wave	46/50/54 cm
Fork	RST Vita-TNL, 60 mm, lockout
Drive Unit	Shimano STEPS, DU-E6100, 60 Nm, light off-road
Battery	Shimano STEPS, 504 Wh
Charger	Shimano 2A EC-E6002
Display	Shimano STEPS, large display
Rear derailleur	Shimano Deore XT
Shifter	Shimano STEPS / Shimano Deore
Crank set	Shimano STEPS, FC-E6010, 38T
Cassette sprocket	Shimano CS-HG50-10, 11-36T
Chain	Shimano CN-E6090-10
Front hub	Shimano Acera, HB-M3050

Rear hub	Shimano Acera, HB-M3050
Rims	Mach1 640 Disc, 622-21
Tires	Schwalbe Energizer Plus GreenGuard, 47-622
Brakes	Shimano BR-M365 / BL-M365, 180/180 mm, hydraulic disc brakes
Handlebar Man/Lady	Humpert Ergotec Bügel, low riser bar, 640 mm
Handlebar Wave	Humpert Ergotec Ladytown, 620 mm
Stem Man/Lady	Humpert Ergotec Octopus 2, ahead, 31.8 mm
Stem Wave	Humpert Ergotec Octopus, ahead 50, 31.8 mm
Seat post	Humpert Ergotec Atar, 31.6 mm
Saddle	Selle Royal VLS
Lighting set	AXA Blue Line, 30 Lux / AXA Slim LED
Mudguards	SKS for Shimano STEPS, CAB
Carrier	Aluminium, CarryMore
Kickstand	Atran REX-HV, rear kickstand

SHIMANO
STEPS

DU-E6002 drive unit

504Wh battery

SHIMANO
DEORE

SHIMANO
HYDRAULIC DISC BRAKES

RST

ergotec

carry more
system carrier

140 kg permissible
TOTAL WEIGHT



FUTURE-E9

28" / 9 SPEED

Frame	E-Touring, AL6061-T4/T6	Rear hub	Shimano FH-TX505
Size Man	46/50/54/58 cm	Rims	Mach1 640 Disc, 622-21
Size Lady	46/50 cm	Tires	Schwalbe Energizer Plus GreenGuard, 47-622
Size Wave	46/50/54 cm	Brakes	Shimano BR-M315 / BL-M315, 180/180 mm, hydraulic disc brakes
Fork	RST Volant, 60 mm, adjustable preload	Handlebar Man/Lady	Ergotec low riser bar, 640 mm
Drive unit	Shimano STEPS, DU-E6002, 50 Nm, light off road	Handlebar Wave	Ergotec Ladytown, 620 mm
Battery	Shimano STEPS, 418 Wh	Stem Man/Lady	Ergotec Octopus, ahead, 31.8 mm
Charger	Shimano 2A EC-E6002	Stem Wave	Ergotec Octopus, ahead 50, 31.8 mm
Display	Shimano STEPS, large display	Seat post	Ergotec Atar, 31.6 mm
Rear derailleur	Shimano Deore	Saddle	Selle Royal VLS
Shifter	Shimano STEPS switch / Shimano Acera	Lighting set	AXA Blue Line, 30 lux / AXA Slim LED
Crank set	Shimano STEPS, FC-E6010, 38T	Mudguards	SKS for Shimano STEPS, CAB
Cassette sprocket	Shimano CS-HG201, 11-36T	Carrier	Aluminum, CarryMore
Chain	Shimano HG-E6070	Kickstand	Atran REX-HV, rear kickstand
Front hub	Shimano HB-TX505		



SHIMANO
STEPS

DU-E5000 drive unit
418Wh battery

SHIMANO
ALTUS

SHIMANO
HYDRAULIC DISC BRAKES

RST

carry more
system carrier

140 kg permissible
TOTAL WEIGHT



FUTOUR-E8

28" / 8 SPEED

Frame	E-Touring, AL6061-T4/T6	Rear hub	Shimano FH-TX505
Size Wave	46/50 cm	Rims	Mach1 Traxx 640 Disc, 622-21
Fork	RST Volant, 60 mm, adjustable preload	Tires	Kenda K197, K-Shield, 622-47
Drive Unit	Shimano STEPS, DU-E5000, 40 Nm	Brakes	Shimano BR-MT200 / BL-MT201, 180/180 mm, hydraulic disc brakes
Battery	Shimano STEPS, BT-E6000, 418 Wh	Handlebar	Kalloy HB-RB11 AL6061-PG, low riser bar, 640 mm
Charger	Shimano 2A EC-E6002	Stem	Kalloy AS-832, ahead, adjustable
Display	Shimano STEPS, SC-E6100, large display	Seat post	Kalloy 30.9 mm
Rear derailleur	Shimano Altus	Saddle	Selle Royal RVS Moody 8072
Shifter	Shimano STEPS SW-E6010-L / Shimano Altus SL-M310-R	Lighting set	AXA Blue Line, 30 Lux / AXA Slim LED
Crank set	Shimano STEPS FC-E5000, 38T	Mudguards	SKS PET
Cassette sprocket	Shimano CS-HG31-8, 11-34T	Carrier	CarryMore, alloy
Chain	KMC 8Z	Kickstand	Atran REX-HV rear kickstand
Front hub	Shimano HB-TX505		





E-CITY

SHIMANO STEPS | Di2

DU-E6100 drive unit
504Wh battery

SHIMANO ALFINE

SHIMANO HYDRAULIC DISC BRAKES

RST

ergotec

carry more
system carrier

140 kg permissible
TOTAL WEIGHT



ORAMA-D8 358

28" / 8 SPEED



Frame	E-City, AL6061-T4/T6
Size Man	46/50/54 cm
Size Lady	46/50/54 cm
Size Wave	46/50/54 cm
Fork	RST Vita-TNL, 60 mm, lockout
Drive unit	Shimano STEPS, DU-E6002, 50 Nm, light off road
Battery	Shimano STEPS, 504 Wh
Charger	Shimano 2A EC-E6002
Display	Shimano STEPS, large display
Rear derailleur	Shimano Deore
Shifter	Shimano STEPS switches
Crank set	Shimano STEPS, FC-E6010, 38T
Cassette sprocket	Shimano 19T
Chain	Shimano CN-HG71
Front hub	Shimano HB-M3050

Rear hub	Shimano Alfine 8Di2
Rims	Mach1 640 Disc, 622-21
Tires	Schwalbe Energizer Plus GreenGuard, 47-622
Brakes	Shimano BR-M365 / BL-M365, 180/180 mm, hydraulic disc brakes
Handlebar Man	Ergotec low riser bar, 640 mm
Handlebar Wave	Ergotec Bügel Ladytown, 620 mm
Stem Man	Ergotec Octopus, ahead, 31.8 mm
Stem Wave	Ergotec Octopus, ahead 50, 31.8 mm
Seat post	Ergotec Atar, 31.6 mm
Saddle	Selle Royal VLS
Lighting set	AXA Blue Line, 30 lux / AXA Slim LED
Mudguards	SKS for Shimano STEPS, CAB
Carrier	Aluminum, CarryMore
Kickstand	Atran REX-HV, rear kickstand

SHIMANO STEPS | Di2

DU-E6001 drive unit
504Wh battery

SHIMANO ALFINE

SHIMANO HYDRAULIC DISC BRAKES

RST

ergotec

carry more
system carrier

140 kg permissible
TOTAL WEIGHT



ORAMA-D8 357

28" / 8 SPEED

Frame	E-City, AL6061-T4/T6	Rear hub	Shimano Alfine 8Di2, SGS70518
Size Man	46/50/54/58 cm	Rims	Mach1 640, 622-21
Size Lady	46/50/54 cm	Tires	Schwalbe Energizer Plus GreenGuard, 47-622
Size Wave	46/50/54 cm	Brakes	Shimano BRM446 / BLT445, 180/180 mm, hydraulic disc brakes
Fork	RST Vita-TNL, 60 mm, lockout	Handlebar Man/Lady	Humpert Ergotec Bügel, low riser bar, 640 mm
Drive Unit	Shimano STEPS, DUE6001, 50 Nm	Handlebar Wave	Humpert Ergotec Ladytown, 620 mm
Battery Man/Lady	Shimano STEPS, (down tube), BTE8010, 504 Wh	Stem Man/Lady	Humpert Ergotec Octopus 2, ahead
Battery Wave	Shimano STEPS, (carrier), BTE6001, 504 Wh	Stem Wave	Humpert Ergotec Octopus, ahead 50
Charger	Shimano 2A EC-E6002	Seat post	Humpert Ergotec Atar, Größe 31.6 mm
Display	Shimano STEPS SC-E6010, large display	Saddle	Selle Royal VLS
Shifter	Shimano STEPS / SWE6000 switches	Lighting set	AXA Blue Line, 30 Lux / AXA Slim LED
Crank set	Shimano STEPS, FCE6000, 38T	Mudguards	SKS for Shimano STEPS, CAB
Cassette sprocket	Shimano 19T	Carrier	Aluminium, CarryMore
Chain	Shimano CNHG71	Kickstand	Atran REX-HV, rear kickstand
Front hub	Shimano HBM3050		





SHIMANO
STEPS

DU-E6100 drive unit
504Wh battery

SHIMANO
Nexus

SHIMANO
HYDRAULIC DISC BRAKES

RST

ergotec

carry more
system carrier

140 kg permissible
TOTAL WEIGHT

ORAMA-N5

28" / 5 SPEED

Frame	E-City, AL6061-T4/T6
Size	46/50 cm
Fork	RST Volant, 60 mm, adjustable preload
Drive Unit	Shimano STEPS, DU-E6100, 60 Nm
Battery	Shimano STEPS, BT-E8010, 504 Wh
Charger	Shimano 2A EC-E6002
Display	Shimano STEPS, SC-E6100, large display
Shifter	Shimano STEPS, SW-E7000-L / Shimano NEXUS, SL-C7000-5 switches
Crank set	Shimano STEPS, FC-E6100, 38T
Cassette sprocket	Shimano NEXUS, CS-C7000, 27T
Chain	Shimano CN-HG71
Front hub	Shimano HB-TX500

Rear hub	Shimano NEXUS 5sp. SG-S7050 5D
Rims	Mach1 640 Disc, 622-21
Tires	Schwalbe Energizer Plus GreenGuard, reflective, 47-622
Brakes	Shimano BR-MT200 / BL-MT201, 180/180 mm, hydraulic disc brakes
Handlebar	Humpert Ergotec, low riser bar, 640 mm
Stem	Humpert Ergotec Octopus, ahead, adjustable, 31.8 mm
Seat post	Humpert Ergotec Atar, size 31.6 mm
Saddle	Selle Bassano M Volare, 3-Zone
Lighting set	AXA Blue Line, 30 Lux / AXA Slim LED
Mudguards	SKS PET
Carrier	Aluminium, semiintegrated, CaryMore System
Kickstand	Atran REX-HV, rear kickstand

ORAMA-D5

28" / 5 SPEED

Frame	E-City, AL6061-T4/T6
Size Man	50/54 cm
Size Wave	46/50 cm
Fork	RST Volant, 60 mm, adjustable preload
Drive Unit	Shimano STEPS, DU-E6100, 60 Nm
Battery	Shimano STEPS, BT-E8010, 504 Wh
Charger	Shimano 2A EC-E6002
Display	Shimano STEPS, SC-E6100, large display
Shifter	Shimano STEPS, SW-E7000-L / SW-E7000-R switches
Crank set	Shimano STEPS, FC-E6100, 38T
Cassette sprocket	Shimano NEXUS, CS-C7000, 27T
Chain	Shimano CN-HG71
Front hub	Shimano HB-TX500

Rear hub	Shimano NEXUS Di2 5sp. SG-S7050 5D
Rims	Mach1 640 Disc, 622-21
Tires	Schwalbe Energizer Plus GreenGuard, reflective, 47-622
Brakes	Shimano BR-MT200 / BL-MT201, 180/180 mm, hydraulic disc brakes
Handlebar	Humpert Ergotec, low riser bar, 640 mm
Stem	Humpert Ergotec Octopus, ahead, adjustable, 31.8 mm
Seat post	Humpert Ergotec Atar, 31.6 mm
Saddle	Selle Bassano M Volare, 3-Zone
Lighting set	AXA Blue Line, 30 Lux / AXA Slim LED
Mudguards	SKS PET
Carrier	Aluminium, semiintegrated, CaryMore System
Kickstand	Atran REX-HV, rear kickstand

SHIMANO
STEPS

DU-E6100 drive unit
504Wh battery

SHIMANO
Nexus

SHIMANO
HYDRAULIC DISC BRAKES

RST

ergotec

carry more
system carrier

140 kg permissible
TOTAL WEIGHT





MTB



TRAXER

29" / 20 SPEED

Frame	MTB, AL6061-T4/T6
Size	44/48/52 cm
Fork	RST F1RST TRL, 100 mm, remote lockout
Front derailleur	Shimano Deore
Rear derailleur	Shimano XT
Shifters	Shimano Deore
Crank set	Shimano Deore, 36-22T
Cassette sprocket	Shimano Deore, 11-36T
Chain	Shimano CN-HG54
Front hub	Shimano Deore

Rear hub	Shimano Deore
Rims	Mach1 5.50SL
Tires	Schwalbe Nobby Nic / Racing Ralph Evo Lite Skin, 57-622
Brakes	Shimano Deore, 180/180 mm, hydraulic disc brakes
Handlebar	ID-Project, 720 mm
Stem	ID-Project, 31.8 mm
Seat post	ID-Project, 31.6 mm
Saddle	Selle Italia Q-Bik XC

TRAXER B+

650B / 20 SPEED

Frame	MTB, AL6061-T4/T6
Size	44/48/52/56 cm
Fork	RST F1RST PLUS TRL, 120 mm, remote lockout
Front derailleur	Shimano Deore
Rear derailleur	Shimano XT
Shifters	Shimano Deore
Crank set	Shimano Deore, 36-22T
Cassette sprocket	Shimano Deore, 11-36T
Chain	Shimano CN-HG54
Front hub	Shimano Deore

Rear hub	Shimano Deore
Rims	Mach1 Trucky, 30c
Tires	Schwalbe Nobby Nic, Snake Skin, TL-Easy, 65-584
Brakes	Shimano Deore, 180/180 mm, hydraulic disc brakes
Handlebar	ID-Project, 720 mm
Stem	ID-Project, 31.8 mm
Seat post	RST ELEV-8-H-S, 31.6 mm
Saddle	Selle Italia Q-Bik XC





BOOMMAX

27.5" - 29" / 30 SPEED

Frame	MTB, AL6061-T4/T6
Size (27.5)	44/48/52/56 cm
Size (29)	44/48/52 cm
Fork	RST F1RST TRL, 100 mm, remote lockout
Front derailleur	Shimano Deore
Rear derailleur	Shimano XT
Shifters	Shimano Deore
Crank set (27.5)	Shimano Deore, 42-24T
Crank set (29)	Shimano Deore, 40-22T
Cassette sprocket	Shimano Deore, 11-36T
Chain	Shimano CN-HG54
Front hub	Shimano Deore

Rear hub	Shimano Deore
Rims (27.5)	Mach1 Karma Disc
Rims (29)	Mach1 Karma Disc
Tires (27.5)	Kenda Kadre K1027, 56-584
Tires (29)	Schwalbe Nobby Nic / Racing Ralph Performance, 57-622
Brakes	Shimano BR-M395 / BL-M396, 180/160 mm, hydraulic disc brakes
Handlebar	ID-Project, 720 mm
Stem	ID-Project, 31.8 mm
Seat post	ID-Project, 31.6 mm
Saddle	Selle Italia Q-Bik XC

HILLMASTER

27.5" - 29" / 20 SPEED

Frame	MTB, AL6061-T4/T6
Size (27.5)	40/44/48/52 cm
Size (29)	44/48/52/56 cm
Fork	RST Blaze RL, 100 mm, remote lockout
Front derailleur	Shimano Deore
Rear derailleur	Shimano Deore
Shifter	Shimano Deore
Bottom bracket	Shimano SM-BB52
Crank set	Shimano FC-MT500-2, 36-26T
Cassette sprocket	Shimano CS-HG500-10, 11-42T
Chain	Shimano CN-HG54
Front hub	Shimano HB-TX505
Rear hub	Shimano FH-TX505

Rims (27.5)	ID-Project GRX-7, 584-21
Rims (29)	ID-Project GRX-9, 622-21
Tires (27.5)	Kenda K1027 Kadre, 54-584
Tires (29)	Kenda K1027 Kadre, 52-622
Brakes (27.5)	Shimano BR-M315 / BL-M315, 180/160 mm, hydraulic disc brakes
Brakes (29)	Shimano BR-M315 / BL-M315, 180/180 mm, hydraulic disc brakes
Handlebar	ID-Project, 720 mm
Stem	ID-Project, 31.8 mm
Seat post	ID-Project, 31.6 mm
Saddle	Selle Italia Q-Bik Flow





27.5"

SHIMANO DEORE

RST

SHIMANO HYDRAULIC DISC BRAKES



29"

PRO RIDER

27.5" - 29" / 24 SPEED

Frame	MTB, AL6061-T4/T6
Size (27.5)	40/44/48/52 cm
Size (29)	44/48/52/56 cm
Fork	ZOOM 565D, 100 mm, lockout
Front derailleur	Shimano FD-TY700
Rear derailleur	Shimano Acera
Shifter	Shimano ST-EF505
Bottom bracket	Shimano BB-UN100
Crank set	Shimano FC-TY301, 42-34-24T
Cassette sprocket	Shimano CS-HG31, 11-34T
Chain	KMC Z7
Front hub	Shimano HB-TX505

Rear hub	Shimano FH-TX505
Rims (27.5)	ID-Project GRX-7, 584-21
Rims (29)	ID-Project GRX-9, 622-21
Tires (27.5)	Kenda K1027 Kadre, 54-584
Tires (29)	Kenda K1027 Kadre, 52-622
Brakes	Shimano BR-M315 / ST-EF505, 160/160 mm, hydraulic disc brakes
Handlebar	ID-Project, 640 mm
Stem	ID-Project, 28.6 mm
Seat post	ID-Project, 30.9 mm
Saddle	Selle Italia X-Base

ZIGZAG

27.5" - 29" / 27 SPEED

Frame	MTB, AL6061-T4/T6
Size (27.5)	40/44/48/52 cm
Size (29)	44/48/52/56 cm
Fork	RST Blaze ML, 100 mm, lockout
Front derailleur	Shimano Acera
Rear derailleur	Shimano Deore
Shifters	Shimano Altus
Crank set	Shimano Acera, 40-22T
Cassette sprocket	Shimano CS-HG300, 11-34T
Chain	Shimano CN-HG53
Front hub	Shimano HB-TX505
Rear hub	Shimano FH-TX505

Rims (27.5)	ID-Project GRX-7, 584-21
Rims (29)	ID-Project GRX-9, 622-21
Tires (27.5)	Kenda Kadre K1027, 54-584
Tires (29)	Kenda K1153, 55-622
Brakes (27.5)	Shimano BR-M365 / BL-M365, 180/160 mm, hydraulic disc brakes
Brakes (29)	Shimano BR-M365 / BL-M365, 180/180 mm, hydraulic disc brakes
Handlebar	ID-Project, 720 mm
Stem	ID-Project, 31.8 mm
Seat post	ID-Project, 31.6 mm
Saddle	Selle Italia X-Base



27.5"

SHIMANO ACERA

SHIMANO HYDRAULIC DISC BRAKES



27.5"



29"



29"



29"

SUSPENSION FORK

SHIMANO DISC BRAKES



27.5" / 29"

TRIAL

27.5" - 29" / 21 SPEED

Frame	MTB, AL6061-T4/T6
Size (27.5)	40/44/48/ cm
Size (29)	44/48/52/56 cm
Fork	ZOOM 389AMS, 60mm, adjustable preload
Front derailleur	Shimano FD-TY500
Rear derailleur	Shimano RD-TY300
Shifter	Shimano ST-EF500
Bottom bracket	Thun
Crank set	Prowheel, 42-34-24T
Cassette sprocket	Shimano MF-TZ21, 14-28T
Chain	KMC Z7

Front hub	Joytech
Rear hub	Joytech
Rims (27.5)	Mach1 ER-10, 584-19
Rims (29)	Mach1 ER-10, 622-19
Tires (27.5)	Kenda K1153, 54-584
Tires (29)	Kenda K1153, 52-622
Brakes	Saccon, alloy V-brakes
Handlebar	ID-Project, 640 mm
Stem	ID-Project alloy, 28.6 mm
Seat post	ID-Project, 30.9 mm
Saddle	Selle-Royal Rvs Alpine 8468
Stand	Atran Stylo-DV, dropout adjustable



SUSPENSION FORK

FREEDER

27.5" - 29" / 24 SPEED

Frame	MTB, AL6061-T4/T6
Size (27.5)	40/44/48 cm
Size (29)	44/48/52/56 cm
Fork	ZOOM 389AMS, 60 mm, adjustable preload
Front derailleur	Shimano FD-TY710
Rear derailleur	Shimano RD-TX800
Shifter	Shimano ST-EF500
Bottom bracket	Shimano BB-UN100
Crank set	Shimano AFCTY301, 42-34-24T
Cassette sprocket	Shimano CS-HG31-8, 11-32T
Chain	KMC Z7
Front hub	Joytech D041DSE, 6-bolt alloy disc

Rear hub	Joytech D142TSE, 6-bolt alloy disc
Rims (27.5)	ID-Project GRX-7, 584-21
Rims (29)	ID-Project GRX-9, 622-21
Tires (27.5)	Kenda K1153, 54-584
Tires (29)	Kenda K1153, 52-622
Brakes	Promax DSK-300, 160/160 mm, mechanical disc brakes
Handlebar	ID-Project, 640 mm
Stem	ID-Project alloy, 28.6 mm
Seat post	ID-Project, 30.9 mm
Saddle	Selle-Royal Rvs Alpine 8468
Stand	Atran Stylo-DV, dropout adjustable





TRIAL UNI

26" / 21 SPEED

Frame	MTB, AL6061-T4/T6
Size	36/40 cm
Fork	ZOOM 410E, 50 mm
Front derailleur	Shimano FD-TY500
Rear derailleur	Shimano RD-TY300
Shifter	Shimano ST-EF500
Bottom bracket	Thun
Crank set	Prowheel, 42-34-24T
Cassette sprocket	Shimano MF-TZ500, 14-28T
Chain	KMC Z7

Front hub	Joytech
Rear hub	Joytech
Rims	Mach1 ER-10, 559-19
Tires	Kenda K1134, 50-559
Brakes	Saccon, alloy V-brakes
Handlebar	ID-Project, 640 mm
Stem	ID-Project, 25.4 mm
Seat post	ID-Project, 27.2 mm
Saddle	Selle-Royal Rvs Alpine 8468
Stand	Olona C-50, adjustable





TREKKING SPORT

SHIMANO
LX

RST

SHIMANO
HYDRAULIC DISC BRAKES



ERGOMAX

28" / 27 SPEED

Frame	Trekking Sport, AL6061-T4/T6
Size	42/46/50/54 cm
Fork	RST Vita-TNL, 60 mm, lockout
Front derailleur	Shimano Altus
Rear derailleur	Shimano Deore
Shifter	Shimano Altus
Bottom bracket	Shimano BB-UN100
Crank set	Shimano FC-M371, 48-36-26T
Cassette sprocket	Shimano CS-HG3009, 11-32T
Chain	Shimano CN-HG53

Front hub	Shimano HB-TX505
Rear hub	Shimano HB-TX505
Rims	ID-Project GRX-9, 622-21
Tires	Kenda K192 Kourier, reflective 42-622
Brakes	Shimano BR-M315 / BL-M315, 160/160 mm, hydraulic disc brakes
Handlebar	ID-Project alloy riser bar, 680 mm, 31.8 mm
Stem	ID-Project alloy, 90 mm extension, 31.8 mm
Seat post	ID-Project, size 31.6 mm
Saddle	Selle Royal RVS Lancia
Stand	Atran Stylo-HV, dropout adjustable

INTEGRATOR

28" / 30 SPEED

Frame	Trekking Sport, AL6061-T4/T6
Size	46/50/54 cm
Fork	RST Vita RL, 60 mm, remote lockout
Front derailleur	Shimano Deore
Rear derailleur	Shimano Deore LX
Shifters	Shimano Deore
Crank set	Shimano Deore, 48-36-26T
Cassette sprocket	Shimano CS-HG500, 11-34T
Chain	Shimano CN-HG54

Front hub	Shimano Acera
Rear hub	Shimano Acera
Rims	ID-Project GRX-9, 622-21
Tires	Kenda K192 Kourier, reflective 37-622
Brakes	Shimano BR-M446 / BL-T445, 160/160 mm hydraulic disc brakes
Handlebar	ID-Project, 680 mm
Stem	ID-Project, 31.8 mm
Seat post	ID-Project, 31.6 mm
Saddle	Selle Italia FLX



SHIMANO
DEORE

RST

SHIMANO
HYDRAULIC DISC BRAKES



SHIMANO
DEORE

RST

SHIMANO
HYDRAULIC DISC BRAKES



MEGISTO

28" / 24 SPEED

Frame	Trekking Sport, AL6061-T4/T6
Size	42/46/50/54/58 cm
Fork	RST Nova-ML, 60 mm, lockout
Front derailleur	Shimano Altus
Rear derailleur	Shimano Acera
Shifter	Shimano ST-EF505
Bottom bracket	Shimano BB-UN100
Crank set	Shimano FC-M371 48-36-26T
Cassette sprocket	Shimano CS-HG201-9 11-32T
Chain	Shimano CN-HG53

Front hub	Shimano HB-TX505
Rear hub	Shimano FH-TX505
Rims	ID-Project GRX-9, 622-21
Tires	Kenda K192 Kourier, Reflective, 42-622
Brakes	Shimano, BR-M315 / ST-EF505, 160/160 mm, hydraulic disc brakes
Handlebar	ID-Project, 660 mm
Stem	ID-Project, 31.8 mm
Seat post	ID-Project, 30.9 mm
Saddle	Selle Royal RVS Lancia
Stand	Atran Stylo-HV, dropout adjustable

OPTIMUS

28" / 27 SPEED

Frame	Trekking Sport, AL6061-T4/T6
Size Man	46/50/54/58 cm
Size Lady	42/46/50/54 cm
Fork	RST Nova ML, 60 mm, lockout
Front derailleur	Shimano Altus
Rear derailleur	Shimano Deore
Shifters	Shimano ST-EF505
Crank set	Shimano Acera 48-36-26T
Cassette sprocket	Shimano CS-HG201, 11-32T
Chain	Shimano CN-HG53

Front hub	Shimano HB-TX505
Rear hub	Shimano FH-TX505
Rims	ID-Project GRX-9, 622-21
Tires	Kenda K192 Kourier, reflective 42-622
Brakes	Shimano BR-M315 / BL-M315, 160/160 mm, hydraulic disc brakes
Handlebar	ID-Project, 680 mm
Stem	ID-Project, 31.8 mm
Seat post	ID-Project, 31.6 mm
Saddle	Selle Royal RVS Lancia



SHIMANO
ACERA

RST

SHIMANO
HYDRAULIC DISC BRAKES



NERGETIC

28" / 21 SPEED

Frame	Trekking Sport, AL6061-T4/T6
Size Man	46/50/54/58 cm
Size Lady	42/46 cm
Fork	ZOOM 141, alloy, 45 mm
Front derailleur	Shimano FD-TY710
Rear derailleur	Shimano RD-TY300
Shifters	Shimano ST-EF500
Crank set	Prowheel, 48-38-28T
Cassette sprocket	Shimano CS-HG200, 12-32T
Chain	KMC Z51

Front hub	Joytech, alloy
Rear hub	Shimano FH-RM30
Rims	Mach1, 622-19
Tires	Kenda K192 Kourier, 42-622
Brakes	Saccon, alloy V-brakes
Handlebar	ID-Project, 660 mm
Stem	ID-Project, 25.4 mm
Seat post	ID-Project, 31.6 mm
Saddle	Selle Royal PU One



CROSSMO

28" / 24 SPEED

Frame	Trekking Sport, AL6061-T4/T6
Size Man	50/54/58 cm
Size Lady	42/46 cm
Fork	ZOOM 141-AMS, alloy, 45 mm, preload
Front derailleur	Shimano FD-TY710
Rear derailleur	Shimano RD-TX800
Shifters	Shimano ST-EF500
Crank set	Shimano FC-TY301, 48-38-28T
Cassette sprocket	Shimano CS-HG31, 11-32T
Chain	KMC Z7

Front hub	Joytech, alloy
Rear hub	Shimano FH-TX5008
Rims	Mach1, 622-19
Tires	Kenda K192 Kourier, reflective 42-622
Brakes	Saccon, alloy V-brakes
Handlebar	ID-Project, 660 mm
Stem	ID-Project, 25.4 mm
Seat post	ID-Project, 31.6 mm
Saddle	Selle Royal RVS Lancia





SUSPENSION
FORK



MOOVIC

28" / 21 SPEED

Frame	Trekking Sport, AL6061-T4/T6
Size Man	42/46/50/54/58 cm
Size Lady	42/46 cm
Fork	ZOOM 128, 30 mm
Front derailleur	Shimano FD-TY710
Rear derailleur	Shimano RD-TY300
Shifter	Shimano ST-EF500
Bottom bracket	Thun
Crank set	Prowheel 48-38-28T
Cassette sprocket	Shimano MF-TZ500, 14-28T
Chain	KMC Z7

Front hub	Joytech
Rear hub	Joytech
Rims	Mach1 ER-10, 622-21
Tires	Kenda K935, 42-622
Brakes	Saccon, alloy V-brakes
Handlebar	ID-Project, 640 mm
Stem	ID-Project alloy, 25.4 mm
Seat post	ID-Project, 30.9 mm
Saddle	Selle Royal One
Kickstand	Atran Stylo-HV, dropout adjustable





TOURING



MULTIGO

28" / 30 SPEED

Frame	Touring, AL6061-T4/T6
Size Man	50/54/58 cm
Size Lady	46/50/54 cm
Size Wave	46/50 cm
Fork	RST Vita-TNL, 60 mm, lockout
Front derailleur	Shimano Deore
Rear derailleur	Shimano Deore XT Shadow
Shifter	Shimano Deore
Crank set	Shimano Deore, FC-T6010, W/BB PARTS (BSA), 48-36-26T
Cassette sprocket	Shimano CS-HG500-10, 11-34T
Chain	Shimano CN-HG54
Front hub	Shimano DH-3D37, hub dynamo

Rear hub	Shimano FH-M3050
Rims	ID-Project GRX-9, 622-21
Tires	Schwalbe Marathon Supreme, Performance, 42-622
Brakes	Shimano BR-M365 / BL-M365, 180/160 mm, hydraulic disc brakes
Handlebar	ID-Project Riser Bar, 640 mm
Stem	ID-Project, 31.8 mm
Seat post	ID-Project, 31.6 mm
Saddle	Selle Bassano XL-Volare, 3-Zone-Comfort
Lightning set	AXA Blue Line 30 Lux / AXA Ray Steady LED
Mudguards	SKS A51
Carrier	Aluminium, CarryMore
Kickstand	Atran Stylo-HV, dropout adjustable

SHIMANO
DEORE

SHIMANO
HYDRAULIC DISC BRAKES

RST

carry more
system carrier



TRAVELON

28" / 27 SPEED

Frame	Touring, AL6061-T4/T6
Size Man	46/50/54 cm
Size Lady	46/50/54 cm
Size Wave	46 cm
Fork	RST Nova ML, 60 mm, lockout
Front derailleur	Shimano Altus
Rear derailleur	Shimano Deore
Shifters	Shimano Altus
Crank set	Shimano FC-M371, 48-36-26T
Cassette sprocket	Shimano CS-HG200, 11-32T
Chain	Shimano CN-HG53
Front hub	Shimano DH-3D37, hub dynamo
Rear hub	Shimano FH-TX505

Rims	ID-Project GRX-9, 622-21
Tires	Schwalbe Citizen, reflective 42-622
Brakes	Shimano BR-M365 / BL-M365, 160/160 mm, hydraulic disc brakes
Handlebar	ID-Project, 640 mm
Stem	ID-Project, 31.8 mm
Seat post	ID-Project, 31.6 mm
Saddle	Selle Bassano X33 Volare, 3-Zone-Comfort
Lighting set	AXA Blue Line 30 Lux / AXA Ray Steady LED
Mudguards	SKS
Carrier	CarryMore, alloy
Kickstand	Atran, rear kickstand





COMFORT

28" / 24 SPEED

Frame	Touring, AL6061-T4/T6
Size	40 cm
Fork	ZOOM 120E, 50 mm
Front derailleur	Shimano FD-TY710
Rear derailleur	Shimano RD-TX800
Shifters	Shimano ST-EF51
Crank set	Shimano FC-M171, 48-38-28T
Cassette sprocket	Shimano CS-HG31, 11-32T
Chain	KMC Z7
Front hub	Shimano DH-3N31, hub dynamo
Rear hub	Shimano FH-TX800

Rims	Mach1, 622-21
Tires	Kenda K935 Khan, reflective 40-622
Brakes	Miranda, alloy V-brakes
Handlebar	ID-Project, 660 mm
Stem	ID-Project, 25.4 mm
Seat post	ID-Project, 27.2 mm
Saddle	Selle Royal RVS Moody
Lighting set	AXA Blue Line 15 Lux / AXA Slim Steady LED
Mudguards	SKS
Carrier	Steel
Kickstand	Olona

EZIGO

28" / 24 SPEED

Frame	Touring, AL6061-T4/T6
Size	46/50 cm
Fork	ZOOM 141D, 45 mm, preload
Front derailleur	Shimano FD-TY710
Rear derailleur	Shimano Altus
Shifter	Shimano ST-EF505
Bottom bracket	Shimano BB-UN100
Crank set	Shimano FC-TY301, 48-38-28T
Cassette sprocket	Shimano CS-HG31-8, 11-32T
Chain	KMC Z7
Front hub	Shimano DH-3D37, hub dynamo
Rear hub	Shimano FH-TX505

Rims	ID-Project GRX-9, 622-21
Tires	Kenda K935 Khan, Reflective, 42-622
Brakes	Shimano BR-M315 / ST-EF505, 160/160 mm, hydraulic disc brakes
Handlebar	ID-Project, 640 mm
Stem	ID-Project, 31.8 mm
Seat post	ID-Project, 30.9 mm
Saddle	Selle Bassano XL-Volare, 3-Zone-Comfort
Lighting set	AXA Echo 15 Lux / AXA Ray Steady LED
Mudguards	SKS
Carrier	Aluminium, CarryMore System
Kickstand	Atran Stylo-HV, dropout adjustable





URBAN-CITY

SHIMANO
DEORE

SHIMANO
HYDRAULIC DISC BRAKES

RST

carry more
system carrier



CITYRUN

700C / 24 SPEED

Frame	Urban / Fitness, AL6061-T4/T6
Size	44/49/53/57 cm
Fork	Alloy straight blades
Front derailleur	Shimano FD-TY710
Rear derailleur	Shimano Altus
Shifters	Shimano ST-EF500
Crank set	Shimano FC-TY301, 48-38-28T
Cassette sprocket	Shimano CS-HG31, 11-32T
Chain	KMC Z7

Front hub	Joytech, alloy
Rear hub	Shimano FH-TX5008
Rims	Mach1, 622-19
Tires	Kenda K193 Kwest, reflective 28-622
Brakes	Saccon, alloy V-brakes
Handlebar	ID-Project, 600 mm
Stem	ID-Project, 28.6 mm
Seat post	ID-Project, 27.2 mm
Saddle	Selle Royal RVS Lancia
Kickstand	Atran Moove

SHIMANO
ALTUS

FUNCORE

700C / 27 SPEED

Frame	Urban / Fitness, AL6061-T4/T6
Size	44/49/53/57 cm
Fork	Alloy straight blades
Front derailleur	Shimano Altus
Rear derailleur	Shimano Deore
Shifters	Shimano ST-EF505
Crank set	Shimano FC-M371, 48-36-26T
Cassette sprocket	Shimano CS-HG201, 11-32T
Chain	Shimano CN-HG53
Front hub	Shimano HB-TX505
Rear hub	Shimano FH-TX505

Rims	ID-Project GRX-9, 622-21
Tires	Kenda K193 Kwest, reflective 28-622
Brakes	Shimano BR-M315, 160/160 mm, hydraulic disc brakes
Handlebar	ID-Project, 600 mm
Stem	ID-Project, 31.8 mm
Seat post	ID-Project, 31.6 mm
Saddle	Selle Royal RVS Lancia
Kickstand	Atran Moove





CITYLIFE

28" / 7 SPEED

Frame	City loop, AL6061-T4/T6	Rear hub	Joytech, alloy
Size	40/46/51 cm	Rims	Mach1, ER-10 622-19
Fork	Rigid, hi-ten	Tires	Kenda K193 Kwest, reflective 40-622
Rear derailleur	Shimano RD-TY300	Brakes	Sacson, alloy V-brakes
Shifter	Shimano SL-RS36, revo	Handlebar	ID-Project, city bar, 600 mm
Crank set	Prowheel, 38T	Stem	ID-Project, 25.4 mm
Cassette sprocket	Shimano MF-TZ21, 14-28T	Seat post	ID-Project, 28.6 mm
Chain	KMC Z7	Saddle	Selle Royal RVS Moody
Front hub	Joytech, alloy	Kickstand	Olona
		Accessories	Dynamo, Lighting set, Mudguards, Carrier



JUNIOR



STROBE 24 Disc

STROBE 20

24" / 7 SPEED

Frame	Junior Uni, AL6061-T4/T6
Size	25 cm
Fork	ZOOM 410E, 30 mm
Rear derailleur	Shimano RD-TY300
Shifter	Shimano SL-RS36, revo
Crank set	Prowheel, 36T
Cassette sprocket	Shimano MF-TZ21, 14-28T
Chain	KMC Z7
Front hub	Joytech

Rear hub	Joytech
Rims	Mach1 Eco ER-10, 406-21
Tires	Kenda K1134, 50-406
Brakes	Saccon, alloy V-brakes
Handlebar	ID-Project, riser bar, 540 mm
Stem	ID-Project, 25.4 mm
Seat post	ID-Project, 27.2 mm
Saddle	Selle Royal Candy 20
Kickstand	Center kickstand



STROBE 24

24" / 21 SPEED

Frame	Junior Uni, AL6061-T4/T6
Size	28 cm
Fork (Strobe Disc)	ZOOM 389A AMS, 50 mm, preload
Fork (Strobe)	ZOOM 410E, 40 mm
Front derailleur	Shimano FD-TY300
Rear derailleur	Shimano RD-TY300
Shifters	Shimano ST-EF500
Crank set	Prowheel, 42-34-24T
Cassette sprocket	Shimano MF-TZ500, 14-28T
Chain	KMC Z7
Front hub (Strobe Disc)	Shimano HB-TX505

Front hub	Joytech, alloy
Rear hub	Joytech, alloy
Rims	Mach1, 507-19
Tires	Kenda K1153, 50-507
Brakes (Strobe Disc)	Shimano BR-TX805, 160 mm, mechanical disc / Saccon, alloy V-brake
Brakes (Strobe)	Saccon, alloy V-brakes
Handlebar	ID-Project, riser bar, 560 mm
Stem	ID-Project, 25.4 mm
Seat post	ID-Project, 27.2 mm
Saddle	Selle Royal Hello 24
Kickstand	Atran Moove





V-TRACK

Frame	Junior, AL6061-T4/T6
Size	18"/23 cm 16"/21 cm 14"/20 cm 12"/18 cm
Fork	Rigid, Hi-Ten
Crank set	One-Piece, 18"/32T 16"/32T 14"/28T 12"/28T
Cassette sprocket	18T
Chain	KMC
Front hub	Oversize
Rear hub	Oversize

18"-16"-14"-12"

Rims	Alloy
Tires	18"x2.125 16"x2.125 14"x2.125 12-1/2"x1.75
Brakes (18"-16"-14")	V-brakes
Brakes (12")	Calipers
Handlebar	ID-Project riser bar, 18"-16"/52 cm, 14"-12"/48 cm wide, 80mm rise
Stem	ID-Project 30 mm extension, 15cm quill
Seat post	27.2*250 mm
Saddle	Comfort with protection



CONDOR

20" / 6 SPEED

Frame	Junior, Hi-ten	Rear hub	Joytech
Size	28 cm	Rims	Mach1 Eco 110 Evolution
Fork	Rigid, Hi-Ten	Tires	Kenda K879, 54-406
Rear derailleur	Shimano RD-TY300	Brakes	Saccon, alloy V-brakes
Shifter	Shimano SL-RS36, revo	Handlebar	ID-Project, riser bar, 540 mm
Crank set	Prowheel, 36T	Stem	ID-Project, 25.4 mm
Cassette sprocket	Shimano MF-TZ20, 14-28T	Seat post	ID-Project, 25.4 mm
Chain	KMC Z7	Saddle	Selle Bassano Mito
Front hub	Joytech	Kickstand	Center kickstand

All colors available in all wheel sizes

2019 RANGE



NIKOS MANIATOPOULOS S.A.
INDUSTRIAL & TRADING CYCLE COMPANY

Kosti Palama & Solonos Str., Agios Vasileios,
26504 Patras, Greece
Tel.: +30 2610 993 045, Fax: +30 2610 990 424
E-mail: sales@idealbikes.gr

www.idealbikes.net

