



BIKE COLLECTION 2012



INDEX

02 mountain

RACE PRO
RACE PRO comp
TRAXER
BOOMMAX
HILLMASTER
ZIGZAG
PRORIDER disc
PRORIDER
STROBE disc
STROBE
FREEDER disc
FREEDER

16 mountain 29"

PRISMA
KRITTON 27sp
KRITTON 24sp

19 dirt

JUMP UP
BUMP disc
BUMP

22 full suspension

VSR pro
VSR comp
STROKE
AXION

26 trekking off road

INTEGRATOR
ERGOMAX
OPTIMUS
MEGISTO disc
MEGISTO
CROSSMO
NERGETIC

34 urban

CHICANE
CITYRUN
INDIGO

37 sport touring

FUTOUR
MULTIGO
TRAVELON
EZIGO
TESTEK

42 city

CITYLIFE
UNIGO

44 road

STAGE team
STAGE comp
STAGE
ONROAD
INTEMPO

50 junior 24/20

AXION 24 disc
AXION 24
STROBE 24 disc
STROBE 24
CITYLIFE 24
CITYLIFE 20
STROBE 20

54 junior 18-16-14-12

V-TRACK

55 freestyle

X-TEN
X-SIX

56 folding

COBI 10
COBI 20
COBI 30
COBI 55



RACE PRO

WHEEL SIZE 26" SPEED 30 or 20

Frame	Kinesis AL7005-T4/T6, tapered head tube, press fit BB, 41/46/51/56 cm
Fork	FOX 32 Float FIT RL, 100mm
Rear shock	
Hubs	Shimano Deore XT wheelset, WH-M785
Rims	Shimano Deore XT wheelset, WH-M785
Spokes	Shimano Deore XT wheelset, WH-M785
Tires	Schwalbe Nobby Nic/Racing Ralph TL-Ready, Folding 57-559 (26x2.25)
Crank set	Shimano Deore XT, FC-M780, 42-32-24T or FC-M785, 40-28T, <=46 cm 170 mm, else 175 mm
Front derailleur	Shimano Deore XT, FD-M780
Rear derailleur	Shimano Deore XT, RD-M780
Shifters	Shimano Deore XT, SL-M780
Chain	Shimano CN-HG74
Cassette sprocket	Shimano Deore XT, CS-M771, 11-13-15-17-19-21-24-28-32-36T
Brakes	Shimano Deore XT hydraulic disc brakes, BR-M785, 180/160 mm
Brake levers	Shimano Deore XT, BL-M785
Handlebar	ID Project, riser bar, 66 cm, backsweep 5°, rise 15 mm
Stem	ID Project, <=46 cm 80 mm, else 90 mm, 7°
Seat post	ID Project, 31.6*350 mm
Specials	Selle Italia XR-XC (saddle)



RACE PRO comp

WHEEL SIZE 26" SPEED 30

Frame	UD carbon, 41/46/51 cm
Fork	RST F1RST-32-Air-SRL, 100 mm, remote lock out, rebound
Rear shock	
Hubs	Shimano Deore, HB-M595/FH-M595
Rims	Exal DC19, 559-19*19.5 mm
Spokes	Sha-Dar 14G, black stainless
Tires	Kenda K1027 Kadre 26x2.10
Crank set	Shimano FC-M522, 42-32-24T, <=46 cm 170 mm, else 175 mm
Front derailleur	Shimano Deore, FD-M590
Rear derailleur	Shimano Deore XT, RD-M780
Shifters	Shimano Deore, SL-M591
Chain	Shimano CN-HG54
Cassette sprocket	Shimano CS-HG62, 11-13-15-17-19-21-24-28-32-36T
Brakes	Shimano BR-M446 hydraulic disc brakes, 180/160 mm
Brake levers	Shimano BL-M445
Handlebar	ID Project, riser bar, 66 cm, backsweep 5°, rise 15 mm
Stem	ID Project, <=46 cm 80 mm, else 90 mm, 7°
Seat post	ID Project, 31.6*350 mm
Specials	Selle Italia XR-XC (saddle)



TRAXER

WHEEL SIZE 26" SPEED 30

Frame	Kinesis AL7005-T4/T6, tapered head tube, press fit BB, 41/46/51/56 cm
Fork	RST F1RST-32-Air-SRL, 100 mm, remote lock out, rebound
Rear shock	
Hubs	Shimano Deore, HB-M595/FH-M595
Rims	Exal DC19, 559-19*19.5 mm
Spokes	Sha-Dar 14G, black stainless
Tires	Kenda K1027 Kadre 26x2.10
Crank set	Shimano FC-M552, 42-32-24T, <=46 cm 170 mm, else 175 mm
Front derailleur	Shimano Deore, FD-M590
Rear derailleur	Shimano Deore XT, RD-M780
Shifters	Shimano SLX, SL-M660
Chain	Shimano CN-HG54
Cassette sprocket	Shimano CS-HG62, 11-13-15-17-19-21-24-28-32-36Z
Brakes	Shimano Deore hydraulic disc brakes, BR-M596, 180/160 mm
Brake levers	Shimano Deore, BL-M595
Handlebar	ID Project, riser bar, 66 cm, backsweep 5°, rise 15 mm
Stem	ID Project, <=46 cm 80 mm, else 90 mm, 7°
Seat post	ID Project, 31.6*350 mm
Specials	Selle Royal RVP Seta (saddle)



BOOMMAX

WHEEL SIZE 26" SPEED 30

Frame	Kinesis AL7005-T4/T6, 38/41/46/51/56 cm
Fork	RST Blaze-RL, 100 mm, remote lock out, rebound
Rear shock	
Hubs	Shimano HB-RM66/FH-RM66
Rims	ID Project X-6, 559*21*20.5 mm
Spokes	Sha-Dar 14G, steel edb
Tires	Kenda K1027 Kadre 26x2.10
Crank set	Shimano FC-M522, 42-32-24T, <=46 cm 170 mm, else 175 mm
Front derailleur	Shimano Deore, FD-M590
Rear derailleur	Shimano Deore, RD-M593
Shifters	Shimano Deore, SL-M591
Chain	Shimano CN-HG54
Cassette sprocket	Shimano CS-HG62, 11-13-15-17-19-21-24-28-32-36T
Brakes	Shimano BR-M446 hydraulic disc brakes, 180/160 mm
Brake levers	Shimano BL-M445
Handlebar	ID Project, riser bar, 66 cm, backsweep 5°, rise 15 mm
Stem	ID Project, <=46 cm 75 mm, else 90 mm, 7°
Seat post	ID Project, 31.6*350 mm
Specials	Selle Royal RVP Seta (saddle)



HILLMASTER

WHEEL SIZE 26" SPEED 27

Frame	Kinesis AL7005-T4/T6, 38/41/46/51/56 cm
Fork	RST Blaze-RL, 100 mm, mechanical lock out, rebound
Rear shock	
Hubs	Shimano HB-RM66/FH-RM66
Rims	ID Project X-6, 559*21*20.5 mm
Spokes	Sha-Dar 14G, steel edb
Tires	Kenda K1027 Kadre 26x2.10
Crank set	Shimano Acera, FC-M391, 44-32-22T, <=46 cm 170 mm, else 17 5mm
Front derailleur	Shimano Acera, FD-M390
Rear derailleur	Shimano Deore, RD-M592
Shifters	Shimano Acera, SL-M390
Chain	Shimano CN-HG53
Cassette sprocket	Shimano CS-HG20, 11-13-15-17-20-23-26-30-34T
Brakes	Shimano BR-M446 hydraulic disc brakes, 180/160 mm
Brake levers	Shimano BL-M445
Handlebar	ID Project, riser bar, 66 cm, backsweep 5°, rise 15 mm
Stem	ID Project, <=46 cm 75 mm, else 90 mm, 7°
Seat post	ID Project, 31.6*350 mm
Specials	Selle Royal RVP Seta (saddle)



ZIGZAG

WHEEL SIZE 26" SPEED 24

Frame	Kinesis AL7005-T4/T6, 38/41/46/51/56 cm
Fork	RST Blaze-ML, 100 mm, mechanical lock out, rebound
Rear shock	
Hubs	Shimano HB-RM66/FH-RM66
Rims	ID Project X-6, 559*21*20.5 mm
Spokes	Sha-Dar 14G, steel edb
Tires	Kenda K1027 Kadre 26x2.10
Crank set	Shimano FC-M311, 42-32-22T, <=46 cm 170 mm, else 175 mm
Front derailleur	Shimano FD-M310
Rear derailleur	Shimano Alivio, RD-M430
Shifters	Shimano SL-M310
Chain	KMC Z8/HG50
Cassette sprocket	Shimano CS-HG31, 11-13-15-17-20-23-26-34T
Brakes	Shimano BR-M446 hydraulic disc brakes, 180/160 mm
Brake levers	Shimano BL-M445
Handlebar	ID Project, riser rar, 66 cm, backsweep 5°, rise 15 mm
Stem	ID Project, <=46 cm 75 mm, else 90 mm, 7°
Seat post	ID Project, 31.6*350 mm
Specials	Selle Italia Q-BIK (saddle)

Color Option



PRO RIDER disc WHEEL SIZE 26" SPEED 24

Frame	AL6061-T4/T6, 38/41/46/51/56 cm
Fork	RST Blaze-ML, 100 mm, mechanical lock out, rebound
Rear shock	
Hubs	Shimano HB-RM66/FH-RM66
Rims	ID Project X-6, 559*21*20.5 mm
Spokes	Sha-Dar 14G, steel edb
Tires	Kenda K1027 Kadre 26x2.10
Crank set	Shimano Acera,FC-M311, 42-32-22T, <=46 cm 170mm, else 175mm
Front derailleur	Shimano FD-M310
Rear derailleur	Shimano Acera, RD-M390
Shifters	Shimano ST-M310
Chain	KMC Z8/HG50
Cassette sprocket	Shimano CS-HG31, 11-13-15-17-20-23-26-34T
Brakes	Shimano BR-M416 mechanical disc brakes, 160/160 mm
Brake levers	Shimano ST-M310
Handlebar	ID Project, riser bar, 66 cm, backsweep 5°, rise 15 mm
Stem	ID Project, <=46 cm 75 mm, else 90 mm, 7°
Seat post	ID Project, 31.6*350 mm
Specials	Selle Italia Q-BIK (saddle)

Color Option





PRO RIDER

WHEEL SIZE 26" SPEED 24

Frame	AL6061-T4/T6, 38/41/46/51/56 cm
Fork	RST Capa-ML, 80 mm, mechanical lock out, rebound
Rear shock	
Hubs	Shimano HB-RM70/FH-RM70
Rims	EXAL TX19, 559-19*21 mm
Spokes	Sha-Dar 14G, steel edb
Tires	Kenda K1027 Kadre 26x2.10
Crank set	Shimano Acera, FC-M311, 42-32-22T, <=46cm 170mm else 175mm
Front derailleur	Shimano FD-M310
Rear derailleur	Shimano Acera, RD-M390
Shifters	Shimano ST-M310
Chain	KMC Z8/HG50
Cassette sprocket	Shimano CS-HG31, 11-13-15-17-20-23-26-34T
Brakes	Shimano BR-M422 V-brakes
Brake levers	Shimano ST-M310
Handlebar	ID Project, riser bar, 66 cm, backsweep 5°, rise 15 mm
Stem	ID Project, <=46 cm 75 mm, else 90 mm, 7°
Seat post	ID Project, 31.6*350 mm
Specials	Selle Italia Q-BIK (saddle)

Color Option



STROBE disc

WHEEL SIZE 26" SPEED 24

Frame	AL6061-T4/T6, 38/41/46/51/56 cm
Fork	RST Capa-T, 80 mm, rebound
Rear shock	
Hubs	Joytech
Rims	ID Project X-6, 559*21*20.5 mm
Spokes	Sha-Dar 14G, steel edb
Tires	Kenda K849 26x1.95
Crank set	Shimano FC-M171, 42-34-24T, <=46cm 170mm else 175mm
Front derailleur	Shimano FD-M190
Rear derailleur	Shimano Altus, RD-M310
Shifters	Shimano ST-M310
Chain	KMC Z8/HG50
Cassette sprocket	Shimano CS-HG31, 11-13-15-17-20-23-26-34T
Brakes	Promax mechanical disc brakes, 160/160 mm
Brake levers	Shimano ST-M310
Handlebar	ID Project, riser bar, 66 cm, backsweep 5°, rise 15 mm
Stem	ID Project, <=46 mm 75 mm, else 90 mm, 15°/10°
Seat post	ID Project, 31.6*350 mm
Specials	Selle Italia Q-BIK (saddle)

Color Option



STROBE

WHEEL SIZE 26" SPEED 24

Frame	AL6061-T4/T6,38/41/46/51/56 cm
Fork	RST Capa-T, 80 mm, rebound
Rear shock	
Hubs	Shimano HB-RM70/FH-RM70
Rims	Exal TX19, 559-19*21 mm
Spokes	Sha-Dar 14G, steel edb
Tires	Kenda K849 26x1.95
Crank set	Shimano FC-M171, 42-34-24T, <=46cm 170mm, else 175mm
Front derailleur	Shimano FD-M190
Rear derailleur	Shimano Altus, RD-M310
Shifters	Shimano ST-M310
Chain	KMC Z8/HG50
Cassette sprocket	Shimano CS-HG31, 11-13-15-17-20-23-26-34T
Brakes	Miranda V-brakes
Brake levers	Shimano ST-M310
Handlebar	ID Project, riser bar, 66 cm, backsweep 5°, rise 15 mm
Stem	ID Project, <=46 mm 75 mm, else 90 mm, 15°/10°
Seat post	ID Project, 31.6*350 mm
Specials	Selle Italia Q-BIK (saddle)

Color Options





STROBE

WHEEL SIZE 26" SPEED 24

Frame	AL6061-T4/T6,38/41/46/51/56 cm
Fork	RST Capa-T, 80 mm, rebound
Rear shock	
Hubs	Shimano HB-RM70/FH-RM70
Rims	Exal TX19, 559-19*21 mm
Spokes	Sha-Dar 14G, steel edb
Tires	Kenda K849 26x1.95
Crank set	Shimano FC-M171, 42-34-24T, <=46cm 170mm, else 175mm
Front derailleur	Shimano FD-M190
Rear derailleur	Shimano Altus, RD-M310
Shifters	Shimano ST-M310
Chain	KMC Z8/HG50
Cassette sprocket	Shimano CS-HG31, 11-13-15-17-20-23-26-34T
Brakes	Miranda V-brakes
Brake levers	Shimano ST-M310
Handlebar	ID Project, riser bar, 66 cm, backsweep 5°, rise 15 mm
Stem	ID Project, <=46 mm 75 mm, else 90 mm, 15°/10°
Seat post	ID Project, 31.6*350 mm
Specials	Selle Italia Q-BIK (saddle)



FREEDER disc

WHEEL SIZE 26" SPEED 24

Frame	AL6061-T4/T6, 38/41/46/51/56 cm
Fork	RST Capa-T, 80 mm, rebound
Rear shock	
Hubs	Joytech
Rims	ID Project X-6, 559*21*20.5 mm
Spokes	Sha-Dar 14G, steel edb
Tires	Kenda K849 26x1.95
Crank set	Prowheel MA-A533, 42-34-24Z, 170 mm
Front derailleur	Shimano Tourney, FD-TX50-6
Rear derailleur	Shimano Tourney, RD-TX35
Shifters	Shimano ST-EF51
Chain	KMC Z51
Cassette sprocket	Shimano CS-HG20, 12-14-16-18-21-26-32T
Brakes	Promax mechanical disc brakes, 160/160 mm
Brake levers	Shimano ST-EF51
Handlebar	ID Project, riser bar, 66 cm, backsweep 9°, rise 30 mm
Stem	ID Project, <=46 cm 90 mm, else 105 mm, 15°
Seat post	ID Project, 31.6*350mm
Specials	Selle Royal Pu One (saddle)



FREEDER

WHEEL SIZE 26" SPEED 21

Frame	AL6061-T4/T6, 38/41/46/51/56 cm
Fork	RST Capa-T, 80 mm, rebound
Rear shock	
Hubs	Joytech
Rims	Exal TX19, 559-19*21 mm
Spokes	Sha-Dar 14G, steel ucp
Tires	Kenda K849 26x1.95
Crank set	Prowheel MA-A533, 42-34-24T, 170 mm
Front derailleur	Shimano Tourney, FD-TX50-6
Rear derailleur	Shimano Tourney, RD-TX35
Shifters	Shimano ST-EF51
Chain	KMC Z51
Cassette sprocket	Shimano Tourney, MF-TZ21, 14-16-18-20-22-24-28T
Brakes	Miranda V-brakes
Brake levers	Shimano ST-EF51
Handlebar	ID Project, riser bar, 66 cm, backsweep 9°, rise 30 mm
Stem	ID Project, <=46 cm 90 mm, else 105 mm, 15°
Seat post	ID Project, 31.6*350 mm
Specials	Selle Royal Pu One (saddle)

Color Options





FREEDER

WHEEL SIZE 26" SPEED 21

Frame	AL6061-T4/T6, 38/41/46 cm
Fork	RST Capa-T, 80 mm, rebound
Rear shock	
Hubs	Joytech
Rims	Exal TX19, 559-19*21 mm
Spokes	Sha-Dar 14G, steel ucp
Tires	Kenda K849 26x1.95
Crank set	Prowheel MA-A533, 42-34-24T, 170 mm
Front derailleur	Shimano Tourney, FD-TX50-6
Rear derailleur	Shimano Tourney, RD-TX35
Shifters	Shimano ST-EF51
Chain	KMC Z51
Cassette sprocket	Shimano Tourney, MF-TZ21, 14-16-18-20-22-24-28T
Brakes	Miranda V-brakes
Brake levers	Shimano ST-EF51
Handlebar	ID Project, riser bar, 66 cm, backsweep 9°, rise 30 mm
Stem	ID Project, <=46 cm 90 mm, else 105 mm, 15°
Seat post	ID Project, 31.6*350 mm
Specials	Selle Royal Pu One (saddle)

Color Options





PRISMA

WHEEL SIZE 29" SPEED 30

Frame	Kinesis AL7005-T4/T6, 40/44/48/52 cm
Fork	RST F1RST-Air-SRL, 100 mm, remote lock out, rebound
Rear shock	
Hubs	Shimano Deore, HB-M595/FH-M595
Rims	Exal MX19 622-19*21.5 mm
Spokes	Sha-Dar 14G, steel edb
Tires	Schwalbe Nobby Nic/Racing Ralph Performance, Folding 57-622 (29*2.25)
Crank set	Shimano FC-M552, 42-32-24T, <=44 cm 170 mm, else 175 mm
Front derailleur	Shimano Deore, FD-M590
Rear derailleur	Shimano Deore, RD-M593
Shifters	Shimano Deore, SL-M591
Chain	Shimano CN-HG54
Cassette sprocket	Shimano CS-HG62, 11-13-15-17-19-21-24-28-32-36T
Brakes	Shimano BR-M446 hydraulic disc brakes, <=44 cm 180/160 mm, else 180/180 mm
Brake levers	Shimano BL-M445
Handlebar	ID Project, flat bar, 67 cm, backsweep 5°
Stem	ID Project, <=44 cm 80 mm, else 90 mm (upside down), 7°
Seat post	ID Project, 31.6*350 mm
Specials	Selle Royal RVP Seta (saddle)



KRITTON

WHEEL SIZE 29" SPEED 27

Frame	Kinesis AL7005-T4/T6, 40/44/48/52 cm
Fork	RST Blaze-ML, 100 mm, mechanical lock out
Rear shock	
Hubs	Shimano HB-RM66/FH-RM66
Rims	ID Project X-6, 622*21*20.5 mm
Spokes	Sha-Dar 14G, steel edb
Tires	Schwalbe Rapid Rob 57-622 (29x2.25)
Crank set	Shimano Acera, FC-M391, 44-32-22T, <=44 cm 170 mm, else 175 mm
Front derailleur	Shimano Acera, FD-M390
Rear derailleur	Shimano Deore, RD-M592
Shifters	Shimano Acera, SL-M390
Chain	Shimano CN-HG53
Cassette sprocket	Shimano CS-HG50, 11-13-15-17-20-23-26-30-34T
Brakes	Shimano BR-M446 hydraulic disc brakes, <=44 cm 180/160 mm, else 180/180 mm
Brake levers	Shimano BL-M445
Handlebar	ID Project, flat bar, 67 cm, backsweep 5°
Stem	ID Project, <=44 cm 75 mm, else 90 mm (upside down), 7°
Seat post	ID Project, 31.6*350 mm
Specials	Selle Royal RVP Seta (saddle)



KRITTON 24sp

WHEEL SIZE 29" SPEED 24

Frame	Kinesis AL7005-T4/T6, 40/44/48/52 cm
Fork	RST Blaze-ML, 100 mm, mechanical lock out
Rear shock	
Hubs	Shimano HB-RM66/FH-RM66
Rims	ID Project X-6, 622*21*20.5 mm
Spokes	Sha-Dar 14G, steel edb
Tires	Schwalbe Rapid Rob 57-622 (29x2.25)
Crank set	Shimano Altus, FC-M311, 42-32-22T, <=44 cm 170 mm, else 175 mm
Front derailleur	Shimano Altus, FD-M311
Rear derailleur	Shimano Acera, RD-M390
Shifters	Shimano Altus, SL-M310
Chain	KMC Z8
Cassette sprocket	Shimano CS-HG31, 11-13-15-17-20-23-26-34T
Brakes	Shimano BR-M446 hydraulic disc brakes, <=44 cm 180/160 mm, else 180/180 mm
Brake levers	Shimano BL-M445
Handlebar	ID Project, flat bar, 67 cm, backsweep 5°
Stem	ID Project, <=44 cm 75 mm, else 90 mm (upside down), 7°
Seat post	ID Project, 31.6*350 mm
Specials	Selle Royal RVP Seta (saddle)

Color Option



JUMP UP

WHEEL SIZE 26" SPEED 24

Frame	Kinesis AL7005-T4/T6, M 38/42 cm
Fork	RST Launch-T, 130 mm, preload
Rear shock	
Hubs	Shimano HB-RM65/FH-RM65
Rims	Exal DC19 559-19*19.5 mm
Spokes	Sha-Dar 14G, black stainless
Tires	Kenda K-Rad 26*2.30
Crank set	Shimano Acera, FC-M361, 42-32-22T, 170 mm
Front derailleur	Shimano Acera, FD-M360
Rear derailleur	Shimano Deore, RD-M592
Shifters	Shimano ST-EF50
Chain	KMC Z8/HG50
Cassette sprocket	Shimano CS-HG50, 11-13-15-17-19-21-24-28T
Brakes	Shimano BR-M416, mechanical disc brakes, 160/160 mm
Brake levers	Shimano ST-EF50
Handlebar	ID Project, riser bar, 62 cm, backsweep 6°, rise 20 mm
Stem	ID Project, 60 mm, 10°
Seat post	ID Project, 31.6*350 mm
Specials	Velo VL-7048 (saddle)



BUMP disc

WHEEL SIZE 26" SPEED 24

Frame	Kinesis AL7005-T4/T6, M 38/42 cm
Fork	RST Launch-T, 130 mm, preload
Rear shock	
Hubs	Shimano HB-RM65/FH-RM65
Rims	Exal ZX19, 559*19
Spokes	Sha-Dar 14G, stainless
Tires	Kenda K-Rad 26*2.30
Crank set	Shimano Acera, FC-M361, 42-32-22T, 170 mm
Front derailleur	Shimano Altus, FD-M310
Rear derailleur	Shimano Deore, RD-M531
Shifters	Shimano ST-EF50
Chain	KMC Z8/HG50
Cassette sprocket	Shimano CS-HG30, 11-13-15-18-21-24-28-32T
Brakes	Shimano BR-M416, mechanical disc brakes, 180/160 mm
Brake levers	Shimano ST-EF50
Handlebar	Pro FRS OS, riser bar, 685mm
Stem	Pro FRS OS, 50mm
Seat post	ID Project, 31.6*300 mm
Specials	Velo freestyle/dirt



BUMP

WHEEL SIZE 26" SPEED 24

Frame	Kinesis AL7005-T4/T6, M 38/42 cm
Fork	RST Launch-T, 130 mm, preload
Rear shock	
Hubs	Shimano HB-RM60/FH-RM60
Rims	Beretta Alu-V24, 559*19
Spokes	Sha-Dar 14G, black stainless
Tires	Kenda K-Rad 26*2.30
Crank set	Shimano Acera, FC-M361, 42-32-22T, 170 mm
Front derailleur	Shimano Altus, FD-M310
Rear derailleur	Shimano Acera, RD-M360
Shifters	Shimano ST-EF50
Chain	KMC Z8/HG50
Cassette sprocket	Shimano CS-HG30, 11-13-15-18-21-24-28-32T
Brakes	Shimano BR-M422, V-brakes
Brake levers	Shimano ST-EF50
Handlebar	ID Project, riser bar, 62 cm, backsweep 6°, rise 20 mm
Stem	ID Project, 60 mm, 10°
Seat post	ID Project, 31.6*350 mm
Specials	Velo VL-7048 (saddle)



VSR pro

WHEEL SIZE 26" SPEED 30

Frame	Kinesis, 4-link, AL7005-T4/T6, 40/44/49/53 cm
Fork	FOX 32 Float RL, 100 mm
Rear shock	FOX Float RL, 100 mm
Hubs	Shimano Deore, HB-M595/FH-M595
Rims	Exal DC19, 559-19*19.5 mm
Spokes	Sha-Dar 14G, black stainless
Tires	Schwalbe Nobby Nic/Racing Ralph EVO W 57-559 (26x2.25)
Crank set	Shimano FC-M522, 42-32-24T, <=44 cm 170mm, else 175mm
Front derailleur	Shimano Deore, FD-M591
Rear derailleur	Shimano Deore XT, RD-M780
Shifters	Shimano Deore, SL-M591
Chain	Shimano CN-HG54
Cassette sprocket	Shimano CS-HG62, 11-13-15-17-19-21-24-28-32-36T
Brakes	Shimano Deore hydraulic disc brakes, BR-M596, 180/160 mm
Brake levers	Shimano Deore, BL-M595
Handlebar	ID Project, riser bar, 66 cm, backsweep 5°, rise 15 mm
Stem	ID Project, <=44 cm 80 mm, else 90 mm, 7°
Seat post	ID Project, 31.6*350 mm
Specials	Selle Royal RVP Seta (saddle)



VSR comp

WHEEL SIZE 26" SPEED 27

Frame	Kinesis, 4-link, AL7005-T4/T6, 40/44/49/53 cm
Fork	RST Blaze-RL, 100 mm, remote lock out, rebound
Rear shock	Kind Shok A5-RE air, 100 mm
Hubs	Shimano HB-RM66/FH-RM66
Rims	ID Project X-6, 559*21*20.5 mm
Spokes	Sha-Dar 14G, steel edb
Tires	Kenda K1027 Kadre 26x2.10
Crank set	Shimano Acera, FC-M391, 44-32-22T, <=44 cm 170mm, else 175mm
Front derailleur	Shimano Alivio, FD-M431
Rear derailleur	Shimano Deore, RD-M592
Shifters	Shimano Acera, SL-M390
Chain	Shimano CN-HG53
Cassette sprocket	Shimano CS-HG20, 11-13-15-17-20-23-26-30-34T
Brakes	Shimano BR-M446 hydraulic disc brakes, 180/160 mm
Brake levers	Shimano BL-M445
Handlebar	ID Project, riser bar, 66 cm, backsweep 5°, rise 15 mm
Stem	ID Project, <=44 cm 75 mm, else 90 mm, 7°
Seat post	ID Project, 31.6*350 mm
Specials	Selle Royal RVP Seta (saddle)



STROKE

WHEEL SIZE 26" SPEED 24

Frame	Kinesis, Active, AL7005-T4/T6, 42/47/52/57 cm
Fork	RST Blaze-ML, 100 mm, mechanical lock out, rebound
Rear shock	Kind-Shock A5-RE air
Hubs	Shimano HB-RM66/FH-RM66
Rims	ID Project X-6, 559*21*20.5 mm
Spokes	Sha-Dar 14G, steel edb
Tires	Kenda K1027 Kadre 26x2.10
Crank set	Shimano FC-M171, 42-34-24T, <=47cm 170mm else 175mm
Front derailleur	Shimano FD-M311
Rear derailleur	Shimano Acera, RD-M390
Shifters	Shimano SL-M310
Chain	KMC Z8/HG50
Cassette sprocket	Shimano CS-HG31, 11-13-15-17-20-23-26-34T
Brakes	Shimano BR-M446 hydraulic disc brakes, 180/160 mm
Brake levers	Shimano BL-M445
Handlebar	ID Project, riser bar, 66 cm, backsweep 5°, rise 15 mm
Stem	ID Project, <=47 cm 75 mm, else 90 mm, 7°
Seat post	ID Project, 27.2*300 mm
Specials	Selle Italia Q-BIK (saddle)



AXION

WHEEL SIZE 26" SPEED 24

Frame	Kinesis, Active, AL7005-T4/T6, 42/47/52/57 cm
Fork	RST Capa-ML, 80 mm, mechanical lock out
Rear shock	Kind-Shock KS-260 coil spring
Hubs	Joytech
Rims	ID Project X-6, 559*21*20.5 mm
Spokes	Sha-Dar 14G, steel edb
Tires	Kenda K1027 Kadre 26x2.0
Crank set	Shimano FC-M171, 42-34-24T, <=47cm 170mm else 175mm
Front derailleur	Shimano FD-M311
Rear derailleur	Shimano RD-M310
Shifters	Shimano ST-M310
Chain	KMC Z8/HG50
Cassette sprocket	Shimano CS-HG31, 11-13-15-17-20-23-26-34T
Brakes	Promax mechanical disc brakes, 160/160 mm
Brake levers	Shimano ST-M310
Handlebar	ID Project, riser bar, 66 cm, backsweep 5°, rise 15 mm
Stem	ID Project, <=47 cm 75 mm, else 90 mm, 7°
Seat post	ID Project, 27.2*300 mm
Specials	Selle Italia Q-BIK (saddle)



INTEGRATOR

WHEEL SIZE 700C SPEED 30

Frame	Kinesis AL7005-T4/T6, M 42/46/50/54/58 cm
Fork	RST Vogue-Air-SRL, 75 mm, remote lock out, rebound
Rear shock	
Hubs	Shimano Deore HB-M595/FH-M595
Rims	ID Project X-6, 622*21*20.5 mm
Spokes	Sha-Dar 14G, steel edb
Tires	Kenda K948 Kwick 700x40C
Crank set	Shimano FC-T551, 48-36-26T, <=46 cm 170 mm, else 175 mm
Front derailleur	Shimano Deore XT, FD-T780
Rear derailleur	Shimano Deore XT, RD-M780
Shifters	Shimano Deore, SL-M591
Chain	Shimano CN-HG54
Cassette sprocket	Shimano CS-HG62, 11-13-15-17-19-21-23-26-30-34T
Brakes	Shimano BR-M446 hydraulic disc brakes, 180/160 mm
Brake levers	Shimano BL-M445
Handlebar	ID Project, riser bar, 64 cm, backsweep 5°, rise 15 mm
Stem	ID Project, <=46 cm 80mm, else 90mm, 7°
Seat post	ID Project, 31.6*350 mm
Specials	Selle Italia ZOO-Man-Flow (saddle), Atran Stylo (dropout kickstand)



ERGOMAX

WHEEL SIZE 700C SPEED 27

Frame	Kinsesis AL7005-T4/T6, M 42/46/50/54/58 cm
Fork	RST Vita-RL, 60 mm, remote lock out, rebound
Rear shock	
Hubs	Shimano Deore HB-M595/FH-M595
Rims	ID Project X-6, 622*21*20.5mm
Spokes	Sha-Dar 14G, steel edb
Tires	Kenda K948 Kwick 700x40C
Crank set	Shimano Acera, FC-M391, 48-36-26T, <=46 cm 170 mm, else 175 mm
Front derailleur	Shimano Acera, FD-M390
Rear derailleur	Shimano Deore, RD-M592
Shifters	Shimano SL-M390
Chain	Shimano CN-HG53
Cassette sprocket	Shimano CS-HG20, 11-13-15-17-19-21-24-28-32T
Brakes	Shimano BR-M446 hydraulic disc brakes, 160/160 mm
Brake levers	Shimano BL-M445
Handlebar	ID Project, riser bar, 64 cm, backsweep 5°, rise 15 mm
Stem	ID Project, <=46 cm 75 mm, else 90 mm, 7°
Seat post	ID Project, 31.6*350 mm
Specials	Selle Royal RVS Lancia (saddle), Atran Stylo (dropout kickstand)



OPTIMUS

WHEEL SIZE 700C SPEED 24

Frame	Kinesis AL7005-T4/T6, M 42/46/50/54/58 cm
Fork	RST Neon-PLS-ML, 60 mm, mechanical lock out, rebound
Rear shock	
Hubs	Shimano HB-RM66/FH-RM66
Rims	ID Project X-6, 622*21*20.5mm
Spokes	Sha-Dar 14G, steel edb
Tires	Kenda K948 Kwick 700x40C
Crank set	Shimano FC-M361, 48-38-28T, <=46 cm 170 mm, else 175 mm
Front derailleur	Shimano FD-M310
Rear derailleur	Shimano Alivio, RD-M430
Shifters	Shimano SL-M310
Chain	KMC Z8/HG50
Cassette sprocket	Shimano CS-HG31, 11-13-15-18-21-24-28-32T
Brakes	Shimano BR-M446 hydraulic disc brakes, 160/160 mm
Brake levers	Shimano BL-M445
Handlebar	ID Project, riser bar, 64 cm, backsweep 5°, rise 15 mm
Stem	ID Project, <=46 cm 75 mm, else 90 mm, 7°
Seat post	ID Project, 31.6*350 mm
Specials	Selle Royal RVS Lancia (saddle), Atran Stylo (dropout kickstand)




MEGISTO disc

WHEEL SIZE 700C SPEED 24

Frame	Kinesis AL7005-T4/T6, M 42/46/50/54/58 cm
Fork	RST Neon-PLS-ML, 60 mm, mechanical lock out, rebound
Rear shock	
Hubs	Shimano HB-RM66/FH-RM66
Rims	ID Project X-6, 622*21*20
Spokes	Sha-Dar 14G, steel edb
Tires	Kenda K948 Kwick 700x40C
Crank set	Shimano FC-M311, 48-38-28T, <=46cm 170mm, else 175mm
Front derailleur	Shimano FD-M191
Rear derailleur	Shimano Acera, RD-M390
Shifters	Shimano ST-M310
Chain	KMC Z8/HG50
Cassette sprocket	Shimano CS-HG31, 11-13-15-18-21-24-28-32T
Brakes	Shimano BR-M416 mechanical disc brakes, 160/160 mm
Brake levers	Shimano BL-M445
Handlebar	ID Project, Riser Bar, 63 cm, Backsweep 9°, Rise 30 mm
Stem	ID Project, 110 mm, adjustable
Seat post	ID Project, 31.6*350 mm
Specials	Selle Royal RVS Lancia (saddle), Atran Stylo (dropout kickstand)

Color Options





MEGISTO

WHEEL SIZE 700C SPEED 24

Frame	AL6061-T4/T6, M 42/47/53/58 cm - L 40/46/53 cm
Fork	RST Neon-PLS-ML, 60 mm, mechanical lock out, rebound
Rear shock	
Hubs	Shimano HB-RM70/FH-RM70
Rims	Exal TX19, 622-19*21mm
Spokes	Sha-Dar 14G, steel edb
Tires	Kenda K948 Kwick 700x40C
Crank set	Shimano FC-M171, 48-38-28T, <=47/46 cm 170mm, else 175mm
Front derailleur	Shimano FD-M191
Rear derailleur	Shimano RD-M310
Shifters	Shimano ST-M310
Chain	KMC Z8/HG50
Cassette sprocket	Shimano CS-HG31, 11-13-15-18-21-24-28-32T
Brakes	Shimano BR-M422 V-brakes
Brake levers	Shimano ST-M310
Handlebar	ID Project, riser bar, 63 cm, backsweep 9°, rise 30 mm
Stem	ID Project, 110 mm, adjustable
Seat post	ID Project, 31.6*350 mm
Specials	Selle Royal RVS Lancia (saddle), Olona kickstand

Color Options

 Mens Version only



CROSSMO WHEEL SIZE 700C SPEED 24

Frame	AL6061-T4/T6, M 42/47/53/58 cm - L 40/46/53 cm
Fork	RST 777-T, 50 mm, rebound
Rear shock	
Hubs	Joytech/Shimano FH-RM70
Rims	Exal TX19, 622-19*21 mm
Spokes	Sha-Dar 14G, steel edb
Tires	Kenda K948 Kwick, refelex, 700x40C
Crank set	Shimano FC-M171, 48-38-28T, <=47/46 cm 170mm, else 175mm
Front derailleur	Shimano FD-M191
Rear derailleur	Shimano Altus, RD-M310
Shifters	Shimano ST-M310
Chain	KMC Z8/HG5
Cassette sprocket	Shimano CS-HG31, 11-13-15-18-21-24-28-32T
Brakes	Miranda V-brakes
Brake levers	Shimano ST-M310
Handlebar	ID Project, Riser Bar, 63 cm, Backsweep 9°, Rise 30 mm
Stem	ID Project, <=47/46 cm 80 mm, else 100 mm, 30°
Seat post	ID Project, 31,6*350 mm
Specials	Selle Royal RVS Lancia (saddle), Olona kickstand

Color Options



Ladies Version only



NERGETIC

WHEEL SIZE 700C SPEED 21

Frame	AL6061-T4/T6, 42/47/53/58 cm
Fork	RST 777-T, 50 mm, rebound
Rear shock	
Hubs	Joytech/Shimano FH-RM30
Rims	Exal TX19, 622-19*21 mm
Spokes	Sha-Dar 14G, steel edb
Tires	Kenda K948 Kwick 700x40C
Crank set	Prowheel MYP-501, 48-38-28T*170 mm
Front derailleur	Shimano Tourney, FD-TX51
Rear derailleur	Shimano Tourney, RD-TX35
Shifters	Shimano ST-EF51
Chain	KMC Z51
Cassette sprocket	Shimano CS-HG20, 12-14-16-18-21-26-32T
Brakes	Miranda V-brakes
Brake levers	Shimano ST-EF51
Handlebar	ID Project, riser bar, 63 cm, backsweep 9°, rise 30 mm
Stem	ID Project, <=47/46 cm 80 mm, else 100 mm, 30°
Seat post	ID Project, 31.6*350 mm
Specials	Selle Royal Pu One (saddle), Olona kickstand

Color Options






NERGETIC WHEEL SIZE 700C SPEED 21

Frame	AL6061-T4/T6, 40/46/53 cm
Fork	RST 777-T, 50 mm, rebound
Rear shock	
Hubs	Joytech/Shimano FH-RM30
Rims	Exal TX19, 622-19*21 mm
Spokes	Sha-Dar 14G, steel edb
Tires	Kenda K948 Kwick 700x40C
Crank set	Prowheel MYP-501, 48-38-28T*170 mm
Front derailleur	Shimano Tourney, FD-TX51
Rear derailleur	Shimano Tourney, RD-TX35
Shifters	Shimano ST-EF51
Chain	KMC Z51
Cassette sprocket	Shimano CS-HG20, 12-14-16-18-21-26-32T
Brakes	Miranda V-brakes
Brake levers	Shimano ST-EF51
Handlebar	ID Project, riser bar, 63 cm, backsweep 9°, rise 30 mm
Stem	ID Project, <=47/46 cm 80 mm, else 100 mm, 30°
Seat post	ID Project, 31.6*350 mm
Specials	Selle Royal Pu One (saddle), Olona kickstand

Color Options





CHICANE

WHEEL SIZE 700C SPEED 27

Frame	Kinesis AL7005-T4/T6, M 42/46/50/54/58 cm - L 40/44/48/52 cm
Fork	RST SS-M7-T, 40 mm, rebound
Rear shock	
Hubs	Shimano Deore, HB-M590/FH-M595
Rims	Exal TX-19, 622-19*21.5 mm
Spokes	Sha-Dar 14G, black stainless
Tires	Michelin City 32-622 (700X32C)
Crank set	Shimano Deore FC-M590, 48-36-26T, <=46/44 cm 170 mm, else 175 mm
Front derailleur	Shimano Deore, FD-M590
Rear derailleur	Shimano Deore, RD-M592
Shifters	Shimano Deore, SL-M590
Chain	Shimano CN-HG53
Cassette sprocket	Shimano CS-HG50, 11-12-14-16-18-21-24-28-32T
Brakes	Shimano Deore, BR-M590 V-brakes
Brake levers	Shimano Deore, BL-M590
Handlebar	ID Project, riser bar, 64 cm, backsweep 5°, rise 15 mm
Stem	ID Project, <=46/44 cm 90 mm, else 105 mm, 7°
Seat post	ID Project, 31.6*350 mm
Specials	Selle Royal Seta (saddle), Atran Stylo (dropout kickstand)



CITYRUN WHEEL SIZE 700C SPEED 24

Frame	Kinesis AL7005-T4/T6, M 42/46/50/54/58 cm - L 40/44/48/52 cm
Fork	Alloy rigid
Rear shock	
Hubs	Shimano HB-RM60/FH-RM60
Rims	Exal TX-19, 622-19*21.5 mm
Spokes	Sha-Dar 14G, steel edb
Tires	Kenda Kenda Sport Cruising 700*35C
Crank set	Shimano FC-M171, 48-38-28T, 170 mm
Front derailleur	Shimano FD-M310
Rear derailleur	Shimano Alivio, RD-M430
Shifters	Shimano SL-M310
Chain	KMC Z8/HG50
Cassette sprocket	Shimano CS-HG30, 11-13-15-18-21-24-28-32T
Brakes	Miranda V-brakes
Brake levers	Miranda Elegance
Handlebar	ID Project, riser bar, 62 cm, backsweep 6°, rise 20 mm
Stem	ID Project, 100 mm, adjustable
Seat post	ID Project, 31.6*350 mm
Specials	Selle-Royal Lancia (saddle), Atran Stylo (dropout kickstand)

Color Option



INDIGO

WHEEL SIZE 700C SPEED 21

Frame	Kinesis AL7005-T4/T6, M 42/46/50/54/58 cm - L 40/44/48/52 cm
Fork	Hi-Ten rigid
Rear shock	
Hubs	Joytech
Rims	Exal TX-19, 622-19*21.5 mm
Spokes	Sha-Dar 14G, steel edb
Tires	Kenda Kenda Sport Cruising 700*35C
Crank set	Prowheel MYP-501, 48-38-28T, 170 mm
Front derailleur	Shimano Tourney, FD-TX51
Rear derailleur	Shimano Acera, RD-M360
Shifters	Shimano ST-EF51
Chain	KMC Z51
Cassette sprocket	Shimano Tourney, MF-TZ21, 14-16-18-20-22-24-28T
Brakes	Miranda V-brakes
Brake levers	Miranda Elegance
Handlebar	ID Project, riser bar, 62 cm, backsweep 6°, rise 20 mm
Stem	ID Project, <=46/44 mm 80 mm, else 100 mm, 25°
Seat post	ID Project, 31.6*350 mm
Specials	Selle-Royal One (saddle), Atran Stylo (dropout kickstand)



FUTOUR

WHEEL SIZE 700C SPEED 30

Frame	Kinesis AL7005-T4/T6, M 42/46/50/54/58 cm - L 40/44/48/52 cm
Fork	RST SS-M7-T, 30 mm, rebound
Rear shock	
Hubs	Shimano DH-3N35 hub dynamo/Deore, FH-M595
Rims	Exal ZX19, 622-19*21.5 mm
Spokes	Sha-Dar 14G, steel edb
Tires	Schwalbe Marathon Supreme 42-622 (28x1.60 - 700x40C)
Crank set	Shimano FC-T551, 48-36-26T, <=46/44 cm 170 mm, else 175 mm
Front derailleur	Shimano Deore XT, FD-T780
Rear derailleur	Shimano Deore, RD-M593
Shifters	Shimano Deore, SL-M591
Chain	Shimano CN-HG54
Cassette sprocket	Shimano CS-HG62, 11-13-15-17-19-21-23-26-30-34T
Brakes	Shimano BR-M446 hydraulic disc brakes, 160/160 mm
Brake levers	Shimano BL-M445
Handlebar	ID Project, riser bar, 64 cm, backsweep 5°, rise 15 mm
Stem	ID Project, <=46/44 cm 75 mm, else 90 mm, 7°
Seat post	ID Project, 31.6*350 mm
Specials	Selle Royal VLS Freccia (saddle), Herrmans H-Diver, 10 Lux (headlight), Herrmans Hgoggle, standlight (rear light), SKS Zeta-3 (mudguards), Standwell alloy carrier, Atran Stylo (dropout kickstand)



MULTIGO

WHEEL SIZE 700C SPEED 27

Frame	Kinesis AL7005-T4/T6, M 42/46/50/54/58 cm - L 40/44/48/52 cm - W 40/46/53 cm
Fork	RST Neon-PLS-ML, 60 mm, mechanical lock out, rebound
Rear shock	
Hubs	Shimano DH-3N20 hub dynamo/FH-RM70
Rims	Exal TX19, 622-19*21 mm
Spokes	Sha-Dar 14G, steel edb
Tires	Kenda K948 Kwick 700x40C
Crank set	Shimano Acera, FC-M391, 48-36-26T, <=46/44/46 cm 170 mm, else 175 mm
Front derailleur	Shimano Acera, FD-M390
Rear derailleur	Shimano Acera, RD-M390
Shifters	Shimano Acera, ST-M390
Chain	Shimano CN-HG53
Cassette sprocket	Shimano CS-HG20, 11-13-15-17-19-21-24-28-32T
Brakes	Shimano BR-M422 V-brakes
Brake levers	Shimano Acera, ST-M390
Handlebar	ID Project, (M-L) riser bar, 63 cm, backsweep 9°, rise 30 mm/W moonbar, 600mm, backsweep 40°, rise 55 mm
Stem	ID Project, (M-L) <=46/44/46 cm 75 mm, else 90 mm, 7°/W threaded, 90 mm, 15°
Seat post	ID Project, 31.6*350 mm
Specials	Selle Royal VLS Freccia (saddle), Herrmans H-Diver, 10 Lux (headlight), Herrmans Hgoggle standlight (rear light), SKS (mudguards), Standwell alloy carrier, Atran Stylo (dropout kickstand)



LADIES VERSION



WAVE VERSION



TRAVELON

WHEEL SIZE 700C SPEED 24

Frame	Kinesis AL7005-T4/T6, M 42/46/50/54/58 cm - L 40/44/48/52 cm - W 40/46/53 cm
Fork	RST Neon-PLS-T, 60 mm, rebound
Rear shock	
Hubs	Shimano DH-3N20 hub dynamo/FH-RM70
Rims	Exal TX19, 622-19*21 mm
Spokes	Sha-Dar 14G, steel edb
Tires	Kenda K948 Kwick 700x40C
Crank set	Shimano FC-M171, 48-38-28T, <=46/44/46 cm 170 mm else 175 mm
Front derailleur	Shimano FD-M191
Rear derailleur	Shimano Altus, RD-M310
Shifters	Shimano ST-M310
Chain	KMC Z8/HG50
Cassette sprocket	Shimano CS-HG31, 11-13-15-18-21-24-28-32T
Brakes	Miranda V-brakes
Brake levers	Shimano ST-M310
Handlebar	ID Project, (M-L) riser bar, 63 cm, backsweep 9°, rise 30 mm/W moonbar, 600mm, backsweep 40°, rise 55 mm
Stem	ID Project, 110 mm, adjustable
Seat post	ID Project, 31.6*300 mm, suspension, 40 mm travel
Specials	Selle Royal RVS Lancia (saddle), Herrmans H-Diver, 10 Lux (headlight), Herrmans Hgoggle standlight (rear light), SKS (mudguards), Standwell alloy carrier, Atran Stylo (dropout kickstand)

Color Option



EZIGO

WHEEL SIZE 700C SPEED 21

Frame	AL6061-T4/T6, M 42/47/53/58 cm - L 40/46/53 cm - W 40/46/53 cm
Fork	RST 777-T, 50 mm, rebound
Rear shock	
Hubs	Shimano DH-3N20 hub dynamo/FH-RM30
Rims	Exal TX19, 622-19*21 mm
Spokes	Sha-Dar 14G, stainless
Tires	Kenda K948 Kwick 700x40C
Crank set	Prowheel MYP-501, 48-38-28T*170 mm
Front derailleur	Shimano Tourney, FD-TX51
Rear derailleur	Shimano Tourney, RD-TX35
Shifters	Shimano ST-EF51
Chain	KMC Z51
Cassette sprocket	Shimano CS-HG20, 12-14-16-18-21-26-32T
Brakes	Miranda V-brakes
Brake levers	Shimano ST-EF51
Handlebar	ID Project, (♂-♀) riser bar, 63 cm, backsweep 9°, rise 30 mm/W moonbar, 600mm, backsweep 40°, rise 55 mm
Stem	ID Project, <=47/46 cm 90 mm else 110 mm, threaded, adjustable
Seat post	ID Project, ♂/♀ 31.6*300 mm - W 27.2*300 mm, suspension, 40 mm travel
Specials	Selle Royal Pu One (saddle), AXA Clear Slim halogen, 10 Lux (headlight), Hugo Goerner Wingo LED standlight (rear light), SKS Zeta-3 (mudguards), steel carrier, Olona kickstand

Color Option



LADIES VERSION



WAVE VERSION



TESTEK

WHEEL SIZE 700C SPEED 24

Frame	AL6061-T4/T6, M 42/47/53 cm - L 42/47 cm
Fork	RST Capa-T, 80 mm, rebound
Rear shock	
Hubs	Shimano DH-3N20 hub dynamo/FH-RM60
Rims	Exal TX-19, 559-19*21mm
Spokes	Sha-Dar 14G, stainless SUS
Tires	Kenda Sport Cruising 26*1.75
Crank set	Shimano FC-M171, 48-38-28T, 170 mm
Front derailleur	Shimano FD-M191
Rear derailleur	Shimano Acera, RD-M360
Shifters	Shimano ST-EF51
Chain	KMC Z8/HG50
Cassette sprocket	Shimano CS-HG30, 11-13-15-18-21-24-28-32T
Brakes	Miranda V-brakes
Brake levers	Miranda Elegance
Handlebar	ID Project, riser bar, 62 cm, backsweep 6°, rise 20 mm
Stem	ID Project, <=47 cm 90 mm, else 110 mm, adjustable
Seat post	ID Project, 27.2*350 mm
Specials	Selle-Royal One (saddle), Basta Clear Slim halogen, Hugo Goerner Wingo LED standlight, SKS mudguards, Standwell alloy carrier, Atran Moove (center type)

Color Option

Wave Version only






CITYLIFE

WHEEL SIZE 700C SPEED 7

Frame	AL6061-T4/T6, 40/46/51 cm
Fork	Rigid, HiTen
Rear shock	
Hubs	Joytech
Rims	Exal TX19, 622-19*21 mm
Spokes	Sha-Dar 14G, steel ucp
Tires	Kenda K197 Eurotrek 700x45C
Crank set	Prowheel PRA-111, 38T*170 mm
Front derailleur	
Rear derailleur	Shimano Tourney, RD-TX35
Shifters	Shimano Tourney, SL-RS35-7R
Chain	KMC Z50
Cassette sprocket	Shimano Tourney, MF-TZ21, 14-16-18-20-22-24-28T
Brakes	Miranda V-brakes
Brake levers	Miranda Elegance
Handlebar	ID Project, riser bar, 60 cm, backsweep 40°, rise 55 mm
Stem	ID Project, 90 mm, adjustable
Seat post	ID Project, 28.6*300 mm
Specials	Selle Royal Moody (saddle), AXA halogen 10Lux (headlight), Hugo Goerner Wingo LED carrier standlight (rear light), SKS Zeta-3 (mudguards), steel carrier, Olona kickstand

Color Options





UNIGO

WHEEL SIZE 700C SPEED 7

Frame	AL7005-T4/T6, M 42/46/50/54/58 cm - W 40/46/53 cm
Fork	Rigid fork, HiTen
Rear shock	
Hubs	Joytech
Rims	Exal TX-19, 622-19*21.5 mm
Spokes	Sha-Dar 14G, steel ucp
Tires	Kenda Kenda Sport Cruising 700*38C
Crank set	Prowheel PRA-111, 38T, 170 mm
Front derailleur	
Rear derailleur	Shimano Tourney, RD-TX35
Shifters	Shimano Tourney, SL-RS35
Chain	KMC Z50
Cassette sprocket	Shimano Tourney, MF-TZ21, 14-16-18-20-22-24-28T
Brakes	Miranda V-brakes
Brake levers	Miranda Elegance
Handlebar	ID Project, moon cruiser, 60 cm, backsweep 50°
Stem	ID Project, 90 mm, adjustable
Seat post	ID Project, M 31.6*300 mm/W 27.1*300 mm
Specials	Selle Royal RVS (saddle), SKS (mudguards), steel carrier, Atran Stylo (dropout kickstand)



STAGE team

WHEEL SIZE 700C SPEED 20

Frame	UD carbon, tapered heat tube, 48/50/52/54/56/58/60/62 cm
Fork	Full carbon, 1-1/8 to 1-1/4
Rear shock	
Hubs	Shimano WH-RS30 wheelset
Rims	Shimano WH-RS30 wheelset
Spokes	Shimano WH-RS30 wheelset
Tires	Micheling Orium 23-622
Crank set	Shimano Ultegra, FC-6750, 50-34T, <=52 cm 170 mm, else 175mm
Front derailleur	Shimano Ultegra, FD-6770
Rear derailleur	Shimano Ultegra, RD-6770
Shifters	Shimano Ultegra, ST-6770
Chain	Shimano Ultegra, CN-6701
Cassette sprocket	Shimano Ultegra, CS-6700, 12-13-14-15-16-17-19-21-23-25T
Brakes	Shimano Ultegra, BR-6700
Brake levers	Shimano Ultegra, ST-6770
Handlebar	ID Project, road, 131 mm drop, 84mm reach, <=52 cm 420 mm else 440 mm
Stem	ID Project, <=52 cm 90 mm else 105 mm, 7°
Seat post	ID Project, 31.6*350 mm
Specials	Selle-Italia X1 (saddle)



STAGE comp

WHEEL SIZE 700C SPEED 20

Frame	UD carbon, 40/45/50/55/60 cm
Fork	Carbon blades, alloy steerer
Rear shock	
Hubs	Shimano WH-R501 wheelset
Rims	Shimano WH-R501 wheelset
Spokes	Shimano WH-R501 wheelset
Tires	Kenda K177 Kampaign 700x23C
Crank set	Shimano FC-R565, 50-34T, <=50 cm 170 mm, else 175mm
Front derailleur	Shimano 105, FD-5700
Rear derailleur	Shimano 105, RD-5700
Shifters	Shimano 105, ST-5700
Chain	Shimano 105, CN-5701
Cassette sprocket	Shimano 105, CS-5700, 12-13-14-15-16-17-19-21-23-25T
Brakes	Shimano BR-R561
Brake levers	Shimano 105, ST-5700
Handlebar	ID Project, road, 131 mm drop, 84mm reach, <=50 cm 420 mm else 440 mm
Stem	ID Project, <=50 cm 90 mm else 105 mm, 7°
Seat post	ID Project, 31.6*350 mm
Specials	Selle-Italia X1 (saddle)



STAGE

WHEEL SIZE 700C SPEED 20

Frame	AL7005-T4/T6, 40/45/50/55/60 cm
Fork	Carbon blades, alloy steerer
Rear shock	
Hubs	Shimano WH-R501 wheelset
Rims	Shimano WH-R501 wheelset
Spokes	Shimano WH-R501 wheelset
Tires	Kenda K177 Kampaign 700x23C
Crank set	Shimano FC-R565, 50-34T, <=50 cm 170 mm, else 175mm
Front derailleur	Shimano 105, FD-5700
Rear derailleur	Shimano 105, RD-5700
Shifters	Shimano 105, ST-5700
Chain	Shimano 105, CN-5701
Cassette sprocket	Shimano 105, CS-5700, 12-13-14-15-16-17-19-21-23-25T
Brakes	Shimano BR-R561
Brake levers	Shimano 105, ST-5700
Handlebar	ID Project, road, 131 mm drop, 84mm reach, <=50 cm 420 mm else 440 mm
Stem	ID Project, <=50 cm 90 mm else 105 mm, 7°
Seat post	ID Project, 31.6*350 mm
Specials	Selle-Italia X1 (saddle)



ONROAD

WHEEL SIZE 700C SPEED 18

Frame	AL7005-T4/T6, 40/45/50/55/60 cm
Fork	Carbon blades, alloy steerer
Rear shock	
Hubs	Shimano WH-R501 wheelset
Rims	Shimano WH-R501 wheelset
Spokes	Shimano WH-R501 wheelset
Tires	Kenda K177 Kampaign 700x23C
Crank set	Shimano Sora, FC3450, 50-34T, <=50 cm 170 mm, else 175mm
Front derailleur	Shimano Sora, FD3400
Rear derailleur	Shimano Sora, RD3400
Shifters	Shimano Sora, ST3400
Chain	Shimano CN-HG53
Cassette sprocket	Shimano CS-HG50, 12-13-14-15-17-19-21-23-25T
Brakes	Shimano Sora, BR-3400
Brake levers	Shimano Sora, ST3400
Handlebar	ID Project, road, 131 mm drop, 84mm reach, <=50 cm 420 mm else 440 mm
Stem	ID Project, <=50 cm 90 mm else 105 mm, 7°
Seat post	ID Project, 31.6*350 mm
Specials	Selle-Italia X1 (saddle)




INTEMPO

WHEEL SIZE 700C SPEED 16


Frame	AL7005-T4/T6, 40/45/50/55/60 cm
Fork	Carbon blades, alloy steerer
Rear shock	
Hubs	Shimano HB-2200/ FH-2200
Rims	EXAL XR3, 622-13*24 mm
Spokes	Sha-Dar 14G, stainless SUS
Tires	Kenda K177 Kampaign 700x23C
Crank set	Shimano FC-2350, 50-34T, <=50 cm 170 mm, else 175 mm
Front derailleur	Shimano FD-2300
Rear derailleur	Shimano RD-2300
Shifters	Shimano ST-2300
Chain	KMC Z8/HG50
Cassette sprocket	Shimano CS-HG50, 12-13-15-17-19-21-23-25T
Brakes	Shimano Sora, BR-3400
Brake levers	Shimano ST-2300
Handlebar	ID Project, road, 131 mm drop, 84mm reach, <=50 cm 420 mm else 440 mm
Stem	ID Project, <=50 cm 90 mm else 105 mm, 7°
Seat post	ID Project, 31.6*350 mm
Specials	Selle Bassano Aventis (saddle)

FRAME GEOMETRY CHART




STAGE team

FRAME SIZE	480	500	520	540	560	580	600	620
A TOP TUBE	494.6	514.8	524.2	535.4	551.6	565.5	579.6	594.1
B SEAT TUBE	490	510	520	540	560	580	600	620
C REAR CENTER	406	406	406	406	406	406	408	408
D WHEEL BASE	953.8	969.7	971.0	976.5	991.6	997.2	1008.6	1017.6
E B.B. DROP	68	68	68	68	68	68	68	68
F SEAT ANGLE	74°30'	74°30'	74°	73°30'	73°30'	73°	72°30'	72°
G HEAD ANGLE	72°	72°30'	73°	73°	73°	73°30'	73°30'	73°30'
H OFFSET	45	45	45	45	45	45	45	45



STAGE comp

FRAME SIZE	440	480	520	560
A TOP TUBE	530	547	570	590
B SEAT TUBE	440	480	520	560
C REAR CENTER	408	408	408	408
D WHEEL BASE	976	985	999	1008
E B.B. DROP	68	68	68	68
F SEAT ANGLE	74°	73°30'	73°	72°30'
G HEAD ANGLE	72°	72°30'	73°	73°30'
H OFFSET	45	45	45	45



STAGE / ONROAD / INTEMPO

FRAME SIZE	400	450	500	550	600
A TOP TUBE	514	535	555	585	605
B SEAT TUBE	400	450	500	550	600
C REAR CENTER	405	405	405	405	405
D WHEEL BASE	975	976	983	999	1018
E B.B. DROP	69	69	69	69	69
F SEAT ANGLE	74°30'	74°	73°30'	73°	73°
G HEAD ANGLE	71°	72°	73°	74°	74°
H OFFSET	50	43	43	43	43


AXION 24 disc / AXION 24

WHEEL SIZE 24" SPEED 21

Frame	AL6061-T4/T6, 38 cm
Fork	RST 191-T-D, 50 mm
Rear shock	Kind Shock KS 261 coil spring
Hubs	Joytech
Rims	Beretta, alloy, double wall, wear indicator
Spokes	Sha-Dar 14G, steel ucp
Tires	Kenda K849, 24x1.95
Crank set	Prowheel MA-A533, 42/34/24T*152 mm
Front derailleur	Shimano Tourney, FD-TY10
Rear derailleur	Shimano Tourney, RD-TX35
Shifters	Shimano ST-EF51
Chain	KMC Z51
Cassette sprocket	Shimano Tourney, MF-TZ21, 14-16-18-20-22-24-28T
Brakes	Promax mechanical discs 160/160 mm / Miranda V-brakes
Brake levers	Shimano ST-EF51
Handlebar	ID Project, riser bar, 56 cm, backsweep 6°, rise 20 mm
Stem	ID Project, 75 mm, 15°
Seat post	ID Project, 27,2*300 mm
Specials	Selle Bassano Mito-24" (saddle)



STROBE 24 disc / STROBE 24

WHEEL SIZE 24" SPEED 21

Frame	AL6061-T4/T6, M 31 cm - L 31 cm
Fork	RST 191-T-D, 50 mm
Rear shock	
Hubs	Joytech
Rims	Beretta, alloy, double wall, wear indicator
Spokes	Sha-Dar 14G, steel ucp
Tires	Kenda K849 24x1.95
Crank set	Prowheel MA-A533, 42/34/24T*152 mm
Front derailleur	Shimano Tourney, FD-TY10
Rear derailleur	Shimano Tourney, RD-TX35
Shifters	Shimano ST-EF51 / Shimano Tourney, SL-RS35
Chain	KMC Z51
Cassette sprocket	Shimano Tourney, MF-TZ21, 14-16-18-20-22-24-28T
Brakes	Promax mechanical disc 160 mm (F), Miranda V-brake (R) / Miranda V-brakes
Brake levers	Shimano ST-EF51 / Tektro alloy junior
Handlebar	ID Project, riser bar, 56 cm, backsweep 6°, rise 20 mm
Stem	ID Project, 75 mm, 15°
Seat post	ID Project, 27,2*300 mm
Specials	Selle Bassano Mito-24" (saddle)



CITYLIFE 24 / CITYLIFE 20

WHEEL SIZE 24" / 20" SPEED 1

Frame	AL6061-T4/T6, 36 cm / 29 cm
Fork	Rigid, HiTen
Rear shock	
Hubs	Joytech
Rims	Beretta, alloy, double wall, wear indicator
Spokes	Sha-Dar 14G, steel ucp
Tires	Kenda K948 Kwick 24x1.75 / 20x1.75
Crank set	Prowheel RSP114, 36T*152 mm / 36T*140 mm
Front derailleur	
Rear derailleur	
Shifters	
Chain	KMC HV410
Cassette sprocket	Lida 18T
Brakes	Miranda V-brakes
Brake levers	Tektro alloy junior
Handlebar	ID Project, moon cruiser style, 56 cm / 54 cm, backsweep 50°
Stem	ID Project, threaded, 40 mm, 30°
Seat post	ID Project, 27,2*300 mm
Specials	Selle Bassano Mito-24" (saddle), SKS (mudguards)



STROBE 20

WHEEL SIZE 20" SPEED 6

Frame	AL6061-T4/T6, M 28 cm - L 28 cm
Fork	Rigid, steel
Rear shock	
Hubs	Joytech
Rims	Beretta, alloy
Spokes	Sha-Dar 14G, steel ucp
Tires	Kenda K879 20x2.00
Crank set	Prowheel RSP114, 36T*140 mm
Front derailleur	
Rear derailleur	Shimano Tourney, RD-FT30
Shifters	Shimano Tourney revo shifter, SL-RS35-6R
Chain	KMC Z30
Cassette sprocket	Shimano Tourney, MF-TZ20, 14-16-18-21-24-28T
Brakes	Miranda V-brakes
Brake levers	Tektro alloy junior
Handlebar	ID Project, riser bar, 54 cm, backsweep 6°, rise 20 mm
Stem	ID Project, threaded, 40 mm, 30°
Seat post	ID Project, 27,2*300 mm
Specials	Selle Bassano Mito-24" (saddle)

Color Option





V-TRACK 18/16

WHEEL SIZE 18"/16" SPEED 1

Frame	AL6061-T4/T6, 25/23 cm
Fork	Rigid, HiTen
Rear shock	
Hubs	Joytech
Rims	Beretta, alloy
Spokes	Sha-Dar 14G, steel ucp
Tires	Kenda K50 18x2.125 / 16x2.125
Crank set	Junior
Front derailleur	
Rear derailleur	
Shifters	
Chain	KMC HV410
Cassette sprocket	16T
Brakes	U-brakes
Brake levers	Saccon junior
Handlebar	ID Project, riser bar, 50 cm, backsweep 6°, rise 20 mm
Stem	ID Project, threaded, 40 mm, 30°
Seat post	ID Project, steel, 25,4*250 mm
Specials	Selle-Bassano Circus-Ideal-Boys/Girls (saddle), Enduro mudguards

Color Options





V-TRACK 14/12 WHEEL SIZE 14"/12" SPEED 1

Frame	AL6061-T4/T6, 21/21 cm
Fork	Rigid, HiTen
Rear shock	
Hubs	Joytech
Rims	Beretta, alloy
Spokes	Sha-Dar 14G, steel ucp
Tires	Kenda K50 14x2.125 / 12-1/2x2-1/4
Crank set	Junior
Front derailleur	
Rear derailleur	
Shifters	
Chain	KMC HV410
Cassette sprocket	16T
Brakes	U-brakes
Brake levers	Saccon junior
Handlebar	ID Project, riser bar, 50 cm, backsweep 6°, rise 20 mm
Stem	ID Project, threaded, 40 mm, 30°
Seat post	ID Project, steel, 25,4*250 mm
Specials	Selle-Bassano Circus-Ideal-Boys/Girls (saddle), Enduro mudguards

Color Options





X-TEN

WHEEL SIZE 20" SPEED 1

Frame	HiTen / Cro-Mo, 28 cm
Fork	HiTen
Rear shock	
Hubs	Joytech
Rims	BMX, alloy
Spokes	Sha-Dar 14G, steel ucp
Tires	Kenda Kontakt F20x2.25/R20x1.95
Crank set	BMX, 3pc
Front derailleur	
Rear derailleur	
Shifters	
Chain	KMC HV410
Cassette sprocket	14T
Brakes	U-brakes
Brake levers	Chang Star alloy 2F lever
Handlebar	ID Project BMX, steel, 2pc, 65 cm, rise 195 mm
Stem	ID Project BMX, alloy, 55 mm
Seat post	ID Project BMX, 25.4*250 mm
Specials	ID Project BMX (saddle)

Color Option





X-SIX WHEEL SIZE 20" SPEED 1

Frame	HiTen, 28 cm
Fork	HiTen
Rear shock	
Hubs	Joytech
Rims	BMX, alloy
Spokes	Sha-Dar 14G, steel ucp
Tires	Kenda F20x2.25/R20x1.95
Crank set	BMX, 1pc
Front derailleur	
Rear derailleur	
Shifters	
Chain	KMC HV410
Cassette sprocket	14T
Brakes	U-brakes
Brake levers	Chang Star alloy 2F lever
Handlebar	ID Project BMX, steel, 2pc, 65 cm, rise 195 mm
Stem	ID Project BMX, alloy, 55 mm
Seat post	ID Project BMX, 25.4*250 mm
Specials	ID Project BMX (saddle)

Color Options





COBI 10

WHEEL SIZE 20" SPEED 8

Frame	Alloy Folding, Visegrip Technology
Fork	Hi-Ten Rigid
Rear shock	
Hubs	Alloy Silver
Rims	Double Wall Alloy, Silver
Spokes	14G Stainless Steel
Tires	Kenda Kwest 20x1.50 Black
Crank set	Alloy 52Tx170mm, Double CG, Gray
Front derailleur	
Rear derailleur	Shimano Altus
Shifters	Shimano 8sp Revoshifter RS43
Chain	Kmc Z-72
Cassette sprocket	Shimano 8sp Cassette HG30 11-30T
Brakes	Alloy V-brakes
Brake levers	Alloy, Black Bracket
Handlebar	Telescopic Bar & Stem Quick Fold
Stem	Auto Touch Lock Stem
Seat post	Alloy Super Oversize 34x580 mm
Specials	Fenders, Bell, Reflectors, Kickstand, Strap



COBI 20

WHEEL SIZE 20" SPEED 7

Frame	Alloy Folding, Visegrip Technology
Fork	Hi-Ten Rigid
Rear shock	
Hubs	Alloy Silver
Rims	Double Wall Alloy, Black
Spokes	14G Stainless Steel
Tires	Kenda Kwest 20x1.50 Black/Gumwall
Crank set	Alloy 52Tx170 mm, Double CG, Gray
Front derailleur	
Rear derailleur	Shimano FT30
Shifters	Shimano 7sp TX50
Chain	Kmc Z-50
Cassette sprocket	Shimano 7sp Freewheel TZ21 14-28T
Brakes	Alloy V-brakes
Brake levers	Alloy, Black Bracket
Handlebar	Telescopic Bar & Stem Quick Fold
Stem	Auto Touch Lock Stem
Seat post	Alloy Super Oversize 34x580 mm
Specials	Alloy Carrier, Fenders, Bell, Reflectors, Kickstand, Strap



COBI 30

WHEEL SIZE 20" SPEED 7

Frame	Alloy Folding, Visegrip Technology
Fork	Hi-Ten Rigid
Rear shock	
Hubs	Alloy Black
Rims	Double Wall Alloy, Black
Spokes	14G Stainless Steel
Tires	Kenda Kwest 20x1.50 Black
Crank set	Alloy 52Tx170 mm, Double CG, Black
Front derailleur	
Rear derailleur	Shimano FT30
Shifters	Shimano 7sp TX50
Chain	Kmc Z-50
Cassette sprocket	Shimano 7sp Freewheel TZ21 14-28T
Brakes	Alloy V-brakes, Black
Brake levers	Alloy, Black Bracket
Handlebar	Telescopic Bar & Stem Quick Fold
Stem	Auto Touch Lock Stem
Seat post	Alloy Super Oversize 34x580 mm
Specials	Fenders, Bell, Reflectors, Kickstand, Strap

Color Option



**COBI 55**

WHEEL SIZE 20' SPEED 7


Frame	Hi-Ten Folding, Visegrip Technology
Fork	Hi-Ten Rigid
Rear shock	
Hubs	Alloy Black
Rims	Double Wall Alloy, Silver
Spokes	14G UCP
Tires	Kenda Kwest 20x1.50 Black/Gumwall
Crank set	Alloy 52Tx170 mm, Double CG, Gray
Front derailleur	
Rear derailleur	Shimano TY18
Shifters	Shimano 7sp TX50
Chain	Kmc Z-50
Cassette sprocket	Shimano 7sp Freewheel TZ21 14-28T
Brakes	Alloy V-brakes
Brake levers	Alloy, Black Bracket
Handlebar	Telescopic Bar & Stem Quick Fold
Stem	Auto Touch Lock Stem
Seat post	Alloy Super Oversize 34x580 mm
Specials	Fenders, Bell, Reflectors, Kickstand, Strap

Color Options




FRAME GEOMETRY CHART

RACE PRO / TRAXER




FRAME GEOMETRY CHART				
FRAME SIZE	410	460	510	560
A TOP TUBE	555	578	589	610
B SEAT TUBE	415	465	515	565
C REAR CENTER	425	425	425	425
D WHEEL BASE	1043	1062	1068	1089
E B.B. DROP	38	38	38	38
F SEAT ANGLE	74°	73°30'	73°30'	73°30'
G HEAD ANGLE	70°30'	70°30'	71°	71°
H OFFSET	39	39	39	39

RACE PRO comp




FRAME GEOMETRY CHART			
FRAME SIZE	410	460	510
A TOP TUBE	571	582	600
B SEAT TUBE	411	462	513
C REAR CENTER	425	425	425
D WHEEL BASE	1038	1049	1080
E B.B. DROP	35	35	35
F SEAT ANGLE	72°24'	72°24'	72°24'
G HEAD ANGLE	71°	71°	71°
H OFFSET	38	38	38

BOOMMAX / HILLMASTER / ZIGZAG




FRAME GEOMETRY CHART					
FRAME SIZE	380	410	460	510	560
A TOP TUBE	555	555	578	589	610
B SEAT TUBE	380	415	465	515	565
C REAR CENTER	425	425	425	425	425
D WHEEL BASE	1044	1044	1062	1068	1089
E B.B. DROP	38	38	38	38	38
F SEAT ANGLE	74°	74°	73°30'	73°30'	73°30'
G HEAD ANGLE	70°30'	70°30'	70°30'	71°	71°
H OFFSET	39	39	39	39	39

PRO RIDER disc / PRO RIDER / STROBE disc / STROBE / FREEDER disc / FREEDER




FRAME GEOMETRY CHART					
FRAME SIZE	380	410	460	510	560
A TOP TUBE	553	553	576	587	608
B SEAT TUBE	380	415	465	515	565
C REAR CENTER	425	425	425	425	425
D WHEEL BASE	1043	1043	1061	1067	1088
E B.B. DROP	38	38	38	38	38
F SEAT ANGLE	74°	74°	73°30'	73°30'	73°30'
G HEAD ANGLE	70°30'	70°30'	70°30'	71°	71°
H OFFSET	39	39	39	39	39

PRISMA / KRITTON / KRITTON 24sp




FRAME GEOMETRY CHART				
FRAME SIZE	400	440	480	520
A TOP TUBE	590	600	620	640
B SEAT TUBE	400	440	480	520
C REAR CENTER	440	440	440	440
D WHEEL BASE	1067.2	1077.2	1097.2	1117.4
E B.B. DROP	60	60	60	60
F SEAT ANGLE	72°30'	72°30'	72°30'	72°30'
G HEAD ANGLE	71°	71°	71°	71°
H OFFSET	42	42	42	42

VSR pro / VSR comp



FRAME GEOMETRY CHART				
FRAME SIZE	400	440	490	530
A TOP TUBE	560	580	595	605
B SEAT TUBE	400	440	490	530
C REAR CENTER	430	430	430	430
D WHEEL BASE	1055	1075	1090	1101
E B.B. DROP	5	5	5	5
F SEAT ANGLE	72°30'	72°30'	72°30'	72°30'
G HEAD ANGLE	70°	70°	70°	70°
H OFFSET	38	38	38	38

INTEGRATOR / ERGOMAX / MEGISTO disc



FRAME GEOMETRY CHART					
FRAME SIZE	420	460	500	540	580
A TOP TUBE	580	580	590	600	615
B SEAT TUBE	420	460	500	540	580
C REAR CENTER	450	450	450	450	450
D WHEEL BASE	1084.5	1084.5	1094.8	1105.2	1121.1
E B.B. DROP	50	50	50	50	50
F SEAT ANGLE	73°	73°	73°	73°	73°
G HEAD ANGLE	70°30'	70°30'	70°30'	70°30'	70°30'
H OFFSET	45	45	45	45	45

NIKOS MANIATOPOULOS S.A.
INDUSTRIAL & TRADING CYCLE COMPANY

265 04 Agios Vassilios, Patras, Greece
Tel.: +30-2610 993045, Fax: +30-2610 990424
commerce@idealbikes.gr

www.idealbikes.net